R3850-1.124
11/86

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Operation, Canada, 1985

A Companion Volume To Length of Stay by Diagnosis, Canada, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data 1
  Data Quality 2
  Coverage 3
  Organization of Length of Stay Tables 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients 16
  Operation Groups 501-764 17
Appendix: *ICD-9-CM* **Codes for Selected Operation Groups** 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient separation records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain separation data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each separated patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data edits, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. separated to other short-term hospital
5. separated against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

The data chosen for inclusion in this book are from general, nonfederal, short-term hospitals in Canada. Short-term hospitals are defined as those in which the median stay is shorter than 45 days. Hospitals participating in PAS from the United States, United States Territories, and Puerto Rico were excluded from this book. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Bed Size and Province: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in Canada January-December 1985

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
Hospital Class (1)	Canada Total[2] (2)	Number in Books (3)	Percent in Books (4)	Canada Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
Less than 25 beds	242	23	9.5	3,434	393	11.4
25-49	194	65	33.5	6,680	2,204	33.0
50-99	174	39	22.4	12,300	2,584	21.0
100-199	120	19	15.8	16,507	2,494	15.1
200-299	74	7	9.5	17,869	1,627	9.1
300-399	58	5	8.6	20,119	1,723	8.6
400-499	20	3	15.0	8,981	1,435	16.0
500+	37	7	18.9	25,481	5,018	20.0
Total	919	168	18.3	111,371	17,478	15.7
Province or Territory						
Alberta	125	111	88.8	11,653	9,926	85.2
British Columbia	111	17	15.3	12,355	2,268	18.4
Manitoba	78	–	–	5,150	–	–
New Brunswick	33	32	97.0	3,924	3,584	91.3
Newfoundland	35	1	2.9	2,588	37	1.4
Nova Scotia	48	5	10.4	4,833	1,562	32.3
Ontario	207	–	–	37,688	–	–
Prince Edward Island	9	–	–	644	–	–
Quebec	138	–	–	26,125	–	–
Saskatchewan	132	–	–	6,260	–	–
Northwest Territories	3	2	66.7	151	101	66.9
Yukon	–	–	–	–	–	–
Total	919	168	18.3	111,371	17,478	15.7

---

[1] Hospitals with average stay less than 45 days, excluding psychiatric hospitals.

[2] *Canadian Hospital Directory*, 1980, Canadian Hospital Association, Ottawa, 1980.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. Generally "principal procedure" is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one Uniform Hospital Discharge Data Set (UHDDS)[2] Class 1 procedure. A Class 1 procedure is defined as a procedure with an operative anesthetic risk or one that requires highly trained personnel or special facilities or equipment. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are those patients whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* procedure codes included in that *List B* group.

Length of stay was calculated by the computer from admission and separation dates by counting the day of admission but not the day of separation. Patients who left the hospital on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) left the hospital on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Although utilization review in Canadian hospitals has not had the regulatory impetus of programs in the United States, Canadian hospitals have equal reason to be concerned about the wise use of resources. The instructions that follow are those found in the length of stay books for the United States. The techniques employed can be used by any Canadian hospital conducting a review of those cases whose stay exceeds the norms for matching cases listed in *Length of Stay by Diagnosis, Canada, 1985* or *Length of Stay by Operation, Canada, 1985*

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR], or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	**2**		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral 60.2**
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.



648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).



648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38855	3.4	15	<1	1	2	4	7	9	18
20-34	69171	4.0	12	<1	1	3	5	7	9	16
35-49	26073	4.8	22	<1	1	4	6	9	12	23
50-64	19799	6.0	35	1	1	4	8	12	16	29
65+	20512	7.4	62	1	2	5	9	15	21	42
2. MULTIPLE DX										
0-19 YRS	30959	6.1	68	1	1	4	7	12	19	49
20-34	63518	5.9	42	1	1	5	7	10	15	37
35-49	34605	7.6	67	1	2	6	9	15	21	46
50-64	40595	9.7	105	1	2	7	12	21	29	62
65+	64977	12.6	165	2	2	9	16	28	41	99+
TOT. SINGLE DX	174410	4.6	24	<1	1	3	5	9	12	25
" MULTIPLE DX	234654	8.7	102	1	2	6	10	19	28	65
TOTAL 0-19 YRS	69814	4.6	40	<1	1	3	5	9	13	34
20-34	132689	4.9	28	<1	1	4	6	8	11	28
35-49	60678	6.4	50	<1	1	5	8	12	17	39
50-64	60394	8.5	85	1	2	6	11	18	25	53
65+	85489	11.3	146	2	2	8	14	25	37	91
GRAND TOTAL	**409064**	**6.9**	**73**	**1**	**1**	**4**	**8**	**15**	**22**	**51**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	13.3	110	1	2	10	18	29	36	42
20-34	46	15.4	173	3	4	10	19	30	48	59
35-49	37	18.3	186	4	6	14	21	36	52	63
50-64	37	17.1	169	5	8	13	18	31	49	67
65+	28	23.0	410	4	6	13	38	52	69	70
2. MULTIPLE DX										
0-19 YRS	33	25.4	396	7	8	21	33	54	88	99+
20-34	47	26.2	265	8	9	21	36	58	68	99+
35-49	51	21.7	263	5	6	18	28	59	65	99+
50-64	105	26.1	316	4	8	22	40	59	76	99+
65+	80	26.8	380	6	8	21	42	62	80	99+
TOT. SINGLE DX	175	17.3	207	4	5	13	20	36	52	68
" MULTIPLE DX	316	25.5	324	6	8	21	37	59	76	99+
TOTAL 0-19 YRS	60	20.0	300	3	5	14	27	48	58	99
20-34	93	20.8	247	4	6	16	30	48	59	99+
35-49	88	20.2	232	5	6	16	25	49	64	99+
50-64	142	23.7	292	5	8	18	34	55	74	99+
65+	108	25.8	387	6	8	18	41	60	74	99+
GRAND TOTAL	**491**	**22.6**	**297**	**4**	**7**	**17**	**32**	**53**	**66**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	8.7	56	<1	1	7	10	21	24	24
20-34	11	8.6	13	4	4	8	11	14	16	16
35-49	9	10.8	33	5	5	10	13	20	23	23
50-64	12	16.3	291	<1	3	11	17	51	52	52
65+	4	18.5	87	8	8	18	26	29	29	29
2. MULTIPLE DX										
0-19 YRS	12	22.3	272	2	9	18	37	65	93	99+
20-34	19	26.3	181	10	12	25	31	57	84	99+
35-49	15	18.2	127	6	8	14	27	32	42	46
50-64	11	19.0	51	10	10	17	27	51	93	99+
65+	16	22.6	230	4	5	22	36	52	84	99+
TOT. SINGLE DX	43	12.1	114	2	4	10	14	23	36	52
" MULTIPLE DX	73	22.1	176	6	9	22	29	48	89	99+
TOTAL 0-19 YRS	19	17.3	231	<1	2	12	26	52	78	99+
20-34	30	19.8	192	5	6	20	26	41	67	99+
35-49	24	15.4	103	5	5	12	20	29	36	46
50-64	23	17.6	171	3	4	15	25	50	66	99+
65+	20	21.8	199	5	6	22	33	49	75	99+
GRAND TOTAL	**116**	**18.4**	**176**	**4**	**5**	**14**	**26**	**46**	**55**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	9.1	20	3	4	8	11	17	18	22
20-34	20	6.5	12	1	2	6	9	11	13	14
35-49	8	7.9	5	4	5	8	10	11	11	11
50-64	9	6.9	9	<1	2	8	9	10	10	10
65+										
2. MULTIPLE DX										
0-19 YRS	34	9.8	39	3	4	9	12	22	81	99+
20-34	22	11.9	68	4	5	10	14	43	99+	99+
35-49	13	9.5	11	4	6	9	10	16	16	16
50-64	14	17.4	387	5	6	9	12	49	67	72
65+	3	17.0	189	5	5	14	27	32	32	32
TOT. SINGLE DX	68	7.9	16	2	3	8	10	12	17	21
" MULTIPLE DX	86	11.8	106	4	5	9	13	32	72	99+
TOTAL 0-19 YRS	65	9.4	30	3	4	9	11	17	25	99+
20-34	42	9.3	48	2	3	8	12	24	56	99+
35-49	21	8.9	10	4	5	8	10	13	16	16
50-64	23	13.3	260	3	5	8	10	36	56	72
65+	3	17.0	189	5	5	14	27	32	32	32
GRAND TOTAL	**154**	**10.0**	**70**	**3**	**4**	**8**	**11**	**17**	**35**	**99+**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	16.8	273	7	7	10	17	46	56	56
20-34	4	9.8	9	7	7	9	12	14	14	14
35-49	5	11.8	52	3	3	12	15	23	23	23
50-64	5	11.8	39	5	5	15	16	18	18	18
65+	7	9.0	34	4	4	8	10	19	21	21
2. MULTIPLE DX										
0-19 YRS	31	23.6	343	7	8	19	44	86	99+	99+
20-34	10	11.7	67	3	4	9	14	25	30	30
35-49	4	15.5	35	10	10	20	99+	99+	99+	99+
50-64	14	19.2	210	4	5	20	34	95	99+	99+
65+	25	23.1	367	4	6	18	34	68	82	99+
TOT. SINGLE DX	29	12.2	99	4	4	9	14	22	25	56
" MULTIPLE DX	84	20.9	289	4	7	18	32	80	99+	99+
TOTAL 0-19 YRS	39	22.2	330	7	8	17	37	67	99+	99+
20-34	14	11.1	50	3	5	9	14	22	28	30
35-49	9	13.4	43	3	7	12	23	99+	99+	99+
50-64	19	17.3	172	4	5	16	26	72	99+	99+
65+	32	20.0	327	4	4	15	25	52	77	99+
GRAND TOTAL	**113**	**18.7**	**253**	**4**	**6**	**14**	**25**	**57**	**99+**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	9.8	62	3	4	8	11	19	34	34
20-34	18	8.0	32	1	2	7	11	16	19	21
35-49	8	16.0	263	3	4	8	24	44	49	49
50-64	13	14.4	109	4	6	9	21	31	36	37
65+	3	23.3	369	6	6	20	38	44	44	44
2. MULTIPLE DX										
0-19 YRS	108	12.9	182	3	3	9	15	31	36	89
20-34	24	20.3	378	7	8	16	25	93	99+	99+
35-49	21	19.4	236	3	5	13	28	44	48	52
50-64	14	18.0	186	5	6	14	23	39	50	53
65+	8	13.6	91	6	6	10	16	30	35	35
TOT. SINGLE DX	71	11.5	103	2	4	8	13	28	34	48
" MULTIPLE DX	175	15.2	217	3	4	10	20	35	52	99+
TOTAL 0-19 YRS	137	12.3	158	3	4	9	13	31	35	84
20-34	42	15.0	264	2	3	11	19	35	98	99+
35-49	29	18.5	237	3	4	12	27	45	49	52
50-64	27	16.3	147	5	6	12	22	35	40	53
65+	11	16.3	159	6	6	11	19	39	44	44
GRAND TOTAL	**246**	**14.1**	**186**	**3**	**4**	**10**	**18**	**33**	**45**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	10.3	1	9	9	10	11	12	12	12
20-34	46	8.5	15	4	5	7	11	14	16	21
35-49	111	9.3	26	4	5	8	11	15	21	29
50-64	125	10.5	30	5	5	9	12	17	24	32
65+	41	13.0	40	6	7	12	15	22	28	33
2. MULTIPLE DX										
0-19 YRS	7	27.3	267	9	10	27	32	54	59	59
20-34	34	18.1	235	6	6	15	20	31	58	75
35-49	102	14.4	120	5	6	12	16	25	40	88
50-64	156	17.8	193	7	8	13	21	33	52	88
65+	123	18.4	158	8	8	15	23	32	38	73
TOT. SINGLE DX	327	10.1	29	4	5	9	12	17	21	30
" MULTIPLE DX	422	17.3	173	6	7	13	21	31	45	87
TOTAL 0-19 YRS	11	21.1	235	9	9	14	27	44	58	59
20-34	80	12.6	130	4	5	9	15	21	30	71
35-49	213	11.7	77	4	5	9	14	20	27	63
50-64	281	14.6	134	5	6	11	17	25	35	80
65+	164	17.0	134	6	8	14	21	31	36	63
GRAND TOTAL	**749**	**14.2**	**123**	**5**	**6**	**11**	**16**	**26**	**34**	**66**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	9.1	39	2	3	8	14	17	22	23
20-34	65	7.1	31	2	2	5	9	17	20	22
35-49	65	7.2	25	2	2	5	11	13	17	22
50-64	24	8.4	43	2	2	6	12	19	22	27
65+	8	9.6	180	2	2	3	11	33	41	41
2. MULTIPLE DX										
0-19 YRS	34	18.0	97	2	5	18	23	33	38	38
20-34	32	18.9	344	4	6	14	22	64	99	99+
35-49	53	12.8	69	3	4	10	17	25	27	44
50-64	37	16.0	206	2	3	12	21	36	62	99+
65+	29	17.4	224	4	5	15	20	32	84	99+
TOT. SINGLE DX	174	7.6	37	2	2	5	11	16	19	26
" MULTIPLE DX	185	16.2	175	3	4	13	21	33	48	99+
TOTAL 0-19 YRS	46	15.7	97	2	3	15	22	28	37	38
20-34	97	11.0	163	2	2	8	15	22	39	99+
35-49	118	9.8	53	2	3	9	13	19	24	35
50-64	61	13.0	155	2	2	11	16	33	41	96
65+	37	15.7	220	2	3	14	18	35	67	99+
GRAND TOTAL	**359**	**12.0**	**127**	**2**	**3**	**10**	**17**	**24**	**34**	**99**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	3.2	8	<1	<1	2	3	7	11	11
20-34	43	5.0	24	<1	1	3	5	12	15	24
35-49	39	5.3	47	1	1	3	5	11	21	36
50-64	53	4.5	15	<1	1	3	6	11	14	16
65+	32	4.4	17	1	1	3	5	10	15	18
2. MULTIPLE DX										
0-19 YRS	13	7.6	47	<1	1	4	14	17	19	19
20-34	27	8.2	122	1	1	4	10	18	39	48
35-49	39	6.8	75	1	2	3	6	15	28	44
50-64	65	8.1	150	1	2	4	8	20	29	68
65+	44	10.3	168	1	2	5	11	25	40	67
TOT. SINGLE DX	177	4.7	24	<1	1	3	5	12	14	25
" MULTIPLE DX	188	8.3	127	1	2	4	9	19	29	66
TOTAL 0-19 YRS	23	5.7	34	<1	<1	3	10	16	18	19
20-34	70	6.2	64	<1	1	3	7	13	19	46
35-49	78	6.1	61	1	2	3	6	13	27	42
50-64	118	6.5	92	1	1	3	8	14	20	66
65+	76	7.8	112	1	2	4	9	17	26	62
GRAND TOTAL	**365**	**6.6**	**80**	**1**	**1**	**3**	**7**	**14**	**21**	**48**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	2.5	2	1	1	2	3	4	6	8
20-34	199	2.1	2	<1	<1	2	2	3	5	9
35-49	239	2.6	5	<1	<1	2	3	5	6	14
50-64	230	2.7	11	<1	<1	2	3	5	7	9
65+	168	2.8	5	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
0-19 YRS	41	3.1	7	<1	1	2	4	7	9	12
20-34	109	4.1	65	<1	1	2	4	7	11	47
35-49	142	4.1	23	<1	<1	3	5	9	14	39
50-64	145	5.6	61	<1	1	3	6	14	20	37
65+	204	5.5	67	1	1	3	5	13	19	50
TOT. SINGLE DX	870	2.5	6	<1	<1	2	3	4	6	11
" MULTIPLE DX	641	4.9	53	<1	1	3	5	11	17	37
TOTAL 0-19 YRS	75	2.8	5	<1	1	2	3	6	8	11
20-34	308	2.8	25	<1	<1	2	3	5	7	22
35-49	381	3.1	12	<1	<1	2	3	6	9	21
50-64	375	3.8	33	<1	<1	2	3	8	12	26
65+	372	4.3	42	<1	1	2	4	9	15	36
GRAND TOTAL	**1511**	**3.5**	**27**	**<1**	**<1**	**2**	**3**	**7**	**11**	**25**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	6.3	5	4	4	6	8	9	9	9
20-34	14	6.9	4	4	5	7	9	10	10	10
35-49	8	7.5	23	2	3	6	9	15	18	18
50-64	13	9.2	17	2	4	8	13	14	15	15
65+	3	17.7	376	5	5	24	70	99+	99+	99+
2. MULTIPLE DX										
0-19 YRS										
20-34	16	8.0	23	4	5	7	8	10	21	25
35-49	14	24.6	733	4	6	12	38	77	86	89
50-64	19	11.0	15	4	5	11	14	15	17	19
65+	61	18.4	314	4	6	14	20	45	71	98
TOT. SINGLE DX	42	8.4	37	3	4	7	9	14	26	99+
" MULTIPLE DX	110	16.4	292	4	6	11	18	38	63	93
TOTAL 0-19 YRS	4	6.3	5	4	4	6	8	9	9	9
20-34	30	7.5	14	4	5	7	8	10	10	25
35-49	22	18.4	532	3	4	9	18	51	81	89
50-64	32	10.3	16	3	5	11	13	15	15	19
65+	64	18.3	312	4	6	14	21	56	82	99+
GRAND TOTAL	**152**	**14.2**	**234**	**4**	**5**	**9**	**15**	**30**	**60**	**99**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	4	15.0	340	<1	<1	8	26	42	42	42
35-49	7	5.3	32	<1	<1	2	10	14	14	14
50-64	14	5.6	29	1	1	4	9	14	19	20
65+	4	3.8	23	<1	<1	1	6	11	11	11
2. MULTIPLE DX										
0-19 YRS	2	27.5	925	6	6	27	49	49	49	49
20-34	18	8.7	58	<1	1	6	12	18	26	31
35-49	13	14.2	181	<1	<1	9	21	32	46	49
50-64	17	17.2	387	1	1	9	23	55	64	65
65+	16	12.9	277	<1	1	9	15	29	57	68
TOT. SINGLE DX	32	6.2	66	<1	1	3	9	13	19	42
" MULTIPLE DX	66	13.6	238	<1	1	9	17	31	52	68
TOTAL 0-19 YRS	5	12.6	416	2	2	3	17	49	49	49
20-34	22	9.9	102	<1	1	6	12	23	35	42
35-49	20	11.1	144	<1	<1	8	15	25	38	49
50-64	31	12.0	253	1	1	5	17	28	59	65
65+	20	11.1	237	<1	<1	7	14	23	49	68
GRAND TOTAL	**98**	**11.2**	**193**	**<1**	**1**	**6**	**14**	**27**	**46**	**67**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	5.1	25	1	1	4	6	8	18	22
20-34	145	4.9	5	3	3	4	5	7	8	19
35-49	163	5.0	2	3	3	5	6	7	8	12
50-64	137	5.3	2	3	4	5	6	7	8	12
65+	53	6.6	23	3	4	5	7	10	14	35
2. MULTIPLE DX										
0-19 YRS	6	6.2	8	3	3	6	9	10	10	10
20-34	70	5.7	8	3	3	5	6	10	12	18
35-49	121	6.5	25	3	4	5	7	11	15	31
50-64	109	7.1	14	4	4	6	7	12	16	21
65+	98	9.7	48	4	4	8	11	19	22	40
TOT. SINGLE DX	513	5.2	7	3	3	5	6	7	8	15
" MULTIPLE DX	404	7.3	26	3	4	6	8	13	17	30
TOTAL 0-19 YRS	21	5.4	20	1	2	4	6	9	15	22
20-34	215	5.1	7	3	3	4	6	7	11	19
35-49	284	5.6	13	3	3	5	6	8	12	22
50-64	246	6.1	9	4	4	5	7	9	12	19
65+	151	8.6	41	4	4	7	9	16	20	39
GRAND TOTAL	**917**	**6.1**	**16**	**3**	**4**	**5**	**7**	**9**	**13**	**22**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	50	2.7	2	<1	<1	2	4	5	5	7
20-34	26	4.0	4	1	2	4	5	7	8	10
35-49	21	5.2	7	2	3	4	7	9	12	12
50-64	17	4.7	4	2	2	4	5	9	10	10
65+	10	7.3	17	4	4	6	7	15	16	16
2. MULTIPLE DX										
0-19 YRS	13	7.6	126	1	2	5	7	17	39	44
20-34	15	6.0	11	3	3	5	7	12	13	13
35-49	27	6.9	20	2	3	6	8	13	15	23
50-64	33	9.0	48	2	4	7	9	22	25	28
65+	32	11.5	63	4	5	9	14	21	35	37
TOT. SINGLE DX	124	4.0	7	1	1	4	5	7	9	15
" MULTIPLE DX	120	8.7	52	2	3	7	10	16	23	39
TOTAL 0-19 YRS	63	3.7	30	<1	1	3	4	6	7	40
20-34	41	4.7	8	1	2	4	6	8	11	13
35-49	48	6.1	15	2	3	5	7	12	13	23
50-64	50	7.6	37	2	3	5	8	18	24	28
65+	42	10.5	55	4	5	8	14	18	28	37
GRAND TOTAL	**244**	**6.3**	**34**	**1**	**2**	**5**	**7**	**12**	**16**	**36**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	16	11.6	15	6	8	10	14	18	19	20
35-49	7	7.9	3	5	5	9	9	10	10	10
50-64	2	21.5	85	15	15	21	28	28	28	28
65+	3	20.0	163	9	9	17	30	34	34	34
2. MULTIPLE DX										
0-19 YRS	7	13.9	36	9	9	12	17	24	25	25
20-34	17	16.4	59	7	9	13	22	29	29	29
35-49	20	14.9	34	7	8	13	20	23	25	27
50-64	22	27.2	485	7	8	21	30	70	75	81
65+	12	24.0	118	5	11	24	32	37	42	43
TOT. SINGLE DX	29	11.9	46	5	6	9	15	19	28	34
" MULTIPLE DX	78	20.0	203	7	8	16	24	33	49	78
TOTAL 0-19 YRS	8	12.3	52	<1	3	11	16	23	25	25
20-34	33	14.1	43	6	8	12	18	25	29	29
35-49	27	13.1	36	6	7	11	16	23	24	27
50-64	24	26.8	449	7	8	21	29	70	73	81
65+	15	23.2	119	5	9	21	33	35	41	43
GRAND TOTAL	**107**	**17.8**	**173**	**6**	**7**	**14**	**22**	**30**	**39**	**75**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	1.1		<1	<1	1	1	2	2	2
20-34	16	1.9	3	<1	<1	1	2	5	7	8
35-49	21	1.3		<1	<1	<1	1	2	3	3
50-64	24	2.4	6	<1	<1	1	3	5	9	11
65+	29	3.2	9	<1	<1	2	4	8	9	14
2. MULTIPLE DX										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	5	5.6	28	<1	<1	6	8	14	14	14
35-49	5	8.0	151	2	2	3	30	93	99+	99+
50-64	21	9.4	267	<1	1	3	8	29	53	69
65+	35	6.1	67	<1	<1	4	8	17	81	99+
TOT. SINGLE DX	132	1.9	4	<1	<1	1	2	4	7	12
" MULTIPLE DX	69	7.0	127	<1	<1	3	8	24	67	99+
TOTAL 0-19 YRS	45	1.2		<1	<1	1	1	2	2	2
20-34	21	2.8	11	<1	<1	1	3	7	11	14
35-49	26	2.6	32	<1	<1	1	2	3	40	99+
50-64	45	5.7	137	<1	<1	2	4	10	26	69
65+	64	4.8	43	<1	<1	3	7	11	24	99+
GRAND TOTAL	**201**	**3.7**	**52**	**<1**	**<1**	**2**	**3**	**8**	**14**	**99+**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	56	1.9	1	<1	<1	1	2	5	5	6
20-34	37	2.0	2	<1	<1	1	2	5	5	6
35-49	45	2.1	1	<1	<1	2	3	4	5	6
50-64	57	2.1	2	<1	<1	2	2	3	5	12
65+	88	2.5	5	<1	<1	2	3	5	5	14
2. MULTIPLE DX										
0-19 YRS	62	3.1	12	<1	1	2	4	6	15	89
20-34	104	3.5	17	<1	<1	2	4	9	14	20
35-49	86	2.9	16	<1	<1	2	3	5	8	26
50-64	88	2.6	4	<1	<1	2	3	5	6	13
65+	159	6.2	127	<1	<1	3	4	14	31	73
TOT. SINGLE DX	283	2.2	3	<1	<1	2	3	4	5	11
" MULTIPLE DX	499	4.1	51	<1	<1	2	4	8	15	49
TOTAL 0-19 YRS	118	2.6	8	<1	<1	2	3	5	7	43
20-34	141	3.1	14	<1	<1	2	4	6	12	18
35-49	131	2.6	11	<1	<1	2	3	5	7	24
50-64	145	2.4	4	<1	<1	2	3	4	6	12
65+	247	4.9	87	<1	<1	2	4	10	20	73
GRAND TOTAL	**782**	**3.4**	**35**	**<1**	**<1**	**2**	**3**	**6**	**11**	**38**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	2.5	2	1	1	2	3	5	5	5
20-34	22	2.3	1	<1	1	2	3	4	5	5
35-49	19	2.5		<1	1	2	3	4	4	4
50-64	42	3.0	2	1	1	3	4	5	7	9
65+	39	3.0	1	1	2	3	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	8	3.0	3	1	1	3	4	6	7	7
20-34	8	10.3	472	1	1	3	4	46	64	64
35-49	19	3.2	3	<1	1	3	4	6	7	8
50-64	15	2.8	1	2	2	2	3	4	6	6
65+	29	4.3	18	1	1	3	5	7	13	23
TOT. SINGLE DX	130	2.8	2	1	1	2	3	5	6	8
" MULTIPLE DX	79	4.2	55	1	2	3	4	6	8	52
TOTAL 0-19 YRS	16	2.8	3	1	1	2	4	5	6	7
20-34	30	4.4	128	<1	1	2	3	5	5	64
35-49	38	2.8	2	<1	1	2	3	4	6	8
50-64	57	3.0	3	1	2	2	3	5	6	9
65+	68	3.6	9	1	2	3	4	6	7	21
GRAND TOTAL	**209**	**3.3**	**22**	**1**	**1**	**3**	**4**	**5**	**6**	**16**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	8	1.9	1	<1	<1	1	3	3	3	3
35-49	3	2.3		2	2	2	3	3	3	3
50-64	3	2.7		2	2	3	3	3	3	3
65+	3	4.3	10	2	2	3	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	5	3.0	2	2	2	2	4	5	5	5
20-34	4	3.0	2	<1	<1	3	4	4	4	4
35-49	9	6.3	90	<1	<1	3	6	21	31	31
50-64	3	4.0	1	3	3	4	5	5	5	5
65+	4	9.8	50	<1	<1	11	15	16	16	16
TOT. SINGLE DX	21	2.3	2	<1	<1	2	3	3	5	8
" MULTIPLE DX	25	5.4	43	<1	<1	4	5	15	20	31
TOTAL 0-19 YRS	9	2.3	2	<1	<1	2	3	5	5	5
20-34	12	2.3	1	<1	<1	2	3	4	4	4
35-49	12	5.3	69	<1	<1	3	5	14	29	31
50-64	6	3.3	1	2	2	3	4	5	5	5
65+	7	7.4	37	<1	<1	7	13	16	16	16
GRAND TOTAL	**46**	**4.0**	**26**	**<1**	**<1**	**3**	**4**	**7**	**15**	**31**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	4.6	2	2	2	5	5	7	7	7
20-34	50	4.8	2	3	3	4	5	7	8	11
35-49	38	4.4	2	2	3	4	5	7	7	8
50-64	20	6.0	10	3	3	5	7	9	13	18
65+	43	6.0	20	3	3	5	6	10	13	30
2. MULTIPLE DX										
0-19 YRS	8	5.9	5	3	3	5	8	9	9	9
20-34	25	5.4	8	2	2	5	6	8	11	16
35-49	22	7.0	43	2	3	5	7	13	23	33
50-64	32	4.7	2	2	3	4	6	7	7	8
65+	76	5.3	8	2	3	5	6	8	10	19
TOT. SINGLE DX	160	5.2	9	3	3	5	6	7	9	18
" MULTIPLE DX	163	5.5	12	2	3	5	6	8	10	20
TOTAL 0-19 YRS	17	5.2	4	2	3	5	6	8	9	9
20-34	75	5.0	5	2	3	4	6	8	9	15
35-49	60	5.4	18	2	3	4	6	8	10	31
50-64	52	5.2	6	3	3	5	6	7	8	18
65+	119	5.6	13	2	3	5	6	8	11	24
GRAND TOTAL	**323**	**5.3**	**10**	**2**	**3**	**5**	**6**	**8**	**10**	**19**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	4.0	8	<1	<1	3	6	8	10	11
20-34	31	3.4	6	<1	<1	3	5	7	9	11
35-49	39	2.5	3	<1	<1	2	4	5	7	8
50-64	17	1.9	1	<1	<1	2	2	4	4	4
65+	28	3.2	6	<1	1	3	4	5	8	14
2. MULTIPLE DX										
0-19 YRS	20	7.0	47	<1	<1	6	8	12	22	32
20-34	17	4.1	7	<1	<1	4	7	8	8	8
35-49	17	3.8	9	<1	<1	2	6	9	10	10
50-64	13	5.4	32	<1	1	3	7	14	20	21
65+	27	9.1	106	<1	2	5	15	23	31	41
TOT. SINGLE DX	135	3.0	5	<1	<1	2	4	6	7	12
" MULTIPLE DX	94	6.3	51	<1	<1	4	7	13	23	37
TOTAL 0-19 YRS	40	5.5	29	<1	<1	5	7	10	12	32
20-34	48	3.6	7	<1	<1	3	5	8	8	11
35-49	56	2.9	5	<1	<1	2	4	7	8	10
50-64	30	3.4	17	<1	<1	2	4	7	12	21
65+	55	6.1	64	<1	1	3	5	18	23	40
GRAND TOTAL	**229**	**4.3**	**27**	**<1**	**<1**	**3**	**5**	**8**	**12**	**30**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	14.0	296	<1	<1	8	26	38	38	38
20-34	3	6.7	9	4	4	6	9	10	10	10
35-49	10	5.7	5	2	3	5	7	9	11	11
50-64	33	5.3	9	2	2	5	7	9	12	14
65+	74	5.5	17	2	2	5	6	11	12	25
2. MULTIPLE DX										
0-19 YRS	4	8.5	40	2	2	7	13	17	17	17
20-34	8	6.8	20	<1	<1	7	10	12	13	13
35-49	19	10.6	81	3	4	6	18	26	29	29
50-64	31	9.8	106	2	3	6	11	17	41	47
65+	85	8.3	48	2	3	6	12	17	19	38
TOT. SINGLE DX	124	5.8	23	2	2	5	7	11	12	31
" MULTIPLE DX	147	8.8	63	2	3	6	11	18	25	42
TOTAL 0-19 YRS	8	11.3	153	<1	1	7	16	32	38	38
20-34	11	6.7	16	<1	1	6	10	12	13	13
35-49	29	8.9	60	2	4	6	9	23	28	29
50-64	64	7.5	61	2	2	5	8	14	17	46
65+	159	7.0	36	2	2	5	8	14	18	36
GRAND TOTAL	**271**	**7.4**	**47**	**2**	**2**	**5**	**9**	**14**	**19**	**39**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	5.1	17	<1	1	4	7	11	14	15
20-34	13	4.3	5	<1	1	4	6	8	8	8
35-49	16	4.3	5	1	2	4	6	8	9	9
50-64	35	5.5	13	2	2	4	6	11	12	19
65+	42	5.2	12	2	2	4	7	9	13	19
2. MULTIPLE DX										
0-19 YRS	5	7.0	13	2	2	7	10	11	11	11
20-34	17	4.5	6	<1	1	4	7	8	8	8
35-49	9	6.9	13	3	3	5	10	12	14	14
50-64	20	5.7	10	1	2	5	7	11	11	12
65+	67	8.6	154	2	2	5	10	15	18	74
TOT. SINGLE DX	118	5.1	12	1	2	4	6	10	12	19
" MULTIPLE DX	118	7.3	94	1	2	5	8	12	16	74
TOTAL 0-19 YRS	17	5.6	16	<1	1	5	8	11	14	15
20-34	30	4.4	6	<1	1	4	7	8	8	8
35-49	25	5.2	10	1	2	4	7	10	11	14
50-64	55	5.5	12	2	2	5	7	11	12	19
65+	109	7.3	102	2	2	5	8	14	17	74
GRAND TOTAL	**236**	**6.2**	**54**	**1**	**2**	**5**	**7**	**11**	**14**	**27**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	2.7	1	2	2	2	4	4	4	4
20-34	6	3.0	1	2	2	3	3	5	5	5
35-49	64	3.6	1	2	2	3	4	5	6	6
50-64	380	3.6	2	2	2	3	4	5	6	11
65+	1399	3.7	2	2	2	3	4	5	6	11
2. MULTIPLE DX										
0-19 YRS	8	2.5		1	1	2	3	4	4	4
20-34	3	4.7	2	3	3	5	6	6	6	6
35-49	33	4.2	4	2	2	3	5	7	9	10
50-64	208	4.6	8	2	2	4	5	8	10	18
65+	1144	5.6	44	2	2	4	6	9	12	36
TOT. SINGLE DX	1856	3.7	3	2	2	3	4	5	6	11
" MULTIPLE DX	1396	5.4	38	2	2	4	6	9	12	28
TOTAL 0-19 YRS	15	2.6	1	1	2	2	3	4	4	4
20-34	9	3.6	2	2	2	3	5	6	6	6
35-49	97	3.8	3	2	2	3	4	6	7	10
50-64	588	4.0	5	2	2	3	4	6	7	14
65+	2543	4.6	22	2	2	4	5	7	9	19
GRAND TOTAL	**3252**	**4.4**	**18**	**2**	**2**	**4**	**5**	**7**	**9**	**17**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	3.9	10	1	2	3	4	9	12	13
20-34	21	3.2	1	2	2	3	4	5	6	6
35-49	80	2.7	1	<1	<1	3	4	4	5	5
50-64	347	2.7	2	<1	<1	2	3	4	5	10
65+	1392	3.2	6	<1	2	3	4	5	7	11
2. MULTIPLE DX										
0-19 YRS	23	5.4	48	1	1	3	6	10	24	31
20-34	23	4.6	35	2	2	3	4	7	16	31
35-49	74	4.3	19	<1	2	3	4	8	10	84
50-64	405	4.0	26	2	2	3	4	6	9	20
65+	2078	3.9	22	2	2	3	4	7	10	19
TOT. SINGLE DX	1857	3.1	5	<1	1	3	4	5	7	11
" MULTIPLE DX	2603	4.0	23	2	2	3	4	7	10	21
TOTAL 0-19 YRS	40	4.8	32	1	2	3	5	9	17	31
20-34	44	3.9	19	2	2	3	4	6	7	31
35-49	154	3.5	11	<1	1	3	4	5	8	35
50-64	752	3.4	16	<1	2	3	4	5	7	13
65+	3470	3.6	16	1	2	3	4	6	8	16
GRAND TOTAL	**4460**	**3.6**	**16**	**1**	**2**	**3**	**4**	**6**	**8**	**16**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	8	3.4	1	2	2	4	4	5	5	5
35-49	13	3.5	7	2	2	3	4	6	11	12
50-64	104	3.4	3	1	2	3	4	5	6	12
65+	294	3.9	5	2	2	4	5	7	8	15
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	3.2	2	2	2	3	4	6	6	6
35-49	8	3.4	2	2	2	3	4	6	7	7
50-64	65	4.3	8	1	2	3	5	8	12	14
65+	240	4.9	11	2	2	4	5	7	11	20
TOT. SINGLE DX	420	3.8	5	2	2	3	4	6	8	14
" MULTIPLE DX	319	4.7	11	2	2	4	5	7	11	18
TOTAL 0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	13	3.3	2	2	2	3	4	5	6	6
35-49	21	3.4	5	2	2	3	4	6	9	12
50-64	169	3.8	5	1	2	3	4	6	8	13
65+	534	4.4	8	2	2	4	5	7	9	17
GRAND TOTAL	**739**	**4.2**	**7**	**2**	**2**	**4**	**5**	**7**	**9**	**15**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	5.6	4	3	4	5	6	8	10	12
20-34	60	5.5	13	2	3	5	7	9	10	26
35-49	41	5.9	6	2	3	6	8	10	11	12
50-64	85	6.1	8	2	3	6	7	10	12	15
65+	86	7.2	7	3	4	7	9	10	11	17
2. MULTIPLE DX										
0-19 YRS	12	4.3	3	1	2	4	6	6	7	7
20-34	33	6.0	7	2	3	6	7	9	12	13
35-49	28	7.3	11	3	3	6	9	13	15	16
50-64	105	6.6	13	3	4	6	8	10	13	22
65+	111	7.2	18	3	4	6	8	11	16	27
TOT. SINGLE DX	293	6.2	9	3	3	6	8	10	11	16
" MULTIPLE DX	289	6.7	15	3	3	6	8	11	13	25
TOTAL 0-19 YRS	33	5.1	4	3	3	5	6	7	9	12
20-34	93	5.6	11	2	3	5	7	9	11	21
35-49	69	6.4	9	3	3	6	8	10	12	16
50-64	190	6.3	11	2	3	6	8	10	12	20
65+	197	7.2	14	3	4	7	9	11	13	26
GRAND TOTAL	**582**	**6.5**	**12**	**3**	**3**	**6**	**8**	**10**	**12**	**20**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	4.5	9	<1	<1	4	7	8	8	8
20-34	7	4.7	6	2	2	3	7	8	8	8
35-49	8	6.1	3	4	4	6	7	9	9	9
50-64	17	4.8	5	2	2	4	6	8	9	9
65+	31	4.7	6	2	2	4	6	9	10	10
2. MULTIPLE DX										
0-19 YRS	6	4.5	4	3	3	5	54	99+	99+	99+
20-34	54	6.4	12	3	3	6	7	9	12	23
35-49	33	8.0	35	3	4	6	8	15	23	29
50-64	47	6.5	96	2	2	5	6	9	11	70
65+	87	5.8	21	2	2	4	6	10	13	31
TOT. SINGLE DX	71	4.9	6	2	2	4	7	9	9	10
" MULTIPLE DX	227	6.3	36	2	3	5	7	10	14	76
TOTAL 0-19 YRS	14	4.5	7	<1	2	5	8	91	99+	99+
20-34	61	6.2	12	3	3	6	7	8	11	23
35-49	41	7.6	30	3	4	6	8	12	23	29
50-64	64	6.0	72	2	2	5	6	9	10	62
65+	118	5.5	18	2	2	4	6	9	12	27
GRAND TOTAL	**298**	**6.0**	**30**	**2**	**2**	**5**	**7**	**9**	**13**	**52**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	349	1.6	1	<1	<1	2	2	2	2	4
20-34	123	2.1	1	<1	<1	2	2	3	3	8
35-49	57	2.4	14	<1	<1	2	2	3	3	28
50-64	31	2.1		<1	1	2	2	3	4	5
65+	9	2.2		1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	88	1.7	1	<1	<1	2	2	2	3	8
20-34	60	2.1		<1	1	2	2	3	4	6
35-49	37	2.1	2	<1	<1	2	2	3	3	11
50-64	19	1.9		<1	<1	2	2	3	4	4
65+	14	2.5	1	<1	1	2	3	4	5	5
TOT. SINGLE DX	569	1.8	3	<1	<1	2	2	2	3	5
" MULTIPLE DX	218	1.9	1	<1	<1	2	2	3	4	7
TOTAL 0-19 YRS	437	1.6	1	<1	<1	2	2	2	3	5
20-34	183	2.1	1	<1	1	2	2	3	3	7
35-49	94	2.3	10	<1	<1	2	2	3	3	22
50-64	50	2.0	1	<1	<1	2	2	3	4	5
65+	23	2.4	1	1	1	2	3	4	5	5
GRAND TOTAL	**787**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**2**	**3**	**6**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	4	2.3		2	2	2	3	3	3	3
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	20.5	685	2	2	20	39	39	39	39
50-64	1	2.0		2	2	2	2	2	2	2
65+										
TOT. SINGLE DX	6	3.0	4	2	2	2	3	7	7	7
" MULTIPLE DX	5	9.2	278	1	1	2	11	39	39	39
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	20.5	685	2	2	20	39	39	39	39
50-64	5	2.2		2	2	2	3	3	3	3
65+	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**11**	**5.8**	**124**	**1**	**1**	**2**	**3**	**20**	**37**	**39**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	4.1	11	1	2	3	4	9	12	14
20-34	18	5.1	12	1	1	4	7	11	12	12
35-49	23	6.9	30	1	1	6	10	17	18	18
50-64	11	4.9	6	1	2	4	6	9	10	10
65+	27	6.2	27	1	2	4	8	14	17	24
2. MULTIPLE DX										
0-19 YRS	16	5.3	20	<1	<1	4	7	14	14	14
20-34	36	6.5	29	2	2	5	7	13	18	28
35-49	20	9.7	164	1	2	6	9	23	43	56
50-64	25	7.3	31	1	1	5	11	17	18	18
65+	43	8.1	110	2	2	6	8	14	20	68
TOT. SINGLE DX	95	5.7	21	1	2	4	7	12	16	21
" MULTIPLE DX	140	7.5	73	1	2	5	8	15	18	57
TOTAL 0-19 YRS	32	4.7	16	<1	1	3	6	12	14	14
20-34	54	6.1	24	1	2	5	7	12	16	28
35-49	43	8.2	93	1	2	6	10	17	23	56
50-64	36	6.6	25	1	1	5	9	15	18	18
65+	70	7.4	78	2	2	5	8	14	16	60
GRAND TOTAL	**235**	**6.7**	**52**	**1**	**2**	**5**	**8**	**14**	**17**	**35**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	194	2.0	2	<1	<1	2	2	3	4	7
20-34	48	2.5	3	<1	<1	2	3	5	7	8
35-49	26	2.6		1	2	2	3	4	4	5
50-64	19	3.3	1	1	2	3	5	5	5	5
65+	30	3.2	6	<1	<1	2	4	7	10	10
2. MULTIPLE DX										
0-19 YRS	117	3.8	8	<1	1	3	5	7	9	17
20-34	44	4.3	23	<1	<1	2	5	10	17	21
35-49	18	3.6	28	<1	<1	2	3	7	17	24
50-64	22	5.7	25	<1	1	3	11	13	15	16
65+	40	13.6	277	2	2	9	17	61	82	99+
TOT. SINGLE DX	317	2.3	3	<1	<1	2	3	4	5	9
" MULTIPLE DX	241	5.7	71	<1	1	3	6	13	20	72
TOTAL 0-19 YRS	311	2.7	6	<1	<1	2	3	5	7	14
20-34	92	3.3	13	<1	<1	2	4	7	10	21
35-49	44	3.0	12	<1	<1	2	3	4	6	24
50-64	41	4.6	16	1	1	3	5	12	14	16
65+	70	9.1	186	1	1	4	11	24	64	99+
GRAND TOTAL	**558**	**3.8**	**35**	**<1**	**<1**	**2**	**4**	**8**	**12**	**35**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	2.2		1	1	2	2	3	4	4
20-34	57	2.8	1	2	2	3	3	4	5	9
35-49	100	2.7	1	1	2	2	3	4	5	7
50-64	55	3.4	15	1	2	3	3	5	7	29
65+	13	3.2	3	<1	1	3	4	6	8	8
2. MULTIPLE DX										
0-19 YRS	5	2.6		2	2	3	3	3	3	3
20-34	33	3.2	2	2	2	3	4	5	7	8
35-49	46	3.0	1	2	2	3	3	4	5	8
50-64	35	2.6	1	1	2	2	3	4	5	8
65+	10	2.5		2	2	2	3	4	4	4
TOT. SINGLE DX	239	2.9	5	1	2	2	3	4	5	8
" MULTIPLE DX	129	2.9	2	2	2	3	3	4	5	8
TOTAL 0-19 YRS	19	2.3		1	2	2	3	3	4	4
20-34	90	2.9	2	2	2	3	3	4	5	9
35-49	146	2.8	1	1	2	3	3	4	5	7
50-64	90	3.1	10	1	2	2	3	5	6	21
65+	23	2.9	2	1	1	3	4	4	6	8
GRAND TOTAL	**368**	**2.9**	**4**	**1**	**2**	**3**	**3**	**4**	**5**	**8**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	93	2.3		1	1	2	3	3	4	7
20-34	157	2.4	1	1	1	2	3	5	6	7
35-49	119	2.5	1	1	2	2	3	4	5	7
50-64	73	2.3		1	1	2	3	3	4	6
65+	21	1.9		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	129	2.2	2	1	1	2	3	3	5	9
20-34	157	2.4		1	2	2	3	3	3	6
35-49	129	2.6	1	2	2	2	3	3	4	7
50-64	108	2.6	1	1	2	2	3	4	5	8
65+	21	2.7	1	2	2	2	3	4	5	7
TOT. SINGLE DX	463	2.4	1	1	1	2	3	3	5	6
" MULTIPLE DX	544	2.4	1	1	1	2	3	3	4	7
TOTAL 0-19 YRS	222	2.2	2	1	1	2	3	3	4	7
20-34	314	2.4	1	1	1	2	3	3	5	6
35-49	248	2.5	1	1	2	2	3	3	5	6
50-64	181	2.5	1	1	2	2	3	3	4	6
65+	42	2.3	1	1	1	2	3	3	4	7
GRAND TOTAL	**1007**	**2.4**	**1**	**1**	**1**	**2**	**3**	**3**	**5**	**7**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	769	1.2		<1	<1	<1	1	2	2	5
20-34	24	2.0	3	<1	<1	1	2	3	8	9
35-49	11	2.1	1	<1	<1	2	3	4	4	4
50-64	9	1.6		<1	<1	2	2	2	2	2
65+	6	2.8	12	<1	<1	1	2	9	10	10
2. MULTIPLE DX										
0-19 YRS	636	2.4	7	<1	<1	2	2	5	8	16
20-34	16	5.1	133	1	1	2	3	7	36	48
35-49	12	3.8	19	<1	1	2	4	9	16	17
50-64	13	10.9	492	<1	<1	2	4	47	71	76
65+	12	6.8	72	2	2	3	6	22	29	30
TOT. SINGLE DX	819	1.3	1	<1	<1	<1	1	2	2	6
" MULTIPLE DX	689	2.7	22	<1	<1	2	2	5	8	19
TOTAL 0-19 YRS	1405	1.7	4	<1	<1	1	2	2	5	12
20-34	40	3.2	56	<1	<1	2	2	5	8	48
35-49	23	3.0	11	<1	<1	2	3	5	10	17
50-64	22	7.1	304	<1	<1	2	2	17	54	76
65+	18	5.5	55	<1	<1	3	6	16	25	30
GRAND TOTAL	**1508**	**1.9**	**11**	**<1**	**<1**	**1**	**2**	**3**	**5**	**15**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	4.7	8	2	2	4	6	7	11	16
20-34	55	3.9	2	2	2	3	5	6	6	10
35-49	35	4.0	1	2	2	4	5	6	6	6
50-64	19	5.4	18	2	3	5	6	7	16	22
65+	3	4.0	3	2	2	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	65	4.7	10	2	2	3	5	9	13	18
20-34	97	3.7	2	2	2	3	4	6	7	10
35-49	74	3.6	2	2	2	3	4	6	7	10
50-64	61	4.2	5	2	2	3	5	7	9	15
65+	22	7.1	44	2	2	5	8	19	24	25
TOT. SINGLE DX	148	4.3	6	2	2	4	5	6	7	16
" MULTIPLE DX	319	4.2	8	2	2	3	5	7	9	18
TOTAL 0-19 YRS	101	4.7	10	2	2	3	5	8	12	17
20-34	152	3.8	3	2	2	3	5	6	6	10
35-49	109	3.7	2	2	2	3	5	6	7	9
50-64	80	4.5	9	2	2	3	5	7	9	20
65+	25	6.8	40	2	2	5	7	18	23	25
GRAND TOTAL	**467**	**4.2**	**8**	**2**	**2**	**3**	**5**	**7**	**8**	**17**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	3.7	23	<1	<1	2	3	11	15	21
20-34	20	2.8	3	1	2	2	3	4	7	10
35-49	29	4.4	7	2	2	4	5	9	12	12
50-64	21	4.6	12	2	2	3	5	10	13	16
65+	4	4.0	1	3	3	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	38	3.1	17	<1	<1	2	2	8	16	17
20-34	40	3.1	8	1	1	2	3	5	7	18
35-49	26	4.2	10	1	2	3	4	6	11	18
50-64	22	5.8	38	1	2	3	6	14	21	26
65+	6	5.3	28	<1	<1	3	10	14	14	14
TOT. SINGLE DX	105	3.9	12	<1	1	3	4	9	12	18
" MULTIPLE DX	132	3.8	18	<1	1	2	4	8	14	20
TOTAL 0-19 YRS	69	3.4	20	<1	<1	2	3	9	15	20
20-34	60	3.0	6	1	2	2	3	5	7	17
35-49	55	4.3	9	2	2	3	5	9	11	18
50-64	43	5.2	26	2	2	3	5	12	17	26
65+	10	4.8	17	<1	1	3	5	12	14	14
GRAND TOTAL	**237**	**3.9**	**15**	**<1**	**1**	**3**	**4**	**9**	**13**	**19**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	102	2.7		2	2	3	3	4	4	5
20-34	318	2.6		2	2	2	3	4	4	5
35-49	131	2.5		2	2	2	3	3	4	5
50-64	43	2.6		2	2	2	3	4	4	5
65+	16	3.1	1	2	2	3	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	175	2.7		1	2	3	3	3	4	6
20-34	704	2.9	6	2	2	3	3	3	4	7
35-49	345	2.7	1	1	2	3	3	3	4	5
50-64	180	3.1	4	2	2	3	3	4	6	16
65+	48	4.0	47	2	2	3	4	5	6	50
TOT. SINGLE DX	610	2.6	1	2	2	2	3	4	4	5
" MULTIPLE DX	1452	2.9	6	2	2	3	3	3	4	8
TOTAL 0-19 YRS	277	2.7	1	2	2	3	3	3	4	6
20-34	1022	2.8	5	2	2	3	3	3	4	7
35-49	476	2.7	1	2	2	3	3	3	4	5
50-64	223	3.0	4	2	2	3	3	4	5	12
65+	64	3.8	36	2	2	3	4	5	6	44
GRAND TOTAL	**2062**	**2.8**	**4**	**2**	**2**	**3**	**3**	**4**	**4**	**7**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	142	2.6	1	<1	1	2	3	4	5	8
20-34	440	2.6	1	<1	1	2	3	4	4	6
35-49	177	2.5	1	<1	1	2	3	4	4	6
50-64	60	2.7	1	1	2	3	3	4	5	6
65+	18	3.1	3	1	1	2	4	8	59	99+
2. MULTIPLE DX										
0-19 YRS	182	2.7	1	<1	1	3	3	4	5	9
20-34	583	2.5	1	<1	<1	2	3	4	4	7
35-49	305	2.9	7	<1	<1	3	3	4	5	13
50-64	113	3.6	25	<1	1	3	3	5	6	36
65+	52	4.8	26	1	1	3	5	10	19	25
TOT. SINGLE DX	837	2.6	1	<1	1	2	3	4	4	7
" MULTIPLE DX	1235	2.8	7	<1	<1	3	3	4	5	13
TOTAL 0-19 YRS	324	2.6	2	<1	1	3	3	4	5	9
20-34	1023	2.5	2	<1	<1	2	3	4	4	7
35-49	482	2.8	5	<1	1	3	3	4	5	12
50-64	173	3.3	17	<1	1	3	3	4	5	31
65+	70	4.4	21	1	1	3	5	9	20	84
GRAND TOTAL	**2072**	**2.7**	**5**	**<1**	**1**	**3**	**3**	**4**	**5**	**9**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	2.6	7	<1	1	2	3	4	6	17
20-34	43	2.4	1	<1	1	2	3	4	5	5
35-49	62	2.4	1	<1	1	2	3	4	5	6
50-64	57	2.9	3	1	1	2	3	6	7	11
65+	63	3.3	7	1	1	2	4	6	9	17
2. MULTIPLE DX										
0-19 YRS	56	3.5	9	1	1	3	4	8	9	16
20-34	91	2.7	2	1	1	2	3	4	5	10
35-49	122	3.3	5	1	2	3	3	5	10	13
50-64	142	3.2	4	1	2	3	4	6	7	12
65+	123	6.7	107	1	2	3	7	15	27	86
TOT. SINGLE DX	264	2.7	4	<1	1	2	3	5	6	11
" MULTIPLE DX	534	4.0	31	1	2	3	4	7	11	29
TOTAL 0-19 YRS	95	3.1	8	1	1	2	3	6	8	17
20-34	134	2.6	2	1	1	2	3	4	5	8
35-49	184	3.0	5	1	1	2	3	5	7	13
50-64	199	3.1	4	1	2	3	3	6	7	12
65+	186	5.6	76	1	2	3	6	10	21	68
GRAND TOTAL	**798**	**3.6**	**22**	**1**	**1**	**3**	**3**	**6**	**9**	**23**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	104	1.4		<1	<1	1	2	2	3	6
20-34	119	1.6		<1	<1	1	2	2	3	6
35-49	40	2.1	1	<1	<1	2	3	4	4	5
50-64	32	3.6	5	<1	1	3	5	7	8	8
65+	37	3.8	6	<1	1	4	5	7	9	10
2. MULTIPLE DX										
0-19 YRS	58	4.1	63	<1	<1	2	4	8	13	96
20-34	88	3.3	20	<1	1	2	3	6	9	30
35-49	45	4.2	15	<1	1	3	5	10	11	21
50-64	52	6.8	53	1	1	5	8	14	19	42
65+	84	7.5	91	1	1	5	9	15	24	59
TOT. SINGLE DX	332	2.0	3	<1	<1	1	2	4	6	9
" MULTIPLE DX	327	5.2	53	<1	1	3	6	11	17	46
TOTAL 0-19 YRS	162	2.4	25	<1	<1	1	2	4	6	54
20-34	207	2.3	10	<1	<1	2	2	4	5	14
35-49	85	3.2	10	<1	<1	2	4	7	10	18
50-64	84	5.6	37	1	1	4	7	12	16	37
65+	121	6.4	68	1	1	4	8	11	21	43
GRAND TOTAL	**659**	**3.6**	**30**	**<1**	**<1**	**2**	**4**	**7**	**11**	**27**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	3.6	4	2	2	3	4	7	8	8
20-34	25	3.5	2	2	2	3	4	5	8	8
35-49	25	3.0		2	2	3	3	4	5	6
50-64	30	3.5	2	2	2	3	4	5	7	10
65+	15	3.9	4	1	2	3	5	7	8	9
2. MULTIPLE DX										
0-19 YRS	5	3.8	12	2	2	2	5	10	10	10
20-34	47	5.6	58	1	2	3	6	9	16	49
35-49	31	3.7	7	2	2	3	4	5	6	17
50-64	38	3.9	9	1	2	3	4	6	11	16
65+	17	3.1	1	1	2	3	4	5	5	5
TOT. SINGLE DX	104	3.4	3	2	2	3	4	6	7	9
" MULTIPLE DX	138	4.3	25	1	2	3	4	6	11	28
TOTAL 0-19 YRS	14	3.6	7	2	2	3	4	8	10	10
20-34	72	4.8	40	2	2	3	5	8	11	44
35-49	56	3.4	4	2	2	3	4	5	6	16
50-64	68	3.7	6	2	2	3	4	5	7	16
65+	32	3.5	3	1	2	3	4	6	7	9
GRAND TOTAL	**242**	**4.0**	**16**	**2**	**2**	**3**	**4**	**6**	**8**	**18**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	2.3	4	<1	<1	2	2	4	6	11
20-34	38	2.5	1	<1	1	2	3	4	5	8
35-49	51	3.7	52	1	1	2	3	6	8	53
50-64	34	3.4	7	<1	1	3	4	6	8	15
65+	16	6.0	96	1	1	2	5	14	32	40
2. MULTIPLE DX										
0-19 YRS	39	3.7	16	<1	<1	2	4	9	14	18
20-34	63	4.7	37	1	2	3	5	10	13	41
35-49	67	4.5	25	1	2	3	4	9	13	32
50-64	62	6.1	126	1	2	3	4	10	26	68
65+	35	6.8	43	2	2	3	8	18	23	25
TOT. SINGLE DX	167	3.4	28	<1	1	2	3	6	8	36
" MULTIPLE DX	266	5.1	53	1	1	3	5	11	17	43
TOTAL 0-19 YRS	67	3.1	12	<1	<1	2	4	8	11	17
20-34	101	3.9	25	1	1	3	4	8	12	30
35-49	118	4.1	37	1	1	3	4	8	11	41
50-64	96	5.2	86	1	2	3	4	8	16	61
65+	51	6.5	59	1	2	3	8	18	24	40
GRAND TOTAL	**433**	**4.4**	**44**	**1**	**1**	**3**	**4**	**8**	**14**	**41**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	381	1.2		<1	<1	1	1	2	2	4
20-34	461	1.4	2	<1	<1	1	2	2	2	4
35-49	209	1.4		<1	<1	1	2	2	2	4
50-64	116	1.7	4	<1	<1	1	2	2	3	10
65+	51	2.1	1	<1	<1	2	2	3	5	7
2. MULTIPLE DX										
0-19 YRS	187	2.3	5	<1	<1	2	2	5	7	13
20-34	237	3.7	49	<1	<1	2	3	7	15	65
35-49	161	4.1	111	<1	<1	2	3	5	10	68
50-64	171	4.9	67	<1	<1	2	4	12	24	99+
65+	163	8.0	202	1	1	3	8	22	42	99+
TOT. SINGLE DX	1218	1.4	2	<1	<1	1	2	2	2	4
" MULTIPLE DX	919	4.5	85	<1	<1	2	3	9	18	88
TOTAL 0-19 YRS	568	1.6	2	<1	<1	1	2	2	4	9
20-34	698	2.2	20	<1	<1	1	2	3	5	31
35-49	370	2.6	50	<1	<1	2	2	3	5	46
50-64	287	3.6	44	<1	<1	2	3	8	18	85
65+	214	6.6	161	1	1	2	5	16	34	99
GRAND TOTAL	**2137**	**2.7**	**40**	**<1**	**<1**	**1**	**2**	**4**	**8**	**43**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	149	1.2		<1	<1	1	1	2	2	4
20-34	31	1.5		<1	<1	1	2	2	3	3
35-49	5	1.8		1	1	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	71	1.9	1	<1	<1	2	2	4	5	7
20-34	32	1.5		<1	<1	1	2	3	3	3
35-49	13	2.0	2	<1	<1	2	2	4	6	7
50-64	3	21.3	758	3	3	8	42	53	53	53
65+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	188	1.3	1	<1	<1	1	1	2	2	4
" MULTIPLE DX	120	2.3	23	<1	<1	2	2	3	5	22
TOTAL 0-19 YRS	220	1.4	1	<1	<1	1	2	2	3	6
20-34	63	1.5		<1	<1	1	2	2	3	3
35-49	18	1.9	2	<1	1	2	2	3	5	7
50-64	4	16.3	609	1	1	5	30	53	53	53
65+	3	2.7		2	2	3	3	3	3	3
GRAND TOTAL	**308**	**1.7**	**10**	**<1**	**<1**	**1**	**2**	**2**	**3**	**8**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	1.8	3	<1	<1	<1	2	4	5	10
20-34	12	2.3	2	<1	<1	2	3	5	5	5
35-49	27	2.8	2	<1	<1	3	4	5	6	6
50-64	28	3.2	1	1	1	3	4	5	5	7
65+	11	4.1	5	1	2	4	5	7	10	10
2. MULTIPLE DX										
0-19 YRS	35	3.3	14	<1	1	2	3	7	12	18
20-34	36	3.8	12	<1	<1	2	6	8	10	16
35-49	25	2.9	3	<1	1	2	4	5	6	8
50-64	34	4.3	7	1	1	4	5	9	11	12
65+	32	6.8	110	1	2	3	6	13	36	50
TOT. SINGLE DX	121	2.6	3	<1	<1	2	4	5	6	10
" MULTIPLE DX	162	4.3	31	<1	1	3	5	8	11	36
TOTAL 0-19 YRS	78	2.5	9	<1	<1	1	3	6	9	17
20-34	48	3.4	10	<1	<1	2	4	8	9	16
35-49	52	2.8	3	<1	1	3	4	5	6	8
50-64	62	3.8	5	1	1	3	5	6	9	12
65+	43	6.1	84	1	2	3	5	10	26	50
GRAND TOTAL	**283**	**3.5**	**20**	**<1**	**<1**	**3**	**4**	**7**	**10**	**19**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	3.9	7	<1	1	3	5	8	10	12
20-34	99	3.9	4	1	2	4	5	7	9	10
35-49	77	4.5	6	2	2	4	5	8	9	15
50-64	99	4.6	5	2	2	4	5	8	9	14
65+	45	5.0	14	1	2	4	6	9	11	23
2. MULTIPLE DX										
0-19 YRS	8	3.6	9	1	1	3	5	9	10	10
20-34	50	4.4	20	2	2	3	4	6	9	32
35-49	45	5.4	19	1	2	4	6	13	17	19
50-64	65	6.7	57	1	2	5	7	13	24	42
65+	69	10.0	96	2	3	7	11	20	32	51
TOT. SINGLE DX	358	4.4	7	1	2	4	5	8	9	14
" MULTIPLE DX	237	6.8	57	2	2	4	7	14	23	44
TOTAL 0-19 YRS	46	3.8	8	<1	1	3	5	8	10	12
20-34	149	4.1	10	1	2	4	5	6	9	16
35-49	122	4.8	11	1	2	4	6	8	13	18
50-64	164	5.4	27	2	2	4	6	8	13	30
65+	114	8.0	70	2	3	6	9	16	25	47
GRAND TOTAL	**595**	**5.3**	**28**	**1**	**2**	**4**	**6**	**9**	**13**	**32**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	72	5.6	6	1	2	6	7	8	9	14
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	3	3.0		3	3	3	3	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	65	6.4	17	3	4	6	7	9	11	27
20-34	6	4.0	2	2	2	4	5	6	6	6
35-49	4	3.5	4	1	1	3	5	6	6	6
50-64	3	2.7		2	2	3	3	3	3	3
65+										
TOT. SINGLE DX	78	5.4	6	1	2	6	7	8	9	14
" MULTIPLE DX	78	5.9	16	2	3	5	7	9	11	27
TOTAL 0-19 YRS	137	6.0	12	1	2	6	7	9	10	27
20-34	8	3.9	2	2	2	4	5	6	6	6
35-49	7	3.3	2	1	1	3	4	6	6	6
50-64	4	3.3	2	2	2	3	4	5	5	5
65+										
GRAND TOTAL	**156**	**5.7**	**11**	**1**	**2**	**5**	**7**	**8**	**10**	**26**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	131	3.5	8	<1	<1	2	6	7	8	11
20-34	62	3.5	8	<1	<1	2	5	7	10	12
35-49	32	2.9	3	<1	1	2	3	6	7	10
50-64	51	5.5	68	<1	1	3	6	14	20	51
65+	62	4.0	7	<1	1	3	6	8	9	13
2. MULTIPLE DX										
0-19 YRS	133	4.7	16	1	1	4	6	8	13	37
20-34	80	6.9	97	<1	1	4	7	13	30	54
35-49	48	9.3	165	<1	1	5	9	20	31	77
50-64	84	11.2	189	<1	1	7	13	26	46	64
65+	117	12.7	232	1	2	8	15	30	41	77
TOT. SINGLE DX	338	3.8	17	<1	<1	3	5	8	9	20
" MULTIPLE DX	462	8.8	141	1	1	5	9	20	34	69
TOTAL 0-19 YRS	264	4.1	13	<1	1	3	6	8	9	22
20-34	142	5.4	61	<1	<1	3	6	11	15	43
35-49	80	6.8	110	<1	1	3	7	14	23	66
50-64	135	9.1	150	<1	1	4	11	22	36	64
65+	179	9.7	171	1	1	5	11	20	34	70
GRAND TOTAL	**800**	**6.7**	**95**	**<1**	**1**	**4**	**7**	**14**	**22**	**61**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2168	2.2		1	1	2	3	3	4	5
20-34	1027	2.6	1	1	2	3	3	4	4	6
35-49	113	2.7		1	2	3	3	4	5	5
50-64	12	2.8	7	1	1	2	3	6	10	11
65+	12	3.9	9	1	1	3	5	8	11	12
2. MULTIPLE DX										
0-19 YRS	391	2.5	11	1	1	2	3	4	4	12
20-34	212	3.0	2	1	2	3	4	4	5	10
35-49	37	3.6	2	2	2	3	4	6	7	9
50-64	15	3.9	4	1	2	3	5	7	8	8
65+	7	12.0	214	3	3	4	22	36	38	38
TOT. SINGLE DX	3332	2.3	1	1	1	2	3	3	4	5
" MULTIPLE DX	662	2.9	11	1	1	2	3	4	5	12
TOTAL 0-19 YRS	2559	2.2	2	1	1	2	3	3	4	5
20-34	1239	2.7	2	1	2	3	3	4	4	7
35-49	150	2.9	1	1	2	3	3	4	5	7
50-64	27	3.4	6	1	1	3	4	7	8	11
65+	19	6.9	93	1	2	3	6	22	33	38
GRAND TOTAL	**3994**	**2.4**	**3**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3628	1.9		1	1	2	2	3	3	4
20-34	45	3.1	4	1	1	3	3	5	6	14
35-49	4	3.0		2	2	3	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	1658	2.0	1	1	1	2	2	3	3	7
20-34	14	2.9		1	2	3	3	4	5	5
35-49										
50-64										
65+	3	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	3682	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	1675	2.0	1	<1	1	2	2	3	3	7
TOTAL 0-19 YRS	5286	1.9	1	1	1	2	2	3	3	5
20-34	59	3.0	3	1	1	3	3	5	6	13
35-49	4	3.0	1	2	2	3	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	7	2.1		2	2	2	2	3	3	3
GRAND TOTAL	**5357**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	371	1.5		<1	<1	1	2	2	2	2
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	460	1.7	1	<1	1	2	2	2	2	7
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49										
50-64										
65+	1	88.0		88	88	88	88	88	88	88
TOT. SINGLE DX	375	1.5		<1	<1	1	2	2	2	3
" MULTIPLE DX	463	1.9	17	<1	1	2	2	2	2	8
TOTAL 0-19 YRS	831	1.6	1	<1	<1	2	2	2	2	4
20-34	4	2.5	2	<1	<1	2	3	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	88.0		88	88	88	88	88	88	88
GRAND TOTAL	**838**	**1.7**	**10**	**<1**	**<1**	**2**	**2**	**2**	**2**	**4**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	93	2.6	2	<1	1	2	3	5	6	7
20-34	81	2.9	2	1	1	3	3	5	6	8
35-49	55	4.1	15	1	1	3	4	9	13	21
50-64	28	5.0	28	1	2	2	7	11	14	26
65+	24	9.1	180	1	1	3	10	27	42	58
2. MULTIPLE DX										
0-19 YRS	35	4.6	25	1	1	3	5	11	16	25
20-34	29	4.1	12	2	2	2	4	11	12	15
35-49	32	7.1	140	1	2	3	7	15	18	67
50-64	51	9.9	252	1	1	5	10	19	39	96
65+	30	8.6	83	1	1	6	13	24	38	99+
TOT. SINGLE DX	281	3.7	25	1	1	2	4	7	10	26
" MULTIPLE DX	177	7.2	123	1	1	4	7	17	24	88
TOTAL 0-19 YRS	128	3.1	9	<1	1	2	4	6	7	20
20-34	110	3.2	6	1	1	3	4	6	8	13
35-49	87	5.2	62	1	2	3	5	12	16	50
50-64	79	8.2	177	1	1	4	9	16	28	85
65+	54	8.9	124	1	1	4	11	24	38	98
GRAND TOTAL	**458**	**5.1**	**66**	**1**	**1**	**3**	**5**	**10**	**17**	**55**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	45	2.2	21	<1	<1	1	2	4	5	32
20-34	21	3.1	7	<1	1	2	4	7	10	11
35-49	16	3.3	7	1	1	3	4	8	10	11
50-64	18	3.0	3	<1	1	2	4	6	7	7
65+	27	2.7	2	<1	1	2	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	58	5.5	13	1	2	5	7	10	13	21
20-34	16	3.1	7	<1	<1	2	4	9	10	10
35-49	14	2.8	4	<1	1	2	4	6	8	8
50-64	38	4.8	39	1	1	3	5	11	20	32
65+	71	5.8	30	1	1	4	7	15	23	99+
TOT. SINGLE DX	127	2.7	11	<1	<1	2	3	5	7	16
" MULTIPLE DX	197	5.1	24	1	1	4	6	11	15	66
TOTAL 0-19 YRS	103	4.0	20	<1	<1	3	5	8	11	26
20-34	37	3.1	7	<1	<1	2	4	8	10	11
35-49	30	3.0	6	1	1	2	4	7	8	11
50-64	56	4.2	29	1	1	3	4	7	13	32
65+	98	4.9	24	1	1	4	6	13	17	99+
GRAND TOTAL	**324**	**4.1**	**20**	**<1**	**1**	**3**	**5**	**8**	**13**	**32**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	3.0	7	1	2	2	2	5	11	13
20-34	35	1.9		<1	1	2	2	2	3	3
35-49	53	2.1	1	1	1	2	2	3	3	10
50-64	107	2.7	10	<1	1	2	2	4	7	20
65+	54	2.7	5	1	1	2	3	5	7	14
2. MULTIPLE DX										
0-19 YRS	10	3.8	13	1	1	2	6	10	12	12
20-34	6	4.0	18	<1	<1	2	6	11	12	12
35-49	24	3.1	9	1	1	2	3	7	11	15
50-64	101	4.3	35	<1	1	2	4	11	18	32
65+	106	5.7	88	1	1	2	5	12	23	54
TOT. SINGLE DX	275	2.5	6	<1	1	2	2	4	7	13
" MULTIPLE DX	247	4.8	55	1	1	2	4	11	18	41
TOTAL 0-19 YRS	36	3.2	9	1	1	2	3	8	11	13
20-34	41	2.2	3	<1	<1	2	2	3	4	12
35-49	77	2.4	4	1	1	2	2	3	6	14
50-64	208	3.5	23	<1	1	2	3	7	12	27
65+	160	4.7	62	1	1	2	4	10	15	42
GRAND TOTAL	**522**	**3.6**	**30**	**<1**	**1**	**2**	**3**	**7**	**12**	**28**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34										
35-49	3	15.0	112	3	3	19	22	23	23	23
50-64	8	18.1	39	11	11	17	23	27	28	28
65+	5	15.6	119	4	4	13	26	28	28	28
2. MULTIPLE DX										
0-19 YRS										
20-34	3	7.7	96	2	2	2	15	19	19	19
35-49	3	7.3	102	<1	<1	2	15	19	19	19
50-64	19	10.1	225	<1	1	4	12	23	47	65
65+	10	18.4	145	2	3	18	27	36	37	37
TOT. SINGLE DX	17	16.5	64	3	5	15	24	27	28	28
" MULTIPLE DX	35	12.0	187	<1	2	6	19	27	36	65
TOTAL 0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	3	7.7	96	2	2	2	15	19	19	19
35-49	6	11.2	103	<1	<1	11	19	23	23	23
50-64	27	12.4	181	1	2	11	18	26	34	65
65+	15	17.5	129	2	4	17	27	35	36	37
GRAND TOTAL	**52**	**13.5**	**150**	**1**	**2**	**12**	**20**	**27**	**34**	**64**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	23.0		23	23	23	23	23	23	23
50-64	4	21.3	4	19	19	21	23	24	24	24
65+	5	21.2	159	12	12	18	26	43	43	43
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	5	18.2	36	12	12	16	24	26	26	26
50-64	15	40.4	518	14	15	38	70	97	99+	99+
65+	19	36.6	337	15	17	35	50	72	90	99+
TOT. SINGLE DX	10	21.4	73	12	12	20	23	33	43	43
" MULTIPLE DX	39	35.7	404	14	15	34	56	81	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49	6	19.0	33	12	12	19	23	26	26	26
50-64	19	36.4	469	15	16	31	59	91	99+	99+
65+	24	33.4	333	13	15	34	41	64	85	99+
GRAND TOTAL	**49**	**32.8**	**367**	**13**	**15**	**27**	**46**	**76**	**98**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+	2	38.0	1568	10	10	38	66	66	66	66
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	2	30.5	925	9	9	30	52	52	52	52
50-64	1	39.0		39	39	39	39	39	39	39
65+	1	21.0		21	21	60	99+	99+	99+	99+
TOT. SINGLE DX	3	27.0	1147	5	5	10	52	66	66	66
" MULTIPLE DX	4	30.3	362	9	9	39	64	99+	99+	99+
TOTAL 0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	30.5	925	9	9	30	52	52	52	52
50-64	1	39.0		39	39	39	39	39	39	39
65+	3	32.3	880	10	10	43	83	99+	99+	99+
GRAND TOTAL	**7**	**28.9**	**566**	**5**	**6**	**30**	**59**	**90**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	5.8	20	2	2	5	9	11	11	11
20-34	7	3.1	9	<1	<1	2	6	8	8	8
35-49	6	2.8	1	2	2	3	3	5	5	5
50-64	3	5.7	40	2	2	2	10	13	13	13
65+	5	6.8	69	<1	<1	4	10	21	21	21
2. MULTIPLE DX										
0-19 YRS	15	16.9	217	2	3	14	35	90	99+	99+
20-34	12	28.9	951	2	2	17	63	90	98	99+
35-49	19	22.4	394	2	2	15	40	48	58	66
50-64	35	26.9	484	2	2	35	57	99+	99+	99+
65+	39	36.1	756	2	3	38	66	88	99+	99+
TOT. SINGLE DX	25	4.5	23	<1	<1	2	7	11	15	21
" MULTIPLE DX	120	28.1	596	2	2	28	52	89	99+	99+
TOTAL 0-19 YRS	19	14.5	194	2	2	11	31	69	99+	99+
20-34	19	19.4	748	<1	1	7	36	81	94	99+
35-49	25	17.7	369	2	2	7	34	47	53	66
50-64	38	25.2	482	2	2	30	54	99+	99+	99+
65+	44	32.8	763	2	2	31	59	86	99+	99+
GRAND TOTAL	**145**	**24.0**	**576**	**2**	**2**	**17**	**47**	**80**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	6.5	24	<1	<1	6	10	12	12	12
20-34	24	8.9	37	2	3	8	10	17	21	29
35-49	30	8.0	34	2	2	6	10	18	19	22
50-64	82	10.1	58	1	2	9	13	17	24	40
65+	87	10.9	55	2	3	10	13	20	27	38
2. MULTIPLE DX										
0-19 YRS	3	10.7	9	8	8	10	13	14	14	14
20-34	31	17.7	188	3	4	15	27	44	47	48
35-49	56	15.5	115	3	4	13	20	34	39	42
50-64	227	14.6	139	2	4	12	19	28	40	82
65+	326	17.0	192	2	4	14	22	34	50	99+
TOT. SINGLE DX	227	9.9	52	2	2	9	13	18	24	37
" MULTIPLE DX	643	16.0	167	2	4	13	21	32	43	92
TOTAL 0-19 YRS	7	8.3	20	<1	1	9	11	14	14	14
20-34	55	13.9	140	2	3	9	17	31	45	48
35-49	86	12.9	100	2	3	10	18	28	36	42
50-64	309	13.4	121	2	3	11	17	27	36	73
65+	413	15.8	169	2	4	13	20	32	42	95
GRAND TOTAL	**870**	**14.4**	**144**	**2**	**3**	**11**	**19**	**29**	**39**	**76**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
TOT. SINGLE DX										
" MULTIPLE DX	2	8.5	85	2	2	8	15	15	15	15
TOTAL 0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	**2**	**8.5**	**85**	**2**	**2**	**8**	**15**	**15**	**15**	**15**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	12.0	47	4	4	9	18	21	21	21
20-34	20	10.2	19	3	5	10	12	17	19	19
35-49	28	10.2	27	3	4	9	13	18	19	24
50-64	75	14.5	70	3	6	13	19	24	33	40
65+	62	14.6	72	3	5	13	19	26	32	40
2. MULTIPLE DX										
0-19 YRS	23	13.7	77	5	6	12	16	25	31	43
20-34	59	12.6	56	5	6	11	14	21	30	41
35-49	75	18.6	172	5	7	14	23	40	50	62
50-64	172	18.0	124	4	8	15	22	31	42	72
65+	212	21.5	182	6	8	19	28	38	45	79
TOT. SINGLE DX	190	13.4	61	3	5	12	17	23	31	40
" MULTIPLE DX	541	18.7	152	5	7	16	24	35	43	76
TOTAL 0-19 YRS	28	13.4	70	4	5	11	16	24	27	43
20-34	79	12.0	48	4	6	11	14	19	29	40
35-49	103	16.3	146	4	6	13	19	30	43	61
50-64	247	16.9	110	4	7	15	21	30	37	58
65+	274	19.9	165	5	8	18	26	36	42	77
GRAND TOTAL	**731**	**17.3**	**134**	**4**	**7**	**14**	**22**	**32**	**40**	**69**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	14.3	69	5	5	17	20	21	21	21
35-49	13	14.1	29	8	9	12	16	24	26	26
50-64	34	17.3	41	9	10	16	22	26	31	32
65+	20	25.1	420	9	10	20	27	52	79	92
2. MULTIPLE DX										
0-19 YRS	7	20.4	87	6	7	19	29	30	30	30
20-34	4	16.3	39	8	8	17	21	22	22	22
35-49	26	18.5	77	9	9	18	23	27	32	50
50-64	131	21.8	143	9	11	19	25	36	44	98
65+	127	23.8	164	11	12	21	29	41	46	91
TOT. SINGLE DX	71	18.6	160	8	9	15	23	27	32	87
" MULTIPLE DX	295	22.3	145	10	11	19	26	38	45	93
TOTAL 0-19 YRS	8	18.8	98	6	6	18	29	30	30	30
20-34	7	15.4	44	5	6	17	21	22	22	22
35-49	39	17.1	65	8	9	16	22	26	28	50
50-64	165	20.9	125	9	11	19	24	34	41	92
65+	147	24.0	196	11	12	21	28	41	47	92
GRAND TOTAL	**366**	**21.6**	**150**	**9**	**11**	**19**	**25**	**36**	**44**	**91**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	77	4.6	36	<1	1	2	5	12	14	32
20-34	38	7.3	193	<1	<1	3	8	15	21	84
35-49	72	7.9	50	1	2	6	10	18	22	36
50-64	109	8.6	70	1	2	6	10	19	26	43
65+	100	11.2	97	1	2	8	16	26	31	45
2. MULTIPLE DX										
0-19 YRS	97	8.2	60	1	1	6	11	19	24	39
20-34	59	11.4	90	1	2	8	17	25	34	38
35-49	112	12.7	123	2	2	10	16	27	39	52
50-64	255	13.4	171	2	3	10	17	28	40	74
65+	318	16.4	178	2	3	13	22	33	43	85
TOT. SINGLE DX	396	8.2	83	1	1	5	11	20	26	40
" MULTIPLE DX	841	13.7	156	2	2	10	19	29	38	66
TOTAL 0-19 YRS	174	6.6	53	1	1	4	8	16	23	34
20-34	97	9.8	133	<1	1	6	14	22	31	62
35-49	184	10.8	100	1	2	8	13	23	30	50
50-64	364	12.0	146	2	2	8	15	26	37	63
65+	418	15.1	164	2	3	12	22	32	37	78
GRAND TOTAL	**1237**	**11.9**	**139**	**1**	**2**	**8**	**16**	**27**	**35**	**59**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	3	6.3	30	<1	<1	6	10	12	12	12
35-49	1	12.0		12	12	12	12	12	12	12
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	3	17.3	358	4	4	9	31	39	39	39
2. MULTIPLE DX										
0-19 YRS	2	15.0	72	9	9	21	80	99+	99+	99+
20-34	8	14.4	54	3	5	12	21	24	24	24
35-49										
50-64	7	13.0	168	4	5	9	11	36	42	42
65+	7	23.6	228	11	12	19	25	50	56	56
TOT. SINGLE DX	10	10.0	119	<1	1	7	12	26	39	39
" MULTIPLE DX	24	16.7	144	4	7	14	21	42	67	99+
TOTAL 0-19 YRS	3	13.3	44	9	9	15	60	99+	99+	99+
20-34	11	12.2	58	<1	2	11	18	23	24	24
35-49	1	12.0		12	12	12	12	12	12	12
50-64	9	10.9	144	2	3	9	10	30	42	42
65+	10	21.7	241	4	6	18	27	47	56	56
GRAND TOTAL	**34**	**14.7**	**142**	**2**	**4**	**11**	**20**	**39**	**52**	**99+**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	4.8	4	2	3	4	6	7	10	12
20-34	103	5.3	5	2	3	5	7	9	10	11
35-49	32	5.6	8	2	2	5	8	10	12	12
50-64	20	9.4	130	2	3	6	7	20	39	52
65+	19	7.9	48	3	3	6	9	14	25	33
2. MULTIPLE DX										
0-19 YRS	62	23.8	482	3	4	17	32	64	70	90
20-34	87	7.9	45	2	3	6	9	14	23	39
35-49	67	9.8	45	2	3	8	14	17	22	35
50-64	113	13.4	119	4	5	11	17	24	34	60
65+	114	15.5	163	3	5	12	20	31	41	67
TOT. SINGLE DX	207	5.9	23	2	3	5	7	10	11	29
" MULTIPLE DX	443	13.8	178	3	4	9	16	28	40	70
TOTAL 0-19 YRS	95	17.2	397	3	3	8	22	53	68	83
20-34	190	6.5	25	2	3	5	7	11	14	29
35-49	99	8.4	37	2	3	7	11	15	21	35
50-64	133	12.8	122	3	4	9	16	24	34	57
65+	133	14.4	154	3	4	11	18	30	38	63
GRAND TOTAL	**650**	**11.3**	**142**	**3**	**3**	**7**	**13**	**23**	**33**	**69**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	7.3	12	<1	1	9	9	12	13	13
20-34	48	7.9	41	1	2	6	10	17	18	35
35-49	21	11.1	56	1	2	10	16	22	25	28
50-64	41	11.1	95	1	1	8	15	27	33	39
65+	23	10.8	57	2	3	8	18	21	24	26
2. MULTIPLE DX										
0-19 YRS	25	14.2	184	2	3	12	16	28	48	65
20-34	45	13.9	96	2	3	11	21	30	32	41
35-49	51	18.7	326	2	3	14	25	36	45	98
50-64	116	18.6	183	2	3	16	26	36	43	69
65+	113	19.5	235	2	3	16	27	38	52	70
TOT. SINGLE DX	152	9.6	58	1	2	8	13	19	26	35
" MULTIPLE DX	350	18.0	212	2	3	15	25	36	45	69
TOTAL 0-19 YRS	44	11.2	120	1	2	9	13	16	32	65
20-34	93	10.8	76	1	2	8	14	23	31	38
35-49	72	16.5	258	2	3	13	21	29	41	95
50-64	157	16.6	171	2	2	15	24	34	40	68
65+	136	18.1	216	2	3	15	26	37	49	69
GRAND TOTAL	**502**	**15.4**	**180**	**2**	**3**	**12**	**21**	**31**	**39**	**68**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	9.3	10	6	7	9	10	12	13	23
20-34	14	9.8	4	7	8	9	10	12	15	16
35-49	15	10.1	3	8	8	10	11	12	14	15
50-64	15	12.5	20	8	8	11	14	16	24	26
65+	8	20.6	158	9	9	17	25	42	46	46
2. MULTIPLE DX										
0-19 YRS	61	14.3	139	8	8	10	13	25	51	57
20-34	29	13.9	80	8	8	11	15	22	27	54
35-49	54	14.5	47	8	8	13	16	22	26	43
50-64	115	17.7	135	9	9	14	21	29	35	79
65+	77	23.0	178	10	11	18	28	41	51	72
TOT. SINGLE DX	87	11.1	32	7	8	10	12	16	19	41
" MULTIPLE DX	336	17.4	137	8	9	13	20	31	42	62
TOTAL 0-19 YRS	96	12.5	97	7	8	9	12	21	33	57
20-34	43	12.6	59	8	8	11	13	18	25	54
35-49	69	13.5	41	8	8	12	15	20	25	42
50-64	130	17.1	125	9	9	14	19	28	34	76
65+	85	22.7	175	10	11	18	28	41	50	71
GRAND TOTAL	**423**	**16.1**	**122**	**8**	**8**	**12**	**18**	**28**	**40**	**58**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	22	9.5	1	8	8	9	10	11	12	12
50-64	79	10.7	13	7	8	10	11	14	16	30
65+	39	13.8	26	9	9	12	16	22	26	30
2. MULTIPLE DX										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	113	12.7	25	8	9	11	13	22	24	31
50-64	451	13.9	61	9	9	11	15	20	29	50
65+	268	16.1	87	9	10	13	17	28	32	49
TOT. SINGLE DX	140	11.4	17	8	8	10	12	16	20	30
" MULTIPLE DX	833	14.5	66	9	9	12	16	23	30	48
TOTAL 0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	135	12.2	23	8	9	10	13	18	23	31
50-64	530	13.5	55	9	9	11	14	20	28	48
65+	307	15.8	80	9	10	13	17	26	31	48
GRAND TOTAL	**973**	**14.0**	**60**	**9**	**9**	**11**	**15**	**22**	**29**	**47**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	2.3	2	1	2	2	2	3	5	9
20-34	52	2.9	8	<1	<1	2	3	8	10	14
35-49	249	2.3	4	<1	<1	2	3	4	6	12
50-64	472	2.0	3	<1	<1	1	2	3	6	13
65+	161	2.4	11	<1	1	1	2	6	12	18
2. MULTIPLE DX										
0-19 YRS	162	3.5	23	1	2	2	2	6	13	30
20-34	110	4.8	50	<1	<1	3	5	10	13	45
35-49	712	4.4	24	<1	<1	3	4	11	14	25
50-64	2055	4.5	36	<1	<1	2	4	11	16	32
65+	992	6.3	66	<1	1	3	8	17	22	37
TOT. SINGLE DX	978	2.2	5	<1	<1	2	2	4	8	13
" MULTIPLE DX	4031	4.9	42	<1	<1	3	4	13	18	32
TOTAL 0-19 YRS	206	3.3	19	1	2	2	2	6	10	28
20-34	162	4.2	38	<1	<1	3	4	10	11	35
35-49	961	3.8	20	<1	<1	2	4	10	13	23
50-64	2527	4.0	31	<1	<1	2	4	10	15	30
65+	1153	5.7	60	<1	1	3	7	16	21	35
GRAND TOTAL	**5009**	**4.4**	**36**	**<1**	**<1**	**2**	**4**	**11**	**16**	**31**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	16.4	259	6	6	10	19	45	45	45
20-34	12	4.5	6	2	2	4	5	6	11	11
35-49	27	6.5	20	2	2	5	10	14	17	17
50-64	52	6.2	23	1	2	5	8	13	15	27
65+	212	6.0	24	2	2	4	7	12	16	28
2. MULTIPLE DX										
0-19 YRS	11	16.0	427	3	4	10	15	41	74	77
20-34	22	6.2	17	1	1	5	10	11	14	16
35-49	44	10.5	56	1	2	9	15	22	26	28
50-64	208	11.6	83	3	4	9	15	23	27	47
65+	823	12.9	117	3	4	10	17	26	37	68
TOT. SINGLE DX	308	6.2	28	2	2	4	8	12	16	28
" MULTIPLE DX	1108	12.4	111	3	4	10	16	25	33	63
TOTAL 0-19 YRS	16	16.1	354	4	5	10	14	42	67	77
20-34	34	5.6	14	1	2	4	8	11	12	16
35-49	71	9.0	46	2	2	6	14	18	23	28
50-64	260	10.6	76	2	3	8	14	21	26	45
65+	1035	11.5	106	2	3	8	15	24	32	59
GRAND TOTAL	**1416**	**11.1**	**99**	**2**	**3**	**8**	**14**	**23**	**30**	**57**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	9.5	1	9	9	9	10	10	10	10
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	27	5.5	26	1	2	2	9	14	17	17
50-64	66	4.8	27	2	2	2	5	12	14	30
65+	20	4.2	13	1	2	2	5	11	12	12
2. MULTIPLE DX										
0-19 YRS	5	18.4	30	11	11	19	21	26	26	26
20-34	14	17.6	506	2	2	12	18	91	98	99+
35-49	109	7.5	113	2	2	3	9	16	22	60
50-64	261	6.9	55	2	2	3	9	16	23	38
65+	127	8.7	91	2	2	5	12	17	27	54
TOT. SINGLE DX	117	4.9	24	2	2	2	7	12	14	22
" MULTIPLE DX	516	7.9	91	2	2	4	11	17	24	51
TOTAL 0-19 YRS	7	15.9	39	9	9	16	20	25	26	26
20-34	16	15.6	468	1	2	10	17	79	97	99+
35-49	136	7.1	97	2	2	3	9	15	20	44
50-64	327	6.5	50	2	2	3	8	15	20	36
65+	147	8.1	83	2	2	4	12	16	24	50
GRAND TOTAL	**633**	**7.3**	**80**	**2**	**2**	**3**	**10**	**16**	**23**	**47**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	3.2	19	<1	<1	2	4	7	9	25
20-34	27	4.1	37	<1	<1	3	4	9	13	32
35-49	33	2.8	6	<1	<1	2	3	6	8	12
50-64	32	3.8	26	<1	<1	2	4	9	18	23
65+	47	8.0	155	1	1	3	8	21	32	66
2. MULTIPLE DX										
0-19 YRS	73	6.1	123	1	1	4	6	11	15	76
20-34	33	7.1	60	1	1	4	8	19	26	33
35-49	39	8.9	99	1	2	7	12	16	34	46
50-64	130	11.3	164	1	1	7	16	25	34	65
65+	222	16.2	282	2	2	11	22	36	49	97
TOT. SINGLE DX	176	4.6	60	<1	<1	2	5	9	18	42
" MULTIPLE DX	497	12.3	214	1	2	8	16	29	40	89
TOTAL 0-19 YRS	110	5.1	90	<1	1	3	5	10	14	53
20-34	60	5.8	52	<1	1	3	7	14	24	33
35-49	72	6.1	65	<1	1	3	8	13	16	45
50-64	162	9.8	146	<1	1	5	14	23	32	63
65+	269	14.8	270	1	2	9	20	34	47	96
GRAND TOTAL	**673**	**10.3**	**185**	**1**	**1**	**5**	**13**	**26**	**35**	**73**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	3.1	2	<1	<1	3	4	5	6	6
20-34	272	3.9	2	2	2	4	5	6	7	10
35-49	505	4.1	3	2	2	4	5	6	8	11
50-64	371	4.9	18	2	2	4	6	7	9	24
65+	83	5.9	27	2	2	5	6	9	14	34
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	64	4.0	5	1	2	4	5	6	8	15
35-49	160	5.5	22	2	3	4	6	10	13	29
50-64	196	6.5	29	2	3	5	7	11	16	31
65+	84	9.0	135	2	3	6	8	16	28	70
TOT. SINGLE DX	1241	4.4	10	2	2	4	5	7	8	14
" MULTIPLE DX	505	6.3	44	2	3	5	7	11	16	36
TOTAL 0-19 YRS	11	3.1	2	<1	1	3	4	5	6	6
20-34	336	3.9	3	2	2	4	5	6	7	10
35-49	665	4.4	9	2	2	4	5	7	9	14
50-64	567	5.4	23	2	2	4	6	8	12	27
65+	167	7.5	83	2	2	5	7	12	23	55
GRAND TOTAL	**1746**	**4.9**	**20**	**2**	**2**	**4**	**5**	**8**	**10**	**24**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	9.3	3	8	8	9	10	12	12	12
20-34	8	4.9	6	1	2	5	6	8	9	9
35-49	30	10.0	18	5	5	9	13	16	17	21
50-64	91	12.6	50	4	6	11	15	19	24	47
65+	91	15.4	119	7	8	13	17	25	39	94
2. MULTIPLE DX										
0-19 YRS	14	18.6	219	3	7	12	30	39	52	56
20-34	24	15.3	298	2	4	10	15	34	63	71
35-49	105	13.6	88	3	3	12	16	23	35	48
50-64	429	16.7	143	6	8	13	19	28	46	76
65+	508	20.2	186	8	9	16	25	40	54	99+
TOT. SINGLE DX	224	13.0	78	5	6	11	15	21	26	67
" MULTIPLE DX	1080	18.0	167	6	8	14	21	34	46	93
TOTAL 0-19 YRS	18	16.6	185	4	8	11	21	35	48	56
20-34	32	12.7	244	2	3	8	11	31	56	71
35-49	135	12.8	75	3	5	11	15	21	32	47
50-64	520	16.0	130	6	8	13	18	26	40	75
65+	599	19.5	179	8	9	15	24	38	49	99+
GRAND TOTAL	**1304**	**17.2**	**155**	**6**	**8**	**13**	**20**	**31**	**44**	**88**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	13.7	66	8	8	10	20	23	23	23
20-34										
35-49										
50-64	1	50.0		50	50	50	50	50	50	50
65+										
TOT. SINGLE DX	1	8.0		8	8	8	8	8	8	8
" MULTIPLE DX	4	22.8	374	8	8	16	36	50	50	50
TOTAL 0-19 YRS	3	13.7	66	8	8	10	20	23	23	23
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	1	50.0		50	50	50	50	50	50	50
65+										
GRAND TOTAL	**5**	**19.8**	**324**	**8**	**8**	**10**	**30**	**50**	**50**	**50**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	44.5	3281	4	4	44	85	85	85	85
35-49	3	27.0	388	5	5	33	40	43	43	43
50-64	3	18.0	409	3	3	10	33	41	41	41
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	8	2.4	5	1	1	2	3	6	8	8
20-34	42	10.8	284	<1	1	5	13	25	40	94
35-49	45	9.9	172	1	2	6	12	24	36	99+
50-64	73	9.8	168	1	1	5	12	23	41	94
65+	57	12.3	234	1	1	7	15	32	43	82
TOT. SINGLE DX	9	25.3	779	3	3	10	41	68	85	85
" MULTIPLE DX	225	10.4	202	1	1	5	13	25	39	95
TOTAL 0-19 YRS	8	2.4	6	1	1	2	3	6	8	8
20-34	44	12.3	398	<1	1	5	14	26	65	94
35-49	48	10.9	196	1	2	6	17	25	45	99+
50-64	76	10.1	175	1	1	5	12	28	42	94
65+	58	12.2	232	1	1	7	15	32	42	82
GRAND TOTAL	**234**	**11.0**	**230**	**1**	**1**	**5**	**14**	**29**	**43**	**95**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	40	6.7	13	1	1	7	9	11	13	15
20-34	57	8.2	64	1	2	5	14	20	23	39
35-49	80	6.8	37	1	2	5	9	15	20	28
50-64	199	9.4	77	1	2	8	12	18	21	68
65+	186	11.3	46	2	4	10	15	20	22	38
2. MULTIPLE DX										
0-19 YRS	310	21.1	492	2	4	13	31	74	89	99+
20-34	119	12.3	189	2	2	8	17	30	57	99+
35-49	190	12.8	165	2	2	9	16	32	40	78
50-64	702	14.5	143	2	4	12	18	28	43	99+
65+	1035	16.8	153	4	5	14	21	32	43	92
TOT. SINGLE DX	562	9.3	58	1	2	8	12	18	21	39
" MULTIPLE DX	2356	16.2	203	2	4	13	20	33	51	99+
TOTAL 0-19 YRS	350	19.5	458	2	4	11	26	67	87	99+
20-34	176	11.0	152	1	2	7	16	24	43	99+
35-49	270	11.0	135	1	2	7	14	27	36	54
50-64	901	13.4	133	2	3	11	17	26	36	99+
65+	1221	16.0	141	3	5	13	20	30	40	84
GRAND TOTAL	**2918**	**14.8**	**183**	**2**	**3**	**12**	**19**	**31**	**45**	**99+**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	98	3.9	20	<1	<1	2	4	8	15	21
20-34	105	5.5	62	<1	1	3	5	13	20	45
35-49	67	6.1	39	<1	1	3	9	15	22	25
50-64	84	7.4	92	1	2	4	8	18	22	59
65+	60	9.5	132	<1	1	6	11	26	30	64
2. MULTIPLE DX										
0-19 YRS	42	6.7	57	<1	1	4	8	12	21	43
20-34	92	9.3	132	<1	1	5	12	25	38	83
35-49	92	8.6	79	1	2	5	11	20	24	49
50-64	184	11.5	129	1	2	8	15	29	35	53
65+	197	14.2	171	2	2	11	19	31	36	69
TOT. SINGLE DX	414	6.2	68	<1	1	3	7	15	22	34
" MULTIPLE DX	607	11.3	136	1	2	8	15	27	34	57
TOTAL 0-19 YRS	140	4.7	33	<1	<1	3	6	11	16	28
20-34	197	7.3	99	<1	1	3	8	19	30	58
35-49	159	7.5	64	1	1	4	10	19	23	45
50-64	268	10.2	122	1	2	6	14	25	33	53
65+	257	13.1	165	2	2	10	17	29	34	68
GRAND TOTAL	**1021**	**9.2**	**115**	**1**	**1**	**5**	**12**	**23**	**31**	**55**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	6	6.9	15	2	3	6	9	13	14	14
35-49	4	5.5	3	4	4	5	7	8	8	8
50-64	7	8.4	86	3	3	5	8	25	29	29
65+	13	13.3	60	3	5	11	19	24	28	29
2. MULTIPLE DX										
0-19 YRS	3	9.7	22	6	6	8	13	15	15	15
20-34	29	10.5	41	3	5	10	12	18	37	99+
35-49	36	10.6	75	2	3	8	14	20	33	39
50-64	58	10.9	47	3	4	9	16	21	25	29
65+	65	16.7	227	4	4	12	23	33	54	97
TOT. SINGLE DX	34	9.2	54	2	3	6	11	20	28	29
" MULTIPLE DX	191	12.7	119	3	4	10	16	27	34	92
TOTAL 0-19 YRS	5	6.8	27	2	2	6	10	15	15	15
20-34	37	9.7	38	3	4	9	12	16	30	99+
35-49	40	10.1	71	2	3	8	13	18	31	39
50-64	65	10.6	51	3	4	8	15	22	26	29
65+	78	16.1	201	4	4	12	22	31	46	94
GRAND TOTAL	**225**	**12.2**	**111**	**3**	**4**	**9**	**16**	**26**	**32**	**85**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX	1	7.0		7	7	7	7	7	7	7
" MULTIPLE DX										
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	26.3	264	8	8	32	37	39	39	39
20-34	7	29.4	210	4	8	30	38	49	51	51
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX	10	28.5	201	4	6	30	39	45	51	51
TOTAL 0-19 YRS	3	26.3	264	8	8	32	37	39	39	39
20-34	7	29.4	210	4	8	30	38	49	51	51
35-49										
50-64										
65+										
GRAND TOTAL	**10**	**28.5**	**201**	**4**	**6**	**30**	**39**	**45**	**51**	**51**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	83	7.7	32	1	2	7	9	13	22	28
20-34	88	11.4	147	3	3	8	13	21	30	79
35-49	64	9.3	50	2	3	7	11	17	25	39
50-64	81	11.0	93	3	4	8	13	18	32	53
65+	114	10.4	55	2	3	8	15	21	26	34
2. MULTIPLE DX										
0-19 YRS	118	14.1	247	1	2	9	18	30	40	81
20-34	110	18.1	348	3	4	11	24	42	69	99
35-49	132	15.5	187	3	5	11	20	35	51	99+
50-64	283	16.3	154	4	5	13	20	34	41	60
65+	671	18.3	197	4	5	15	23	37	52	99+
TOT. SINGLE DX	430	10.0	77	2	3	8	12	19	27	45
" MULTIPLE DX	1314	17.2	206	3	5	13	22	35	49	96
TOTAL 0-19 YRS	201	11.4	168	1	2	8	12	26	31	79
20-34	198	15.1	269	3	4	9	19	31	52	97
35-49	196	13.5	151	2	4	10	17	29	43	99+
50-64	364	15.1	145	4	4	11	18	32	41	59
65+	785	17.2	185	3	5	14	22	35	48	98
GRAND TOTAL	**1744**	**15.4**	**183**	**3**	**4**	**11**	**20**	**32**	**45**	**88**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	6.8	78	1	1	3	10	17	30	32
20-34	17	11.1	168	1	1	6	14	33	41	45
35-49	13	12.2	126	1	3	10	16	32	33	33
50-64	4	20.8	263	1	1	22	33	38	38	38
65+	3	9.3	184	1	1	2	19	25	25	25
2. MULTIPLE DX										
0-19 YRS	45	21.1	539	2	2	10	38	65	80	99+
20-34	43	26.4	403	3	4	22	39	55	69	79
35-49	41	22.4	594	1	2	15	32	61	86	90
50-64	57	22.0	338	2	3	16	37	47	58	98
65+	42	25.2	338	3	5	22	36	62	86	99+
TOT. SINGLE DX	49	11.0	143	1	1	5	14	32	34	45
" MULTIPLE DX	228	23.3	433	2	3	18	36	55	79	99+
TOTAL 0-19 YRS	57	18.1	473	1	2	9	32	59	76	99
20-34	60	22.1	381	1	2	19	34	47	62	79
35-49	54	19.9	496	1	2	12	31	44	84	90
50-64	61	21.9	330	2	3	16	37	47	58	98
65+	45	24.2	340	2	4	21	35	58	83	99+
GRAND TOTAL	**277**	**21.1**	**403**	**1**	**2**	**15**	**34**	**50**	**76**	**99+**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	3.1	3	1	1	2	4	5	8	10
20-34	15	5.0	12	1	1	4	8	10	11	11
35-49	23	6.2	41	<1	<1	3	10	15	19	26
50-64	37	5.1	24	1	1	3	7	12	15	24
65+	50	7.6	90	<1	<1	4	9	18	24	45
2. MULTIPLE DX										
0-19 YRS	49	9.7	192	<1	1	4	13	30	45	99+
20-34	26	9.2	55	1	2	8	13	22	42	99+
35-49	58	10.7	223	1	2	7	11	20	36	95
50-64	165	12.7	154	2	2	9	17	27	36	81
65+	296	14.2	205	1	2	10	20	33	48	73
TOT. SINGLE DX	147	5.8	47	<1	1	4	8	12	17	44
" MULTIPLE DX	594	12.9	187	1	2	9	17	30	43	85
TOTAL 0-19 YRS	71	7.7	143	1	1	3	7	28	37	94
20-34	41	7.7	43	1	1	6	10	19	26	99+
35-49	81	9.4	174	<1	1	5	11	19	29	84
50-64	202	11.3	139	1	2	8	15	24	34	76
65+	346	13.3	194	1	2	9	18	32	45	71
GRAND TOTAL	**741**	**11.5**	**167**	**1**	**2**	**8**	**15**	**27**	**38**	**74**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	101	5.3	5	3	3	5	6	8	10	13
20-34										
35-49	2	9.0	2	8	8	9	10	10	10	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	40	6.5	26	3	3	5	7	9	12	35
20-34	5	12.8	22	9	9	11	14	21	21	21
35-49	2	10.0	8	8	8	10	12	12	12	12
50-64	2	35.5	1625	7	7	35	64	64	64	64
65+	3	28.7	704	3	3	27	49	56	56	56
TOT. SINGLE DX	103	5.3	5	3	3	5	7	8	10	13
" MULTIPLE DX	52	9.6	138	3	3	6	9	15	34	64
TOTAL 0-19 YRS	141	5.6	11	3	3	5	6	9	10	17
20-34	5	12.8	22	9	9	11	14	21	21	21
35-49	4	9.5	4	8	8	9	11	12	12	12
50-64	2	35.5	1625	7	7	35	64	64	64	64
65+	3	28.7	704	3	3	27	49	56	56	56
GRAND TOTAL	**155**	**6.8**	**53**	**3**	**3**	**5**	**7**	**10**	**12**	**55**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	7	3.9	57	<1	<1	<1	<1	17	21	21
35-49	6	7.2	113	<1	<1	2	9	26	28	28
50-64	3	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	19.0	50	14	14	19	24	24	24	24
2. MULTIPLE DX										
0-19 YRS	10	44.2	735	11	12	50	57	83	86	86
20-34	4	9.8	151	2	2	4	17	28	28	28
35-49	5	10.8	205	2	2	6	15	36	36	36
50-64	18	22.8	559	2	5	17	33	98	99+	99+
65+	19	21.1	517	3	6	18	52	99+	99+	99+
TOT. SINGLE DX	19	6.4	79	<1	<1	<1	10	23	26	28
" MULTIPLE DX	56	24.1	594	2	3	18	48	99	99+	99+
TOTAL 0-19 YRS	11	41.1	769	10	11	48	56	83	86	86
20-34	11	6.0	88	<1	<1	<1	5	24	28	28
35-49	11	8.8	143	<1	<1	3	9	31	36	36
50-64	21	19.7	537	<1	<1	15	26	97	99+	99+
65+	21	20.9	469	3	7	18	43	99+	99+	99+
GRAND TOTAL	**75**	**19.6**	**521**	**<1**	**<1**	**14**	**28**	**90**	**99+**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	7.9	25	1	2	8	11	15	16	16
20-34	25	6.7	23	1	3	6	8	9	19	23
35-49	32	10.5	53	<1	<1	9	14	21	24	26
50-64	40	6.1	14	<1	<1	6	9	11	13	14
65+	69	10.0	149	<1	1	7	12	20	24	81
2. MULTIPLE DX										
0-19 YRS	7	11.6	82	2	2	10	16	26	28	28
20-34	69	9.7	73	2	3	8	12	18	31	44
35-49	141	10.2	98	2	3	8	13	19	32	79
50-64	262	10.1	70	1	2	8	13	19	26	41
65+	481	13.6	124	3	4	11	17	28	42	66
TOT. SINGLE DX	173	8.6	79	<1	1	7	11	17	22	34
" MULTIPLE DX	960	11.9	105	2	3	9	15	23	34	63
TOTAL 0-19 YRS	14	9.7	54	1	2	8	14	18	26	28
20-34	94	8.9	61	1	3	7	10	17	23	43
35-49	173	10.3	90	1	3	8	13	21	28	71
50-64	302	9.6	64	<1	2	8	12	18	24	39
65+	550	13.1	129	2	4	10	16	26	37	66
GRAND TOTAL	**1133**	**11.4**	**102**	**1**	**3**	**9**	**14**	**22**	**32**	**59**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	10	11.4	9	7	8	11	12	16	18	18
35-49	22	13.8	40	8	9	12	14	21	30	36
50-64	24	14.3	29	7	8	13	17	21	26	28
65+	26	17.5	86	8	9	16	19	29	34	50
2. MULTIPLE DX										
0-19 YRS										
20-34	18	16.6	64	6	8	15	21	26	32	36
35-49	49	16.5	78	9	9	13	21	27	30	55
50-64	111	19.5	147	9	10	15	21	37	48	82
65+	121	25.8	206	12	13	22	33	52	58	99+
TOT. SINGLE DX	83	14.8	50	8	9	13	17	25	29	45
" MULTIPLE DX	299	21.4	168	9	10	17	26	40	54	93
TOTAL 0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	28	14.8	50	7	8	13	18	25	28	36
35-49	71	15.7	68	8	9	12	17	27	30	51
50-64	135	18.6	130	9	9	15	20	35	44	75
65+	147	24.3	195	10	12	20	30	51	56	99+
GRAND TOTAL	**382**	**20.0**	**150**	**9**	**10**	**16**	**25**	**36**	**51**	**81**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	23.0		23	23	23	23	23	23	23
50-64	6	25.0	78	16	16	22	34	37	37	37
65+	4	30.0	118	21	21	27	38	45	45	45
2. MULTIPLE DX										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	2	27.5	145	19	19	27	36	36	36	36
35-49	10	25.6	169	12	12	23	26	47	55	55
50-64	25	27.9	243	11	13	25	36	49	67	71
65+	32	30.8	335	14	15	22	43	61	67	80
TOT. SINGLE DX	11	26.6	82	16	17	23	33	40	45	45
" MULTIPLE DX	70	28.8	264	12	14	23	36	55	66	78
TOTAL 0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	2	27.5	145	19	19	27	36	36	36	36
35-49	11	25.4	153	12	13	23	26	46	54	55
50-64	31	27.3	209	12	14	25	35	43	65	71
65+	36	30.7	308	14	15	23	42	60	66	80
GRAND TOTAL	**81**	**28.5**	**239**	**13**	**14**	**23**	**36**	**53**	**65**	**77**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	10.0	2	9	9	10	11	11	11	11
20-34	24	9.8	10	7	7	9	11	13	16	22
35-49	36	9.8	10	6	7	9	11	14	17	21
50-64	23	11.9	12	8	8	11	15	17	19	20
65+	6	14.2	47	7	7	13	15	26	27	27
2. MULTIPLE DX										
0-19 YRS	2	22.5	85	16	16	22	29	29	29	29
20-34	38	12.8	138	6	7	10	14	18	21	79
35-49	66	12.1	34	6	7	10	13	20	25	34
50-64	59	14.8	83	7	8	11	17	29	34	51
65+	44	24.0	227	9	11	19	29	43	52	84
TOT. SINGLE DX	91	10.6	14	7	7	9	12	15	19	25
" MULTIPLE DX	209	15.6	127	7	7	11	17	29	38	64
TOTAL 0-19 YRS	4	16.3	81	9	9	13	22	29	29	29
20-34	62	11.6	90	7	7	10	13	16	21	72
35-49	102	11.3	27	6	7	10	13	16	22	33
50-64	82	14.0	65	7	8	11	16	23	32	48
65+	50	22.8	215	8	10	18	28	42	51	84
GRAND TOTAL	**300**	**14.1**	**98**	**7**	**7**	**11**	**16**	**24**	**33**	**53**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	7.7	5	4	5	8	9	10	12	12
20-34	152	8.5	6	6	6	8	9	11	14	20
35-49	137	8.0	4	6	6	8	9	10	13	16
50-64	51	10.6	16	6	7	10	12	15	18	31
65+	25	13.9	121	5	7	10	17	22	37	57
2. MULTIPLE DX										
0-19 YRS	34	19.0	310	5	6	12	23	43	64	74
20-34	156	12.0	60	6	7	9	13	20	27	47
35-49	237	12.1	71	6	7	9	12	21	27	51
50-64	188	15.3	112	7	8	12	18	24	35	67
65+	161	19.5	203	8	9	16	24	39	76	99+
TOT. SINGLE DX	380	8.9	17	6	6	8	9	12	15	22
" MULTIPLE DX	776	14.7	125	7	7	11	17	26	38	77
TOTAL 0-19 YRS	49	15.6	243	5	5	10	15	33	61	74
20-34	308	10.3	37	6	7	9	10	15	21	40
35-49	374	10.6	51	6	6	8	10	17	23	46
50-64	239	14.3	96	7	7	11	16	22	31	61
65+	186	18.7	195	7	8	15	23	36	63	99+
GRAND TOTAL	**1156**	**12.8**	**97**	**6**	**7**	**9**	**14**	**22**	**31**	**70**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	40	8.9	29	3	3	7	12	18	21	99+
20-34	102	7.9	27	2	3	7	10	14	18	28
35-49	60	8.9	71	1	1	7	10	18	26	48
50-64	71	6.4	27	1	1	5	9	12	15	30
65+	65	8.9	66	1	1	7	12	21	28	37
2. MULTIPLE DX										
0-19 YRS	58	10.7	62	3	3	9	15	18	23	48
20-34	162	12.5	140	3	3	8	14	27	35	78
35-49	157	11.1	56	2	4	9	14	22	28	37
50-64	252	12.9	154	3	4	11	15	23	30	82
65+	352	15.2	158	2	3	12	20	29	43	69
TOT. SINGLE DX	338	8.1	43	1	2	7	10	16	21	35
" MULTIPLE DX	981	13.2	135	3	4	10	17	25	35	73
TOTAL 0-19 YRS	98	9.9	49	3	3	8	14	18	22	75
20-34	264	10.7	101	2	3	8	13	22	29	73
35-49	217	10.5	62	1	3	8	13	21	27	38
50-64	323	11.5	133	2	3	9	14	22	29	81
65+	417	14.2	149	2	3	11	19	27	40	68
GRAND TOTAL	**1319**	**11.9**	**116**	**2**	**3**	**9**	**15**	**23**	**31**	**69**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	9.1	31	3	4	8	11	18	20	20
20-34	14	15.7	233	6	7	12	15	32	58	65
35-49	10	15.4	111	6	7	11	16	34	40	40
50-64	13	13.8	28	9	9	11	17	23	23	23
65+	12	15.3	48	9	9	12	18	28	29	29
2. MULTIPLE DX										
0-19 YRS	24	13.3	55	6	7	13	18	88	99+	99+
20-34	53	18.3	186	6	6	14	23	35	42	77
35-49	55	18.4	182	8	8	14	24	38	61	98
50-64	83	21.6	360	8	9	15	22	46	77	98
65+	86	22.7	205	8	10	19	31	49	73	99+
TOT. SINGLE DX	58	14.1	96	5	6	11	16	26	29	63
" MULTIPLE DX	301	20.1	234	7	8	16	25	44	73	99+
TOTAL 0-19 YRS	33	12.2	51	5	5	11	16	40	99+	99+
20-34	67	17.7	194	6	6	13	21	35	43	76
35-49	65	18.0	171	8	8	13	24	38	51	96
50-64	96	20.6	322	8	9	15	22	38	76	98
65+	98	21.8	192	8	10	18	28	47	72	99+
GRAND TOTAL	**359**	**19.1**	**216**	**7**	**8**	**15**	**24**	**41**	**69**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	15.6	106	7	7	12	18	29	41	44
20-34	50	17.1	84	7	9	13	21	33	38	43
35-49	70	13.6	35	8	9	12	15	21	27	37
50-64	84	14.5	40	9	9	13	17	21	27	43
65+	140	16.8	57	9	10	15	20	26	32	43
2. MULTIPLE DX										
0-19 YRS	21	25.6	588	7	8	20	28	88	96	99+
20-34	131	21.4	225	8	9	16	27	43	57	99+
35-49	151	19.5	192	8	9	15	23	37	52	78
50-64	350	18.3	124	9	10	15	21	32	44	84
65+	674	22.6	217	10	11	18	26	41	60	96
TOT. SINGLE DX	357	15.6	56	8	9	13	18	25	31	43
" MULTIPLE DX	1327	21.0	200	9	10	17	25	39	57	97
TOTAL 0-19 YRS	34	21.8	420	7	7	16	25	58	92	99+
20-34	181	20.2	190	8	9	15	25	39	48	97
35-49	221	17.6	150	8	9	14	20	30	43	77
50-64	434	17.6	111	9	10	14	20	29	42	74
65+	814	21.6	194	10	11	17	25	37	55	93
GRAND TOTAL	**1684**	**19.9**	**174**	**9**	**10**	**16**	**23**	**35**	**50**	**92**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	4	18.3	444	2	2	11	31	49	49	49
35-49										
50-64	10	15.7	109	7	7	13	17	31	43	43
65+	8	12.1	18	8	8	10	14	19	21	21
2. MULTIPLE DX										
0-19 YRS	5	22.8	357	6	6	13	39	50	50	50
20-34	12	18.9	64	11	12	18	22	52	91	99+
35-49	11	22.6	384	7	8	13	34	56	64	65
50-64	30	21.0	125	8	9	21	28	39	41	45
65+	60	25.3	272	9	12	21	32	62	91	99+
TOT. SINGLE DX	24	14.1	118	3	7	10	15	23	45	49
" MULTIPLE DX	118	23.2	225	8	10	20	31	47	73	99+
TOTAL 0-19 YRS	7	18.0	309	3	4	10	29	47	50	50
20-34	16	18.8	136	4	9	18	22	47	82	99+
35-49	11	22.6	385	7	8	13	34	56	64	65
50-64	40	19.7	124	7	8	17	26	39	42	45
65+	68	23.8	260	9	10	19	31	55	86	99+
GRAND TOTAL	**142**	**21.7**	**217**	**8**	**9**	**18**	**29**	**45**	**65**	**99+**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	8.2	23	3	3	7	10	14	18	24
20-34	26	8.7	6	5	6	8	10	11	14	17
35-49	42	10.7	33	3	5	10	11	18	23	34
50-64	27	10.9	23	6	7	10	13	16	20	29
65+	42	13.1	78	6	7	12	14	20	21	62
2. MULTIPLE DX										
0-19 YRS	43	15.0	165	3	4	11	17	33	41	67
20-34	67	14.6	113	5	6	12	16	28	44	54
35-49	65	15.5	145	7	8	11	16	26	47	63
50-64	119	18.2	198	6	8	14	21	36	44	79
65+	160	18.5	196	5	8	14	21	36	48	86
TOT. SINGLE DX	171	10.5	39	3	5	10	12	16	21	33
" MULTIPLE DX	454	17.1	176	5	7	13	20	35	46	74
TOTAL 0-19 YRS	77	12.0	113	3	3	9	13	24	33	60
20-34	93	13.0	91	5	6	10	14	24	36	51
35-49	107	13.6	106	5	7	10	14	24	36	59
50-64	146	16.9	174	6	7	13	18	34	39	78
65+	202	17.3	176	5	8	13	20	33	48	80
GRAND TOTAL	**625**	**15.3**	**147**	**5**	**6**	**12**	**17**	**29**	**40**	**71**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	12.0	17	9	9	9	16	17	17	17
20-34	2	17.0	18	14	14	17	20	20	20	20
35-49	5	18.4	166	7	7	18	25	39	39	39
50-64	5	18.6	28	14	14	19	21	27	27	27
65+	14	21.4	206	10	10	17	23	38	60	66
2. MULTIPLE DX										
0-19 YRS	5	14.6	71	8	8	13	29	93	99+	99+
20-34	8	23.5	170	8	9	20	33	43	46	46
35-49	19	27.2	292	7	12	25	37	52	64	71
50-64	45	23.8	175	10	11	18	30	46	59	99+
65+	92	28.3	243	11	13	25	37	53	78	99+
TOT. SINGLE DX	31	18.7	130	5	9	17	20	30	39	66
" MULTIPLE DX	169	26.3	226	9	12	23	33	52	68	99+
TOTAL 0-19 YRS	10	13.3	41	8	8	13	17	57	96	99+
20-34	10	22.2	142	8	9	19	30	41	46	46
35-49	24	25.3	271	6	8	21	34	47	60	71
50-64	50	23.3	162	10	11	18	30	45	58	99+
65+	106	27.4	242	10	13	24	33	53	71	99+
GRAND TOTAL	**200**	**25.1**	**218**	**9**	**11**	**22**	**31**	**50**	**61**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1841	4.3	3	2	3	4	5	7	8	12
20-34	1356	4.4	4	2	3	4	5	7	8	12
35-49	403	4.9	4	2	3	4	6	8	9	13
50-64	108	6.7	16	3	3	6	8	12	13	23
65+	50	8.0	22	4	4	7	9	14	19	27
2. MULTIPLE DX										
0-19 YRS	523	6.5	19	2	3	5	8	11	15	23
20-34	463	6.5	23	3	3	5	8	11	14	25
35-49	154	7.7	20	3	3	7	10	14	18	21
50-64	112	9.9	56	3	4	8	12	17	24	45
65+	98	13.4	127	5	5	11	15	24	32	94
TOT. SINGLE DX	3758	4.5	5	2	3	4	5	7	8	13
" MULTIPLE DX	1350	7.4	36	3	3	6	9	13	17	27
TOTAL 0-19 YRS	2364	4.8	8	2	3	4	5	8	10	16
20-34	1819	5.0	10	2	3	4	6	8	10	16
35-49	557	5.7	10	3	3	5	7	9	12	20
50-64	220	8.3	39	3	3	7	10	13	18	33
65+	148	11.6	98	4	5	9	14	20	27	87
GRAND TOTAL	**5108**	**5.3**	**15**	**2**	**3**	**4**	**6**	**9**	**11**	**20**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	4.7	2	3	3	4	6	7	8	8
20-34	14	4.1	1	2	3	4	5	6	6	6
35-49	4	6.3	5	3	3	7	8	8	8	8
50-64	3	9.7	54	4	4	7	15	18	18	18
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	8	5.1	1	3	3	5	6	7	7	7
20-34	9	5.9	4	3	3	6	7	9	10	10
35-49	3	9.7	32	5	5	8	14	16	16	16
50-64	2	5.5	1	5	5	5	6	6	6	6
65+										
TOT. SINGLE DX	35	5.2	8	3	3	4	6	8	10	18
" MULTIPLE DX	22	6.1	8	3	4	5	7	9	12	16
TOTAL 0-19 YRS	21	4.9	2	3	3	5	6	7	8	8
20-34	23	4.8	3	2	3	5	6	7	9	10
35-49	7	7.7	17	3	3	7	8	14	16	16
50-64	5	8.0	33	4	4	6	10	18	18	18
65+	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**57**	**5.6**	**8**	**3**	**3**	**5**	**7**	**8**	**10**	**18**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	6.4	7	3	3	7	9	10	10	10
20-34	4	12.5	12	9	9	12	15	16	16	16
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64	1	14.0		14	14	14	14	14	14	14
65+	4	9.3	12	5	5	9	12	13	13	13
2. MULTIPLE DX										
0-19 YRS	4	8.8	15	4	4	9	12	12	12	12
20-34	1	9.0		9	9	9	9	9	9	9
35-49	2	19.0	8	17	17	19	21	21	21	21
50-64	3	14.0	28	10	10	12	18	20	20	20
65+	1	19.0		19	19	19	19	19	19	19
TOT. SINGLE DX	21	8.6	14	3	4	8	10	14	15	16
" MULTIPLE DX	11	13.0	31	4	6	12	18	20	21	21
TOTAL 0-19 YRS	14	7.1	10	3	3	7	9	12	12	12
20-34	5	11.8	12	9	9	10	15	16	16	16
35-49	4	13.3	47	7	7	12	19	21	21	21
50-64	4	14.0	19	10	10	13	17	20	20	20
65+	5	11.2	28	5	5	11	14	19	19	19
GRAND TOTAL	**32**	**10.1**	**24**	**3**	**4**	**9**	**13**	**18**	**20**	**21**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	45	5.1	18	<1	1	4	8	11	15	17
20-34	57	5.4	20	<1	1	4	7	12	16	20
35-49	43	6.3	39	<1	1	4	7	14	18	35
50-64	48	5.2	18	1	2	4	6	10	14	24
65+	87	6.3	47	1	1	4	8	13	18	38
2. MULTIPLE DX										
0-19 YRS	48	10.5	191	1	2	7	12	23	28	91
20-34	58	7.5	61	1	2	6	9	14	22	50
35-49	60	10.6	126	1	2	7	11	28	40	51
50-64	95	11.3	208	1	2	7	13	22	35	88
65+	188	12.6	151	2	3	9	17	26	36	99+
TOT. SINGLE DX	280	5.7	31	1	1	4	7	12	16	33
" MULTIPLE DX	449	11.2	154	1	2	7	13	24	35	94
TOTAL 0-19 YRS	93	7.9	114	1	1	6	9	15	24	65
20-34	115	6.5	42	1	1	5	8	13	18	35
35-49	103	8.8	94	1	2	6	10	19	35	47
50-64	143	9.3	153	1	2	5	11	18	25	77
65+	275	10.6	127	1	2	7	14	24	35	98
GRAND TOTAL	**729**	**9.1**	**114**	**1**	**2**	**6**	**11**	**20**	**27**	**76**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	14	3.1	5	<1	<1	2	4	7	9	9
35-49	7	5.7	24	1	1	3	10	13	14	14
50-64	7	4.3	7	2	2	3	5	9	10	10
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	14	5.5	24	2	2	4	6	11	19	21
35-49	6	5.8	7	3	3	5	6	11	11	11
50-64	5	3.4	5	1	1	4	5	6	6	6
65+	2	10.5	41	6	6	10	15	15	15	15
TOT. SINGLE DX	32	4.0	10	<1	1	3	5	9	11	14
" MULTIPLE DX	28	5.4	19	1	1	5	6	11	16	21
TOTAL 0-19 YRS	3	4.0	7	1	1	5	6	6	6	6
20-34	28	4.3	16	<1	1	3	5	8	11	21
35-49	13	5.8	16	1	2	5	7	12	14	14
50-64	12	3.9	6	1	1	4	5	7	10	10
65+	4	6.0	41	1	1	4	10	15	15	15
GRAND TOTAL	**60**	**4.7**	**15**	**<1**	**1**	**4**	**6**	**10**	**13**	**20**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	18.9	111	9	10	16	21	37	41	41
20-34	12	21.3	217	9	10	15	27	48	52	53
35-49	23	14.7	57	8	9	13	17	21	30	44
50-64	60	15.7	41	8	9	14	20	25	28	33
65+	58	16.8	49	9	11	15	21	24	29	49
2. MULTIPLE DX										
0-19 YRS	19	17.7	92	7	8	15	27	36	69	99+
20-34	31	21.4	233	8	9	18	25	40	65	70
35-49	53	18.4	130	9	10	15	19	36	47	59
50-64	193	17.8	76	9	10	16	21	28	31	58
65+	297	22.4	161	10	12	19	26	40	54	99+
TOT. SINGLE DX	160	16.5	63	8	9	15	20	25	30	50
" MULTIPLE DX	593	20.3	137	10	10	17	24	34	46	92
TOTAL 0-19 YRS	26	18.0	94	8	8	16	25	38	50	99+
20-34	43	21.4	224	8	9	18	26	43	58	70
35-49	76	17.3	110	8	10	14	18	30	45	57
50-64	253	17.3	69	9	10	15	20	27	31	57
65+	355	21.5	147	10	11	18	25	36	48	99+
GRAND TOTAL	**753**	**19.5**	**123**	**9**	**10**	**17**	**23**	**32**	**44**	**82**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	5.7	11	1	2	5	7	12	12	13
20-34	127	5.1	16	<1	<1	4	7	11	14	18
35-49	110	4.1	7	<1	<1	4	6	8	9	14
50-64	118	5.6	16	<1	1	5	8	11	12	21
65+	128	6.7	19	<1	1	6	9	13	15	20
2. MULTIPLE DX										
0-19 YRS	40	7.0	26	1	2	6	10	13	15	27
20-34	246	7.7	68	1	2	5	10	15	20	43
35-49	270	9.6	123	1	2	6	10	19	32	62
50-64	391	9.8	66	2	3	8	12	19	27	40
65+	617	12.5	127	2	4	9	16	26	36	89
TOT. SINGLE DX	509	5.4	16	<1	<1	5	7	11	13	19
" MULTIPLE DX	1564	10.4	103	2	3	8	13	21	30	59
TOTAL 0-19 YRS	66	6.5	21	1	2	6	9	12	13	25
20-34	373	6.8	52	<1	1	5	9	14	17	41
35-49	380	8.0	96	<1	1	5	9	16	23	57
50-64	509	8.9	58	1	2	7	11	18	24	37
65+	745	11.5	114	2	3	9	14	23	34	82
GRAND TOTAL	**2073**	**9.2**	**86**	**1**	**2**	**7**	**11**	**19**	**27**	**53**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	3.6	10	1	1	3	4	8	11	13
20-34	99	4.1	8	2	2	3	5	6	7	19
35-49	118	4.1	11	1	2	3	5	7	9	19
50-64	67	4.1	5	1	2	3	5	7	9	13
65+	15	4.9	15	2	2	3	5	12	13	14
2. MULTIPLE DX										
0-19 YRS	10	6.7	140	1	1	3	5	23	40	40
20-34	70	5.8	19	2	3	5	7	10	13	29
35-49	92	5.3	28	1	2	4	6	10	16	32
50-64	54	4.9	11	1	2	4	7	10	12	17
65+	28	13.3	343	1	2	6	13	37	66	77
TOT. SINGLE DX	325	4.1	9	1	2	3	5	7	9	14
" MULTIPLE DX	254	6.3	66	1	2	4	7	12	17	45
TOTAL 0-19 YRS	36	4.5	45	1	1	3	5	8	12	40
20-34	169	4.8	13	2	2	4	6	8	10	23
35-49	210	4.6	19	1	2	4	5	8	12	22
50-64	121	4.5	8	1	2	4	5	9	11	14
65+	43	10.4	243	1	2	5	12	18	52	77
GRAND TOTAL	**579**	**5.1**	**35**	**1**	**2**	**4**	**6**	**9**	**13**	**31**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	3.0	8	<1	1	2	3	6	11	13
20-34	84	2.6	2	<1	<1	2	4	4	5	8
35-49	37	2.9	5	<1	<1	3	4	5	5	14
50-64	24	4.0	7	1	2	3	4	7	11	13
65+	11	8.9	87	2	2	5	10	25	32	33
2. MULTIPLE DX										
0-19 YRS	8	3.0	4	1	1	2	4	6	6	6
20-34	57	4.5	13	<1	1	4	5	7	9	26
35-49	59	5.6	75	<1	1	4	6	8	9	61
50-64	49	6.9	57	1	2	5	7	16	19	41
65+	46	7.8	42	2	3	6	9	19	23	31
TOT. SINGLE DX	178	3.3	11	<1	<1	3	4	5	8	18
" MULTIPLE DX	219	6.0	47	1	2	4	6	10	18	35
TOTAL 0-19 YRS	30	3.0	7	1	1	2	3	6	9	13
20-34	141	3.4	8	<1	<1	3	4	6	7	12
35-49	96	4.6	50	<1	<1	4	5	7	9	48
50-64	73	6.0	42	1	2	4	6	13	17	39
65+	57	8.0	50	2	3	5	9	20	23	33
GRAND TOTAL	**397**	**4.8**	**33**	**<1**	**1**	**3**	**5**	**8**	**13**	**32**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
20-34	278	5.2	16	3	3	5	6	7	8	12
35-49	373	5.2	4	2	3	5	6	7	9	13
50-64	212	5.3	6	3	3	5	6	8	9	13
65+	88	5.6	6	2	3	5	7	10	11	13
2. MULTIPLE DX										
0-19 YRS	5	5.8	5	2	2	7	7	8	8	8
20-34	248	5.4	5	2	3	5	6	8	9	16
35-49	487	5.7	10	2	3	5	6	9	12	21
50-64	365	6.4	20	3	3	6	7	10	13	25
65+	179	9.2	50	3	4	7	11	18	21	57
TOT. SINGLE DX	954	5.3	9	2	3	5	6	8	9	12
" MULTIPLE DX	1284	6.3	20	3	3	5	7	10	13	22
TOTAL 0-19 YRS	8	4.6	7	<1	1	5	7	8	8	8
20-34	526	5.3	11	3	3	5	6	8	9	14
35-49	860	5.5	8	2	3	5	6	8	10	17
50-64	577	6.0	16	3	3	5	7	9	11	22
65+	267	8.0	39	3	3	6	10	14	19	46
GRAND TOTAL	**2238**	**5.9**	**15**	**3**	**3**	**5**	**7**	**9**	**11**	**21**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	4.3	19	1	1	3	5	8	14	22
20-34	193	3.5	7	1	1	3	4	6	9	16
35-49	162	4.1	7	1	1	3	5	8	9	15
50-64	67	4.7	20	1	1	3	5	9	12	29
65+	32	5.5	21	1	1	4	8	10	17	20
2. MULTIPLE DX										
0-19 YRS	32	7.3	45	1	2	5	9	14	25	32
20-34	139	6.3	100	1	1	4	7	12	15	60
35-49	110	5.7	75	1	1	4	6	9	11	50
50-64	97	6.2	27	1	2	4	8	14	17	28
65+	66	9.5	104	2	2	6	13	27	32	93
TOT. SINGLE DX	498	4.1	11	1	1	3	5	8	10	18
" MULTIPLE DX	444	6.7	76	1	2	4	7	13	20	55
TOTAL 0-19 YRS	76	5.5	32	1	1	4	6	11	19	30
20-34	332	4.7	48	1	1	3	5	9	12	29
35-49	272	4.8	36	1	1	4	6	9	10	21
50-64	164	5.6	25	1	2	4	7	12	15	29
65+	98	8.2	80	1	1	5	10	20	29	79
GRAND TOTAL	**942**	**5.3**	**44**	**1**	**1**	**4**	**6**	**10**	**14**	**31**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	3	16.3	197	3	3	15	27	31	31	31
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	1	34.0		34	34	34	34	34	34	34
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	22.8	19	18	18	23	26	27	27	27
65+	4	17.8	145	2	2	19	26	31	31	31
TOT. SINGLE DX	5	11.6	142	3	3	6	19	31	31	31
" MULTIPLE DX	10	19.8	118	2	2	20	27	32	34	34
TOTAL 0-19 YRS	1	34.0		34	34	34	34	34	34	34
20-34										
35-49	4	12.8	183	2	2	9	23	31	31	31
50-64	5	19.4	71	6	6	20	26	27	27	27
65+	5	14.8	152	2	2	17	23	31	31	31
GRAND TOTAL	**15**	**17.1**	**133**	**2**	**2**	**18**	**27**	**31**	**33**	**34**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	5.6	14	1	2	5	10	11	11	11
20-34	52	5.7	38	1	1	4	8	14	19	32
35-49	42	7.3	100	1	1	3	11	15	21	59
50-64	59	9.1	173	1	1	4	10	24	40	66
65+	21	13.7	141	1	1	11	22	33	37	40
2. MULTIPLE DX										
0-19 YRS	29	17.2	345	2	3	11	22	46	61	80
20-34	72	11.6	250	1	1	7	15	25	62	99
35-49	151	11.2	157	1	1	9	14	25	34	88
50-64	198	11.8	89	1	1	10	18	25	28	46
65+	175	17.4	185	1	4	14	23	35	42	69
TOT. SINGLE DX	188	8.0	109	1	1	4	10	21	29	56
" MULTIPLE DX	625	13.5	169	1	1	11	18	28	38	78
TOTAL 0-19 YRS	43	13.4	265	2	2	8	14	28	53	80
20-34	124	9.1	169	1	1	6	11	21	31	95
35-49	193	10.3	147	1	1	8	13	22	33	84
50-64	257	11.2	109	1	1	9	17	25	29	51
65+	196	17.0	181	1	3	14	23	35	41	68
GRAND TOTAL	**813**	**12.2**	**160**	**1**	**1**	**9**	**17**	**27**	**37**	**71**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	105	6.6	4	4	5	6	7	9	11	14
20-34	1208	6.9	6	4	5	6	8	10	11	15
35-49	1026	7.1	5	4	5	7	8	10	11	14
50-64	792	7.7	8	5	5	7	9	11	13	19
65+	415	9.8	20	5	6	8	11	16	19	27
2. MULTIPLE DX										
0-19 YRS	60	10.0	35	5	6	8	12	15	19	39
20-34	962	8.5	24	5	5	7	9	13	16	30
35-49	1154	9.1	29	5	5	8	10	14	19	33
50-64	1434	10.8	53	5	6	9	12	17	24	47
65+	1288	15.3	105	6	7	12	18	27	36	66
TOT. SINGLE DX	3546	7.5	9	4	5	7	8	10	12	19
" MULTIPLE DX	4898	11.1	63	5	6	9	13	19	26	48
TOTAL 0-19 YRS	165	7.8	18	4	5	7	8	12	15	28
20-34	2170	7.6	15	4	5	7	8	11	13	20
35-49	2180	8.1	19	5	5	7	9	12	14	29
50-64	2226	9.7	40	5	6	8	11	15	20	38
65+	1703	14.0	90	6	7	11	17	25	33	57
GRAND TOTAL	**8444**	**9.6**	**43**	**5**	**5**	**8**	**10**	**16**	**21**	**39**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	6.5	41	2	2	4	10	16	16	16
20-34	17	12.8	106	3	3	12	16	24	37	43
35-49	16	11.1	38	3	4	10	15	19	24	26
50-64	27	12.2	39	2	4	12	16	21	23	27
65+	34	14.1	102	2	3	14	19	27	28	50
2. MULTIPLE DX										
0-19 YRS	3	23.7	602	9	9	10	41	52	52	52
20-34	23	12.8	86	2	3	10	16	24	32	43
35-49	29	19.0	179	6	9	16	23	35	76	99+
50-64	71	17.2	97	1	5	16	24	30	35	44
65+	144	19.8	97	4	8	19	26	35	40	51
TOT. SINGLE DX	98	12.6	73	2	3	12	16	23	27	47
" MULTIPLE DX	270	18.5	112	3	6	17	24	34	39	71
TOTAL 0-19 YRS	7	13.9	306	2	2	9	14	45	52	52
20-34	40	12.8	92	3	3	10	16	24	34	43
35-49	45	16.2	142	5	6	14	19	32	44	99+
50-64	98	15.9	86	2	5	15	21	29	34	42
65+	178	18.7	103	3	6	17	25	34	39	49
GRAND TOTAL	**368**	**16.9**	**108**	**3**	**5**	**15**	**22**	**31**	**38**	**52**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	2.3	3	1	1	2	3	5	5	5
20-34	31	6.6	39	1	1	5	10	15	18	29
35-49	32	6.4	37	1	1	5	8	13	22	26
50-64	29	9.0	76	1	1	7	15	25	27	29
65+	39	8.2	48	1	1	8	14	16	17	33
2. MULTIPLE DX										
0-19 YRS	7	16.4	157	2	3	18	20	36	40	40
20-34	45	17.6	268	1	2	13	27	55	70	99+
35-49	101	16.5	306	1	1	11	20	39	55	86
50-64	111	15.5	200	1	1	12	23	42	51	99+
65+	118	18.9	283	2	4	14	24	41	76	99+
TOT. SINGLE DX	135	7.4	49	1	1	5	10	17	23	30
" MULTIPLE DX	382	17.1	261	1	2	13	23	42	61	99+
TOTAL 0-19 YRS	11	11.3	147	1	1	5	19	28	39	40
20-34	76	13.2	203	1	1	9	18	35	59	99+
35-49	133	14.1	260	1	1	9	18	31	49	81
50-64	140	14.2	181	1	1	11	19	38	50	99+
65+	157	16.3	246	1	2	13	22	38	59	99+
GRAND TOTAL	**517**	**14.6**	**223**	**1**	**1**	**10**	**20**	**35**	**50**	**99+**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	5.7	27	1	1	4	8	11	17	25
20-34	172	6.4	53	<1	1	4	8	13	19	36
35-49	174	5.1	20	<1	<1	4	7	11	13	20
50-64	158	5.3	27	<1	<1	4	7	12	17	22
65+	236	6.4	25	<1	1	5	9	13	16	26
2. MULTIPLE DX										
0-19 YRS	58	6.5	46	1	1	4	6	13	25	34
20-34	211	8.0	31	1	3	7	10	16	20	29
35-49	221	9.6	113	1	2	6	12	19	31	57
50-64	382	9.5	72	1	2	7	12	19	27	88
65+	928	12.8	141	2	3	10	15	26	38	87
TOT. SINGLE DX	809	5.8	31	<1	1	4	8	12	16	27
" MULTIPLE DX	1800	10.9	111	2	3	8	13	22	32	72
TOTAL 0-19 YRS	127	6.0	36	1	1	4	7	11	21	30
20-34	383	7.3	42	<1	1	6	9	14	19	32
35-49	395	7.6	78	<1	1	5	9	15	20	43
50-64	540	8.2	63	<1	1	6	10	17	23	53
65+	1164	11.5	125	1	2	9	14	24	34	77
GRAND TOTAL	**2609**	**9.3**	**92**	**1**	**2**	**7**	**12**	**19**	**27**	**63**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	702	2.4	2	<1	1	2	3	4	5	8
20-34	821	3.5	2	1	2	3	4	5	6	9
35-49	751	3.8	7	1	2	4	5	6	7	10
50-64	898	4.1	4	1	2	4	5	6	8	10
65+	709	4.9	7	2	2	4	6	8	10	15
2. MULTIPLE DX										
0-19 YRS	368	4.2	75	<1	1	2	4	7	13	85
20-34	243	3.8	3	1	2	4	5	6	7	9
35-49	331	4.6	11	1	2	4	5	7	8	18
50-64	753	5.3	11	2	3	4	6	9	11	18
65+	890	7.7	56	2	3	6	8	14	20	46
TOT. SINGLE DX	3881	3.8	5	1	1	3	5	6	8	11
" MULTIPLE DX	2585	5.7	38	1	2	4	7	10	14	35
TOTAL 0-19 YRS	1070	3.0	28	<1	1	2	3	5	7	21
20-34	1064	3.6	3	1	2	3	4	5	6	9
35-49	1082	4.0	9	1	2	4	5	6	7	12
50-64	1651	4.7	8	1	2	4	5	8	9	16
65+	1599	6.5	37	2	2	5	7	11	15	36
GRAND TOTAL	**6466**	**4.6**	**19**	**1**	**2**	**4**	**5**	**8**	**10**	**20**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	2.0	1	<1	1	2	2	3	4	7
20-34	44	3.8	2	1	2	4	5	6	6	7
35-49	61	4.1	2	1	2	4	5	6	7	8
50-64	91	5.0	4	2	3	5	6	7	8	14
65+	62	5.5	6	2	2	5	7	9	10	12
2. MULTIPLE DX										
0-19 YRS	94	6.3	244	<1	1	2	3	7	43	84
20-34	20	4.3	2	2	3	4	5	6	7	7
35-49	45	5.0	7	2	3	4	6	7	11	18
50-64	83	5.0	7	2	3	5	6	7	9	19
65+	96	8.3	105	3	4	6	9	12	16	68
TOT. SINGLE DX	329	4.1	5	1	1	4	5	7	8	11
" MULTIPLE DX	338	6.3	102	1	2	4	6	9	13	68
TOTAL 0-19 YRS	165	4.4	144	<1	1	2	3	5	9	71
20-34	64	4.0	2	1	2	4	5	6	7	7
35-49	106	4.5	5	2	2	4	5	7	7	14
50-64	174	5.0	5	2	3	5	6	7	8	15
65+	158	7.2	68	2	3	6	8	11	13	33
GRAND TOTAL	**667**	**5.2**	**55**	**1**	**1**	**4**	**6**	**8**	**10**	**33**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
20-34	16	3.6	2	1	2	3	4	6	7	7
35-49	44	3.6	2	1	2	4	4	5	6	8
50-64	32	4.3	3	1	1	4	6	7	7	10
65+	42	5.7	7	2	3	5	7	9	11	15
2. MULTIPLE DX										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	7	5.3	3	3	3	5	7	7	7	7
35-49	18	6.1	6	2	3	6	7	8	11	12
50-64	18	4.9	7	1	2	4	7	9	11	12
65+	61	11.6	145	3	3	7	13	26	50	95
TOT. SINGLE DX	139	4.3	5	1	2	4	5	7	8	12
" MULTIPLE DX	107	8.9	95	2	3	7	9	18	27	78
TOTAL 0-19 YRS	8	2.3	3	<1	<1	2	3	5	6	6
20-34	23	4.1	3	1	2	4	5	7	7	7
35-49	62	4.3	4	1	2	4	5	7	8	12
50-64	50	4.5	5	1	2	4	6	7	9	12
65+	103	9.2	97	2	3	6	10	18	27	80
GRAND TOTAL	**246**	**6.3**	**49**	**1**	**2**	**5**	**7**	**11**	**16**	**62**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	94	1.9		<1	<1	2	2	3	3	6
20-34	54	3.1	2	1	2	3	4	5	6	9
35-49	82	3.5	3	<1	1	3	4	6	8	9
50-64	83	3.7	6	1	1	3	5	6	8	15
65+	29	5.5	10	2	3	5	7	10	11	17
2. MULTIPLE DX										
0-19 YRS	31	4.1	39	<1	1	2	4	6	16	34
20-34	26	6.1	130	1	2	3	6	8	20	61
35-49	48	5.2	30	2	2	4	5	8	12	34
50-64	89	6.3	29	2	3	5	7	11	15	34
65+	63	9.6	53	2	3	8	12	20	33	99+
TOT. SINGLE DX	342	3.2	5	<1	1	3	4	6	7	11
" MULTIPLE DX	257	6.6	50	1	2	5	7	13	22	59
TOTAL 0-19 YRS	125	2.5	11	<1	<1	2	2	4	5	21
20-34	80	4.1	45	1	2	3	4	6	8	46
35-49	130	4.2	14	<1	2	3	5	7	9	26
50-64	172	5.0	20	1	2	4	6	9	13	24
65+	92	8.3	43	2	3	7	11	17	28	99+
GRAND TOTAL	**599**	**4.7**	**27**	**1**	**1**	**3**	**5**	**9**	**13**	**34**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	3.1	3	<1	<1	3	4	6	7	8
20-34	158	4.3	5	1	2	4	5	8	9	12
35-49	180	5.2	7	2	2	5	7	9	10	14
50-64	208	6.2	16	3	3	6	7	9	10	21
65+	137	7.1	15	2	3	7	9	12	14	22
2. MULTIPLE DX										
0-19 YRS	18	5.3	25	<1	<1	3	6	15	17	17
20-34	47	6.3	12	2	3	6	8	11	13	19
35-49	192	7.6	26	3	3	7	9	11	18	32
50-64	289	8.8	41	3	4	7	11	15	22	43
65+	289	12.3	138	4	4	9	13	25	34	81
TOT. SINGLE DX	709	5.6	12	2	2	5	7	9	11	17
" MULTIPLE DX	835	9.5	74	3	4	8	11	18	25	51
TOTAL 0-19 YRS	44	4.0	13	<1	<1	3	5	8	14	17
20-34	205	4.7	8	1	2	4	6	8	10	16
35-49	372	6.5	19	2	3	6	8	10	12	27
50-64	497	7.7	33	3	3	6	9	13	18	38
65+	426	10.6	104	3	4	8	12	20	27	61
GRAND TOTAL	**1544**	**7.7**	**50**	**2**	**3**	**6**	**9**	**13**	**19**	**38**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	3.8	9	1	1	3	6	8	8	8
20-34	10	4.3	2	2	2	4	6	7	7	7
35-49	8	7.6	4	5	5	7	9	11	12	12
50-64	9	9.0	15	5	5	7	12	15	16	16
65+	5	9.4	10	5	5	9	11	14	14	14
2. MULTIPLE DX										
0-19 YRS	6	24.0	188	8	8	26	30	43	44	44
20-34	16	9.3	12	6	7	9	10	12	18	21
35-49	31	9.2	13	5	6	9	10	13	15	24
50-64	51	13.3	102	5	6	11	14	24	30	68
65+	39	17.3	222	8	9	14	19	26	69	99+
TOT. SINGLE DX	36	6.9	12	2	3	6	9	12	14	16
" MULTIPLE DX	143	13.5	121	6	7	10	15	24	30	99
TOTAL 0-19 YRS	10	15.9	217	1	1	9	29	37	44	44
20-34	26	7.3	14	3	3	7	9	10	14	21
35-49	39	8.9	12	5	6	8	10	12	14	24
50-64	60	12.6	91	5	6	11	14	23	28	65
65+	44	16.4	204	7	9	13	18	26	54	99+
GRAND TOTAL	**179**	**12.2**	**106**	**4**	**5**	**10**	**14**	**23**	**28**	**90**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	4.1	14	<1	1	3	6	9	12	18
20-34	66	5.3	15	1	2	5	7	10	12	21
35-49	47	6.6	23	1	2	6	9	12	15	24
50-64	46	7.5	49	1	2	6	10	18	23	32
65+	32	10.6	102	2	2	8	13	22	25	52
2. MULTIPLE DX										
0-19 YRS	36	8.8	64	1	1	5	14	22	27	29
20-34	70	12.1	177	2	3	8	17	24	33	74
35-49	90	12.4	113	2	3	8	16	23	35	56
50-64	174	15.6	198	3	5	11	18	35	47	69
65+	224	17.8	262	2	4	13	23	40	58	99+
TOT. SINGLE DX	232	6.5	39	1	1	5	9	13	21	26
" MULTIPLE DX	594	15.1	205	2	3	11	19	32	51	81
TOTAL 0-19 YRS	77	6.3	43	1	1	4	8	16	21	28
20-34	136	8.8	110	1	2	6	10	20	24	63
35-49	137	10.4	90	2	2	8	13	21	27	53
50-64	220	13.9	178	2	3	10	16	30	45	68
65+	256	16.9	247	2	3	12	22	38	57	98
GRAND TOTAL	**826**	**12.7**	**174**	**2**	**2**	**9**	**16**	**27**	**41**	**78**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	49	6.7	30	3	3	5	7	13	19	30
20-34	115	6.2	15	2	3	5	7	10	14	22
35-49	45	7.5	15	2	3	6	9	13	15	17
50-64	25	10.8	28	3	5	10	13	18	21	23
65+	27	12.5	66	6	7	9	15	20	26	46
2. MULTIPLE DX										
0-19 YRS	48	8.4	39	3	3	7	10	16	19	99+
20-34	175	9.8	82	2	3	7	11	19	26	52
35-49	88	14.2	178	3	4	9	17	32	50	64
50-64	121	18.4	281	4	6	13	21	38	71	99+
65+	96	21.5	309	6	7	18	24	48	72	99+
TOT. SINGLE DX	261	7.6	29	2	3	6	9	14	18	25
" MULTIPLE DX	528	14.5	203	3	4	10	18	32	50	99
TOTAL 0-19 YRS	97	7.5	35	3	3	6	9	14	19	72
20-34	290	8.4	59	2	3	6	9	17	21	39
35-49	133	11.9	133	3	4	8	13	22	39	61
50-64	146	17.1	246	4	6	12	19	35	58	99+
65+	123	19.5	269	6	7	15	23	46	63	99+
GRAND TOTAL	**789**	**12.2**	**156**	**3**	**4**	**8**	**14**	**24**	**39**	**83**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	191	3.7	15	<1	1	2	5	8	11	18
20-34	919	2.4	4	<1	<1	2	2	5	7	11
35-49	148	2.4	5	<1	<1	2	2	5	8	12
50-64	12	4.8	31	1	1	2	6	14	19	20
65+	3	2.0	3	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	132	4.3	10	<1	1	3	6	9	10	14
20-34	1058	2.8	10	<1	<1	2	3	6	9	17
35-49	179	3.6	19	<1	<1	2	4	9	14	23
50-64	23	6.9	74	<1	1	4	8	16	32	33
65+	15	10.9	166	<1	<1	4	14	35	41	43
TOT. SINGLE DX	1273	2.6	7	<1	<1	2	3	6	8	12
" MULTIPLE DX	1407	3.2	15	<1	<1	2	4	7	10	20
TOTAL 0-19 YRS	323	4.0	13	<1	1	3	5	9	11	16
20-34	1977	2.6	8	<1	<1	2	3	6	8	15
35-49	327	3.1	13	<1	<1	2	3	7	10	19
50-64	35	6.2	60	1	1	3	8	12	29	33
65+	18	9.4	149	<1	<1	3	14	30	40	43
GRAND TOTAL	**2680**	**2.9**	**11**	**<1**	**<1**	**2**	**3**	**6**	**9**	**16**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	6.6	18	1	2	7	8	11	15	20
20-34	71	7.4	32	1	2	6	8	14	19	31
35-49	60	10.1	33	4	5	9	12	17	22	34
50-64	42	10.1	65	2	3	9	12	16	22	51
65+	31	14.5	209	5	6	10	17	27	78	99+
2. MULTIPLE DX										
0-19 YRS	44	10.9	63	3	3	8	13	25	32	99+
20-34	189	10.5	137	2	3	7	12	19	31	86
35-49	170	12.9	134	2	4	9	17	28	41	64
50-64	158	16.8	155	3	5	13	22	34	43	76
65+	156	21.5	217	7	9	17	26	48	58	98
TOT. SINGLE DX	226	9.5	66	2	3	8	11	18	22	58
" MULTIPLE DX	717	14.9	170	3	4	11	19	33	45	85
TOTAL 0-19 YRS	66	9.4	52	2	2	8	11	20	30	89
20-34	260	9.6	110	2	3	7	11	18	27	71
35-49	230	12.2	109	2	4	9	14	26	34	57
50-64	200	15.4	143	3	5	11	19	32	42	67
65+	187	20.4	222	7	8	16	25	44	59	99+
GRAND TOTAL	**943**	**13.6**	**150**	**2**	**4**	**10**	**17**	**29**	**41**	**81**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	13.5	61	8	8	13	19	19	19	19
20-34	12	10.0	13	7	7	9	10	16	19	20
35-49	31	11.7	21	5	7	10	15	18	21	24
50-64	26	13.6	33	8	8	12	15	22	27	30
65+	34	18.1	71	8	10	15	23	34	36	39
2. MULTIPLE DX										
0-19 YRS	15	13.0	37	4	6	12	17	19	26	28
20-34	34	13.1	54	7	7	10	16	23	27	40
35-49	48	16.9	121	8	8	14	18	28	46	58
50-64	112	17.3	63	9	9	15	21	29	34	43
65+	125	22.6	127	9	10	20	28	37	43	70
TOT. SINGLE DX	105	14.1	48	7	8	12	17	24	27	38
" MULTIPLE DX	334	18.6	104	8	9	16	23	31	38	55
TOTAL 0-19 YRS	17	13.1	37	5	6	12	17	19	25	28
20-34	46	12.3	45	7	7	10	14	21	25	40
35-49	79	14.8	88	7	8	13	16	23	29	57
50-64	138	16.6	60	8	9	14	20	29	33	41
65+	159	21.7	118	9	10	19	26	36	42	68
GRAND TOTAL	**439**	**17.5**	**94**	**8**	**8**	**15**	**22**	**30**	**36**	**52**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	8.1	32	1	2	8	11	15	18	26
20-34	99	9.2	32	1	3	8	11	15	20	32
35-49	95	9.6	31	2	4	9	11	17	19	33
50-64	83	11.0	33	3	4	10	14	17	21	34
65+	34	10.8	33	2	5	10	14	18	22	29
2. MULTIPLE DX										
0-19 YRS	71	12.6	122	1	3	10	16	23	33	61
20-34	155	15.5	115	2	4	13	19	30	39	51
35-49	188	16.1	178	2	3	13	19	29	41	77
50-64	176	15.9	175	2	3	13	18	34	43	70
65+	109	17.1	149	2	4	14	21	35	52	99+
TOT. SINGLE DX	346	9.8	33	2	3	9	12	17	21	31
" MULTIPLE DX	699	15.7	154	2	4	13	19	31	41	68
TOTAL 0-19 YRS	106	11.1	97	1	2	9	14	20	28	57
20-34	254	13.0	92	2	4	11	16	26	32	48
35-49	283	13.9	138	2	4	11	17	25	33	68
50-64	259	14.3	135	2	4	12	17	26	38	64
65+	143	15.6	129	2	4	14	19	33	43	99+
GRAND TOTAL	**1045**	**13.8**	**122**	**2**	**3**	**11**	**17**	**26**	**35**	**61**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	7.3	44	3	3	4	12	15	15	15
20-34	56	9.2	11	3	4	9	11	14	16	18
35-49	69	9.7	21	2	4	9	13	17	17	23
50-64	64	12.3	97	2	6	10	13	21	23	66
65+	34	11.1	18	4	6	11	13	15	17	27
2. MULTIPLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	33	12.0	36	6	7	12	14	17	24	34
35-49	47	14.8	214	5	6	11	16	22	31	98
50-64	82	15.1	76	5	6	12	20	26	31	45
65+	53	14.1	51	4	7	13	18	20	22	50
TOT. SINGLE DX	226	10.5	41	3	5	10	12	17	21	31
" MULTIPLE DX	216	14.3	94	5	6	12	17	24	28	50
TOTAL 0-19 YRS	4	7.8	30	3	3	6	12	15	15	15
20-34	89	10.3	22	4	6	10	13	16	17	30
35-49	116	11.8	105	3	5	10	14	19	22	66
50-64	146	13.9	87	5	6	11	17	24	29	48
65+	87	12.9	40	4	6	12	16	19	21	42
GRAND TOTAL	**442**	**12.3**	**70**	**4**	**6**	**11**	**15**	**21**	**24**	**47**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	60	11.5	10	8	8	10	13	16	19	21
20-34	9	10.6	14	5	6	11	12	16	18	18
35-49	5	12.6	70	6	6	10	16	27	27	27
50-64	3	19.0	81	10	10	19	26	28	28	28
65+	3	19.7	69	13	13	17	26	29	29	29
2. MULTIPLE DX										
0-19 YRS	86	14.2	70	9	9	11	15	22	28	60
20-34	23	14.5	50	4	5	13	19	25	28	31
35-49	19	18.4	95	7	9	15	25	39	70	99+
50-64	18	20.8	36	12	13	21	26	27	32	35
65+	20	33.3	416	10	11	30	47	77	90	99+
TOT. SINGLE DX	80	12.1	21	8	8	11	13	18	20	29
" MULTIPLE DX	166	17.7	144	9	9	14	21	32	44	96
TOTAL 0-19 YRS	146	13.1	47	8	9	11	14	19	23	36
20-34	32	13.4	43	5	5	12	17	24	27	31
35-49	24	17.2	93	6	8	14	23	39	54	99+
50-64	21	20.6	39	11	12	21	26	28	31	35
65+	23	31.5	388	10	11	29	45	75	87	99+
GRAND TOTAL	**246**	**15.9**	**111**	**8**	**9**	**12**	**18**	**28**	**37**	**81**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	5.0	10	1	2	4	6	10	12	13
20-34	158	4.8	9	1	2	4	6	9	10	15
35-49	168	5.1	10	2	2	4	6	10	11	17
50-64	120	5.4	15	2	2	4	6	10	13	24
65+	57	7.4	46	2	2	6	9	12	15	44
2. MULTIPLE DX										
0-19 YRS	19	10.0	42	1	2	10	11	15	24	31
20-34	67	7.7	41	2	2	5	11	19	20	31
35-49	79	6.7	32	2	2	5	8	14	16	35
50-64	114	7.4	43	2	2	5	9	15	21	38
65+	57	8.8	49	2	3	7	11	15	23	39
TOT. SINGLE DX	518	5.3	16	2	2	4	7	10	12	18
" MULTIPLE DX	336	7.7	42	2	2	5	10	15	20	38
TOTAL 0-19 YRS	34	7.8	34	1	2	7	11	14	15	31
20-34	225	5.7	20	2	2	4	7	11	16	21
35-49	247	5.6	18	2	2	5	7	11	13	21
50-64	234	6.4	30	2	2	5	8	12	17	30
65+	114	8.1	48	2	2	7	10	14	17	41
GRAND TOTAL	**854**	**6.3**	**27**	**2**	**2**	**5**	**8**	**12**	**15**	**29**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	155	2.9	10	<1	<1	1	4	7	9	11
20-34	183	4.3	19	<1	<1	3	5	9	11	22
35-49	229	4.5	27	<1	<1	3	6	10	13	29
50-64	298	4.2	30	<1	<1	2	5	9	12	28
65+	433	5.0	64	<1	<1	2	6	11	18	49
2. MULTIPLE DX										
0-19 YRS	179	5.5	42	<1	1	3	7	12	17	85
20-34	285	8.8	153	<1	<1	6	10	21	34	99+
35-49	331	8.7	130	<1	<1	5	11	19	31	83
50-64	706	7.5	109	<1	<1	4	9	19	26	60
65+	1587	10.2	180	<1	1	5	13	29	44	99+
TOT. SINGLE DX	1298	4.4	38	<1	<1	2	5	9	12	32
" MULTIPLE DX	3088	9.0	150	<1	1	5	11	24	38	99+
TOTAL 0-19 YRS	334	4.3	29	<1	<1	2	6	10	13	42
20-34	468	7.1	106	<1	<1	5	8	14	26	97
35-49	560	7.0	93	<1	<1	4	8	15	24	51
50-64	1004	6.5	88	<1	<1	3	8	15	24	52
65+	2020	9.0	160	<1	1	4	11	25	39	99+
GRAND TOTAL	**4386**	**7.6**	**121**	**<1**	**<1**	**4**	**9**	**19**	**32**	**93**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	4.8	9	2	2	4	6	10	10	10
20-34	17	4.0	3	1	2	3	5	7	7	7
35-49	61	4.4	14	1	2	4	5	8	9	25
50-64	139	4.3	9	1	2	4	5	8	10	18
65+	399	5.1	23	2	2	4	6	9	13	27
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	21	7.8	40	2	3	6	9	12	22	32
35-49	67	6.2	59	1	2	3	7	14	18	43
50-64	272	7.0	56	1	2	5	8	16	20	46
65+	888	8.7	89	2	2	6	10	19	25	35
TOT. SINGLE DX	621	4.8	19	2	2	4	6	8	12	27
" MULTIPLE DX	1249	8.2	80	2	2	6	9	17	24	51
TOTAL 0-19 YRS	6	4.5	8	2	2	4	5	9	10	10
20-34	38	6.1	27	2	2	5	7	10	13	32
35-49	128	5.3	38	1	2	3	6	10	16	34
50-64	411	6.0	42	1	2	4	7	12	18	37
65+	1287	7.6	71	2	2	5	9	15	23	49
GRAND TOTAL	**1870**	**7.1**	**62**	**2**	**2**	**5**	**8**	**15**	**21**	**46**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	8.5	33	3	3	6	11	18	20	20
20-34	25	8.7	37	1	2	8	13	16	19	27
35-49	38	7.6	31	<1	2	7	11	16	19	24
50-64	54	6.9	40	1	1	5	8	16	22	28
65+	88	9.7	87	1	2	6	13	23	32	44
2. MULTIPLE DX										
0-19 YRS	31	17.4	235	1	2	13	24	34	48	71
20-34	52	15.6	225	2	2	12	19	34	54	67
35-49	61	10.3	76	2	2	8	14	24	28	94
50-64	146	14.8	319	1	2	7	19	34	63	91
65+	267	16.8	211	2	3	13	24	40	50	99+
TOT. SINGLE DX	213	8.5	59	1	2	6	11	19	24	38
" MULTIPLE DX	557	15.5	230	2	2	11	21	35	49	91
TOTAL 0-19 YRS	39	15.6	206	1	3	12	22	31	44	71
20-34	77	13.4	174	2	2	10	16	29	39	66
35-49	99	9.3	60	2	2	7	12	21	26	74
50-64	200	12.7	256	1	2	7	16	27	40	86
65+	355	15.0	190	2	3	11	21	36	46	98
GRAND TOTAL	**770**	**13.5**	**192**	**2**	**2**	**9**	**18**	**31**	**43**	**81**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	1.2		<1	<1	1	1	2	2	3
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	2.3		2	2	2	3	3	3	3
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	15	3.8	22	1	1	2	3	10	17	19
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49	4	3.5	9	<1	<1	2	5	8	8	8
50-64	6	8.2	58	2	2	5	12	21	22	22
65+	10	11.3	111	2	2	8	18	28	35	35
TOT. SINGLE DX	36	1.4	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	37	6.7	57	1	1	3	8	19	22	35
TOTAL 0-19 YRS	41	2.1	10	<1	<1	1	2	3	7	19
20-34	5	3.6	14	<1	<1	1	7	9	9	9
35-49	6	2.7	7	<1	<1	1	3	7	8	8
50-64	9	6.2	45	2	2	3	7	18	22	22
65+	12	10.1	100	2	2	7	14	25	34	35
GRAND TOTAL	**73**	**4.1**	**36**	**<1**	**<1**	**2**	**4**	**10**	**19**	**32**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	90	7.4	27	<1	2	6	12	14	16	24
20-34	24	4.9	18	<1	1	2	8	11	13	14
35-49	21	7.5	18	1	2	7	10	14	15	16
50-64	8	7.3	10	4	4	6	9	12	13	13
65+	33	6.8	33	1	1	5	11	18	19	19
2. MULTIPLE DX										
0-19 YRS	52	11.8	44	<1	2	11	15	21	23	32
20-34	26	14.5	199	1	2	8	24	32	47	53
35-49	33	11.6	127	<1	1	8	16	27	41	46
50-64	28	8.5	29	2	3	7	13	15	17	24
65+	51	10.1	143	1	2	7	15	20	23	99+
TOT. SINGLE DX	176	6.9	26	<1	2	6	11	14	16	19
" MULTIPLE DX	190	11.2	105	1	2	9	15	22	27	70
TOTAL 0-19 YRS	142	9.0	38	<1	2	9	13	16	20	28
20-34	50	9.9	134	1	1	5	13	26	32	53
35-49	54	10.0	88	<1	2	8	12	21	27	46
50-64	36	8.2	25	2	3	7	12	14	16	24
65+	84	8.8	102	1	2	6	14	19	20	94
GRAND TOTAL	**366**	**9.1**	**71**	**1**	**2**	**7**	**13**	**18**	**23**	**46**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	2.8	4	<1	<1	2	4	7	8	9
20-34	44	3.7	16	<1	<1	2	5	8	13	20
35-49	32	2.3	2	<1	<1	2	3	5	6	7
50-64	35	4.6	39	<1	<1	2	5	8	21	30
65+	77	4.8	33	<1	1	2	6	8	18	33
2. MULTIPLE DX										
0-19 YRS	77	5.7	57	<1	1	4	7	12	16	49
20-34	47	7.6	191	<1	<1	5	10	14	19	94
35-49	59	7.5	74	<1	1	5	10	16	24	50
50-64	125	7.5	67	<1	1	5	10	15	21	42
65+	351	10.7	142	1	2	7	15	24	39	99+
TOT. SINGLE DX	224	3.9	23	<1	<1	2	5	8	10	26
" MULTIPLE DX	659	9.0	119	<1	1	6	11	20	31	68
TOTAL 0-19 YRS	113	4.8	42	<1	<1	3	6	10	13	36
20-34	91	5.7	110	<1	<1	3	7	12	15	64
35-49	91	5.7	56	<1	<1	3	7	11	17	44
50-64	160	6.9	62	<1	1	4	9	14	22	36
65+	428	9.6	128	1	2	6	13	22	36	97
GRAND TOTAL	**883**	**7.7**	**99**	**<1**	**<1**	**4**	**10**	**17**	**25**	**63**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	7.2	38	1	1	6	11	18	18	18
20-34	27	4.5	3	2	2	5	6	7	8	9
35-49	23	5.5	4	2	3	5	6	9	10	10
50-64	19	3.9	4	2	2	3	5	7	9	9
65+	42	5.4	5	2	2	5	7	8	9	13
2. MULTIPLE DX										
0-19 YRS	5	4.4	6	2	2	3	6	8	8	8
20-34	20	7.9	25	3	3	7	9	16	20	23
35-49	21	6.8	27	1	2	5	9	15	19	20
50-64	28	6.7	10	3	3	6	8	12	13	16
65+	91	10.6	121	3	3	8	11	16	32	63
TOT. SINGLE DX	122	5.1	8	2	2	5	6	8	9	18
" MULTIPLE DX	165	9.0	79	3	3	7	10	15	20	58
TOTAL 0-19 YRS	16	6.3	29	1	1	5	7	17	18	18
20-34	47	5.9	16	2	2	5	7	9	15	23
35-49	44	6.1	16	2	3	5	7	10	15	20
50-64	47	5.6	10	2	2	5	7	10	12	16
65+	133	9.0	90	2	3	7	10	15	21	60
GRAND TOTAL	**287**	**7.3**	**52**	**2**	**3**	**6**	**9**	**12**	**17**	**50**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	32	8.1	8	5	6	8	9	11	14	18
35-49	103	8.3	5	5	6	8	9	11	13	16
50-64	67	8.8	4	6	6	8	10	12	13	16
65+	24	11.0	31	6	7	9	12	19	24	31
2. MULTIPLE DX										
0-19 YRS										
20-34	31	7.5	6	4	5	7	9	11	12	14
35-49	117	9.5	10	5	6	9	11	15	16	21
50-64	93	11.3	35	6	7	9	12	18	26	35
65+	55	11.3	35	5	6	9	13	18	21	39
TOT. SINGLE DX	228	8.7	9	5	6	8	10	12	14	19
" MULTIPLE DX	296	10.2	24	5	6	9	12	16	19	30
TOTAL 0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	63	7.8	7	4	5	7	9	11	13	18
35-49	220	8.9	9	5	6	8	10	13	15	18
50-64	160	10.3	24	6	6	9	11	15	20	30
65+	79	11.2	34	6	6	9	13	19	21	37
GRAND TOTAL	**524**	**9.5**	**18**	**5**	**6**	**8**	**11**	**14**	**17**	**28**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	15	8.4	5	4	6	8	10	11	13	14
35-49	58	10.2	22	6	7	8	11	19	22	24
50-64	37	10.2	17	5	6	9	12	16	21	22
65+	11	11.2	37	7	7	9	13	20	27	28
2. MULTIPLE DX										
0-19 YRS										
20-34	14	12.1	33	7	7	10	17	20	24	25
35-49	73	9.5	13	6	6	8	11	15	18	22
50-64	69	13.6	79	6	7	11	16	25	28	55
65+	38	13.8	59	6	7	10	18	24	31	40
TOT. SINGLE DX	122	10.0	20	6	7	9	11	15	21	25
" MULTIPLE DX	194	12.0	50	6	7	10	14	20	26	40
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	29	10.2	22	6	7	9	11	18	20	25
35-49	131	9.9	17	6	6	8	11	15	20	24
50-64	106	12.4	60	6	7	9	14	22	27	48
65+	49	13.2	55	6	7	10	16	24	28	40
GRAND TOTAL	**316**	**11.3**	**40**	**6**	**7**	**9**	**13**	**20**	**23**	**36**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	11.3	86	1	1	14	18	19	19	19
20-34	6	6.2	6	2	2	6	8	9	9	9
35-49	8	6.4	13	2	2	5	9	12	12	12
50-64	5	3.6	1	2	2	4	4	5	5	5
65+	4	5.0	15	<1	<1	4	8	10	10	10
2. MULTIPLE DX										
0-19 YRS	2	12.5	13	10	10	12	15	15	15	15
20-34	12	9.1	59	1	2	7	12	23	24	24
35-49	6	9.5	70	3	3	8	8	24	26	26
50-64	16	11.7	51	3	3	12	16	23	26	27
65+	14	9.1	76	1	2	5	16	20	28	30
TOT. SINGLE DX	26	6.2	19	1	2	5	8	12	15	19
" MULTIPLE DX	50	10.1	59	2	2	8	15	23	26	30
TOTAL 0-19 YRS	5	11.8	47	1	1	14	16	19	19	19
20-34	18	8.1	42	1	2	7	9	21	24	24
35-49	14	7.7	37	2	3	7	8	13	23	26
50-64	21	9.8	51	2	3	6	13	21	25	27
65+	18	8.2	65	<1	1	5	13	18	26	30
GRAND TOTAL	**76**	**8.8**	**48**	**1**	**2**	**7**	**12**	**19**	**24**	**29**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	8.5	1	8	8	8	9	9	9	9
35-49	9	9.7	11	5	6	10	10	15	17	17
50-64	9	8.8	18	4	5	8	9	16	19	19
65+	3	11.7	24	6	6	14	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	6	6.3	6	3	3	6	9	9	9	9
35-49	7	13.6	100	5	6	10	15	31	35	35
50-64	3	8.7	9	6	6	8	11	12	12	12
65+	9	20.6	210	9	9	15	26	45	54	54
TOT. SINGLE DX	23	9.5	14	5	6	8	11	15	18	19
" MULTIPLE DX	26	13.8	127	4	5	10	15	30	39	54
TOTAL 0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	8	6.9	6	3	3	7	9	9	9	9
35-49	16	11.4	50	5	5	10	11	17	30	35
50-64	12	8.8	15	4	5	8	10	14	18	19
65+	12	18.3	174	6	8	15	20	38	52	54
GRAND TOTAL	**49**	**11.8**	**77**	**4**	**5**	**9**	**14**	**18**	**31**	**54**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	13.0	72	7	7	13	19	19	19	19
20-34										
35-49	10	10.3	23	4	4	10	13	17	18	18
50-64	441	7.9	14	4	5	7	9	11	14	23
65+	863	8.8	21	5	5	8	10	13	17	30
2. MULTIPLE DX										
0-19 YRS	2	21.0	450	6	6	21	36	36	36	36
20-34	2	11.5	1	11	11	11	12	12	12	12
35-49	24	10.8	61	4	6	8	11	26	30	35
50-64	835	10.0	54	4	5	8	11	17	23	48
65+	2574	12.7	104	5	6	10	15	23	32	73
TOT. SINGLE DX	1316	8.5	20	4	5	7	10	13	16	29
" MULTIPLE DX	3437	12.0	94	5	5	9	14	22	29	69
TOTAL 0-19 YRS	4	17.0	195	6	6	13	27	36	36	36
20-34	2	11.5	1	11	11	11	12	12	12	12
35-49	34	10.6	49	4	5	8	12	19	28	35
50-64	1276	9.3	42	4	5	8	10	15	20	36
65+	3437	11.7	87	5	5	9	13	21	28	61
GRAND TOTAL	**4753**	**11.0**	**76**	**5**	**5**	**9**	**12**	**19**	**26**	**56**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49										
50-64	41	13.0	26	3	8	13	16	19	20	28
65+	67	15.3	58	8	8	14	18	23	33	43
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	12.0		12	12	12	12	12	12	12
50-64	53	19.5	76	8	9	18	25	30	35	48
65+	180	18.7	94	8	9	16	24	33	42	85
TOT. SINGLE DX	110	14.1	49	7	8	13	18	20	29	39
" MULTIPLE DX	236	18.7	91	8	9	17	24	32	40	59
TOTAL 0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	12.0		12	12	12	12	12	12	12
50-64	94	16.6	65	7	8	15	20	28	31	44
65+	247	17.8	87	8	9	15	22	32	40	54
GRAND TOTAL	**346**	**17.3**	**82**	**8**	**8**	**15**	**21**	**30**	**36**	**52**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	19	3.0	6	1	1	2	4	6	9	11
50-64	78	3.7	7	<1	1	3	5	8	9	13
65+	169	5.0	30	1	2	3	6	10	17	30
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	6.0	4	4	4	6	7	8	8	8
35-49	11	3.7	8	1	1	3	4	7	12	12
50-64	156	6.2	56	1	2	3	7	14	20	43
65+	441	8.2	89	2	2	5	10	19	25	58
TOT. SINGLE DX	269	4.5	22	1	1	3	5	8	13	29
" MULTIPLE DX	612	7.6	80	2	2	4	9	17	24	51
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	5	5.2	8	1	1	6	7	8	8	8
35-49	30	3.3	7	1	1	3	4	6	11	12
50-64	234	5.3	41	1	2	3	6	11	16	40
65+	610	7.3	75	1	2	4	9	17	23	51
GRAND TOTAL	**881**	**6.6**	**65**	**1**	**2**	**4**	**8**	**15**	**21**	**42**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	3.5	26	1	1	2	3	6	8	34
20-34	35	3.2	3	<1	1	3	4	6	8	8
35-49	34	3.8	6	1	1	3	5	8	9	10
50-64	23	3.5	5	1	1	3	4	7	9	10
65+	18	4.2	26	1	1	3	5	6	17	24
2. MULTIPLE DX										
0-19 YRS	29	3.9	11	1	1	3	4	8	10	16
20-34	19	6.5	30	1	1	5	8	15	19	22
35-49	21	6.7	34	2	2	4	9	13	20	27
50-64	24	7.6	74	1	2	4	8	18	32	33
65+	40	8.9	96	1	2	5	11	19	31	50
TOT. SINGLE DX	154	3.6	14	1	1	3	4	7	8	24
" MULTIPLE DX	133	6.9	57	1	2	4	8	16	22	36
TOTAL 0-19 YRS	73	3.7	20	1	1	2	4	7	10	30
20-34	54	4.4	15	<1	1	3	5	8	12	22
35-49	55	4.9	19	1	2	4	6	10	11	26
50-64	47	5.6	44	1	1	4	5	10	19	33
65+	58	7.4	79	1	2	4	9	17	28	49
GRAND TOTAL	**287**	**5.1**	**36**	**1**	**1**	**3**	**6**	**10**	**16**	**33**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	3.5	5	1	1	3	5	6	8	12
20-34	73	5.6	13	2	2	5	7	11	11	18
35-49	31	4.2	6	2	2	3	5	8	10	12
50-64	14	4.8	11	2	2	3	6	10	12	13
65+	51	8.7	52	2	3	5	13	18	21	39
2. MULTIPLE DX										
0-19 YRS	38	3.2	3	1	1	3	4	6	7	8
20-34	37	5.2	48	1	1	3	6	8	19	39
35-49	24	5.7	21	1	1	4	8	11	16	21
50-64	37	11.4	147	2	3	8	12	26	37	64
65+	175	12.1	122	2	3	8	15	28	35	56
TOT. SINGLE DX	213	5.7	23	2	2	4	7	11	14	22
" MULTIPLE DX	311	9.6	106	2	2	6	12	21	34	55
TOTAL 0-19 YRS	82	3.4	4	1	1	3	4	6	8	11
20-34	110	5.5	25	1	2	4	7	10	15	28
35-49	55	4.8	13	1	2	3	6	9	12	21
50-64	51	9.6	118	2	2	6	11	18	30	64
65+	226	11.3	109	2	3	8	14	24	34	55
GRAND TOTAL	**524**	**8.0**	**76**	**2**	**2**	**5**	**9**	**17**	**25**	**41**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	394	2.8	3	<1	1	2	4	5	7	9
20-34	40	2.5	2	<1	1	2	3	4	6	8
35-49	4	2.5	1	1	1	2	3	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	162	2.8	3	1	1	2	3	5	7	14
20-34	25	4.0	6	<1	1	3	5	8	9	11
35-49	3	16.0	91	7	7	15	23	26	26	26
50-64										
65+										
TOT. SINGLE DX	439	2.8	3	<1	1	2	3	5	7	9
" MULTIPLE DX	190	3.2	8	1	1	2	3	6	9	21
TOTAL 0-19 YRS	556	2.8	3	<1	1	2	3	5	7	9
20-34	65	3.1	5	<1	1	3	4	6	8	11
35-49	7	8.3	83	1	1	4	13	24	26	26
50-64	1	3.0		3	3	3	3	3	3	3
65+										
GRAND TOTAL	**629**	**2.9**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**	**11**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	73	2.2	1	1	1	2	3	4	5	7
20-34	48	3.0	1	1	1	3	4	5	5	7
35-49	14	3.3	3	1	1	3	4	6	7	8
50-64	6	3.8	1	2	2	4	5	5	5	5
65+	2	8.5	13	6	6	8	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	23	2.5	2	1	1	2	3	5	6	7
20-34	22	4.6	113	<1	1	2	3	5	24	52
35-49	14	3.4	5	1	1	3	4	6	9	10
50-64	7	4.4	2	2	2	4	6	6	6	6
65+	5	9.8	157	2	2	5	13	32	32	32
TOT. SINGLE DX	143	2.7	3	1	1	2	3	5	5	8
" MULTIPLE DX	71	4.0	48	1	1	2	4	6	7	48
TOTAL 0-19 YRS	96	2.2	2	1	1	2	3	4	5	7
20-34	70	3.5	36	1	1	3	4	5	5	43
35-49	28	3.4	4	1	1	3	4	5	8	10
50-64	13	4.2	2	2	2	4	5	6	6	6
65+	7	9.4	108	2	2	6	10	28	32	32
GRAND TOTAL	**214**	**3.1**	**18**	**1**	**1**	**2**	**4**	**5**	**6**	**19**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	201	1.1		<1	<1	<1	1	1	2	3
35-49	92	1.3		<1	<1	<1	1	2	3	7
50-64	3	1.3		<1	<1	<1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	32	1.9	2	<1	<1	1	2	4	6	7
35-49	17	2.3	8	<1	<1	1	2	6	10	12
50-64	3	3.3	10	1	1	2	6	7	7	7
65+	2	2.0	2	<1	<1	1	3	3	3	3
TOT. SINGLE DX	297	1.1		<1	<1	<1	1	1	2	4
" MULTIPLE DX	54	2.1	4	<1	<1	1	2	4	7	12
TOTAL 0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	233	1.2	1	<1	<1	<1	1	2	2	5
35-49	109	1.4	2	<1	<1	<1	1	2	3	10
50-64	6	2.3	5	<1	<1	1	2	7	7	7
65+	2	2.0	2	<1	<1	1	3	3	3	3
GRAND TOTAL	**351**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**7**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	214	2.3	2	<1	1	2	3	4	5	10
20-34	148	2.7	1	<1	1	3	3	4	5	6
35-49	137	2.5	1	<1	<1	2	3	4	5	6
50-64	104	3.5	3	<1	1	3	5	6	7	9
65+	48	4.0	5	1	2	3	5	7	8	14
2. MULTIPLE DX										
0-19 YRS	103	3.5	58	<1	1	2	3	5	9	52
20-34	100	3.0	2	1	1	3	3	5	7	9
35-49	74	4.3	15	1	2	3	4	7	14	22
50-64	92	4.9	16	1	2	4	6	10	12	24
65+	63	5.4	15	1	2	4	7	11	13	22
TOT. SINGLE DX	651	2.8	3	<1	1	2	3	5	6	8
" MULTIPLE DX	432	4.1	24	1	1	3	4	8	11	23
TOTAL 0-19 YRS	317	2.7	21	<1	1	2	3	4	7	16
20-34	248	2.8	2	<1	1	3	3	5	6	8
35-49	211	3.1	7	<1	1	3	4	5	6	17
50-64	196	4.1	10	1	1	3	5	7	10	19
65+	111	4.8	12	1	2	4	6	9	11	19
GRAND TOTAL	**1083**	**3.3**	**12**	**<1**	**1**	**3**	**4**	**6**	**8**	**15**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	446	1.8	2	<1	<1	2	2	3	3	7
20-34	77	2.0		<1	<1	2	3	3	3	4
35-49	43	2.4	3	<1	1	2	2	4	5	12
50-64	15	2.3		<1	<1	2	3	3	5	5
65+	24	2.6	1	1	2	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	128	2.5	8	<1	<1	2	2	4	8	15
20-34	33	2.8	6	<1	1	2	3	5	6	15
35-49	47	3.6	12	1	1	2	4	8	11	19
50-64	45	3.2	5	<1	1	3	4	6	7	14
65+	57	6.4	141	1	2	3	6	12	19	81
TOT. SINGLE DX	605	1.9	2	<1	<1	2	2	3	4	6
" MULTIPLE DX	310	3.5	35	<1	<1	2	3	7	11	21
TOTAL 0-19 YRS	574	1.9	4	<1	<1	2	2	3	4	12
20-34	110	2.3	2	<1	<1	2	3	3	4	10
35-49	90	3.0	8	<1	1	2	3	6	10	17
50-64	60	2.9	5	<1	1	2	4	5	7	13
65+	81	5.2	102	1	2	3	5	9	16	69
GRAND TOTAL	**915**	**2.4**	**14**	**<1**	**<1**	**2**	**2**	**4**	**6**	**15**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	1.9	2	<1	<1	1	2	4	5	6
20-34	31	3.2	8	<1	<1	2	4	7	9	14
35-49	23	5.7	28	<1	<1	4	6	13	18	23
50-64	22	6.4	15	2	3	6	7	10	16	20
65+	13	5.9	19	2	2	4	8	14	15	15
2. MULTIPLE DX										
0-19 YRS	16	4.6	16	<1	<1	4	6	11	14	15
20-34	20	10.2	155	<1	1	4	12	33	39	45
35-49	26	6.3	10	1	3	6	9	11	12	13
50-64	49	8.5	82	2	3	5	9	18	33	43
65+	39	6.9	19	2	3	6	9	14	14	23
TOT. SINGLE DX	110	4.4	17	<1	<1	3	6	9	14	21
" MULTIPLE DX	150	7.5	57	1	2	5	9	14	23	43
TOTAL 0-19 YRS	37	3.0	10	<1	<1	2	5	6	10	15
20-34	51	5.9	76	<1	<1	3	6	13	31	45
35-49	49	6.0	19	<1	1	5	9	12	13	23
50-64	71	7.9	62	2	3	5	8	15	28	42
65+	52	6.7	19	2	3	5	9	14	14	23
GRAND TOTAL	**260**	**6.2**	**42**	**<1**	**1**	**4**	**7**	**13**	**15**	**37**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	54	5.5	5	3	3	5	6	8	9	16
20-34	249	5.7	3	3	4	6	7	8	9	12
35-49	58	6.1	4	3	4	6	7	8	9	15
50-64	10	6.4	7	4	4	6	7	10	13	13
65+	5	9.8	18	5	5	10	14	14	14	14
2. MULTIPLE DX										
0-19 YRS	61	5.9	5	3	3	5	7	9	11	15
20-34	380	6.1	7	3	4	6	7	9	10	17
35-49	95	6.8	9	2	4	6	8	11	13	19
50-64	12	16.7	115	2	5	14	25	33	35	35
65+	19	12.2	26	6	7	10	17	20	21	22
TOT. SINGLE DX	376	5.8	4	3	4	6	7	8	9	14
" MULTIPLE DX	567	6.6	13	3	4	6	7	10	13	23
TOTAL 0-19 YRS	115	5.7	6	3	3	5	6	9	10	15
20-34	629	5.9	6	3	4	6	7	8	10	15
35-49	153	6.6	8	3	4	6	8	9	11	18
50-64	22	12.0	91	3	4	8	16	28	33	35
65+	24	11.7	25	6	6	10	16	19	21	22
GRAND TOTAL	**943**	**6.3**	**10**	**3**	**4**	**6**	**7**	**9**	**11**	**19**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	6.9	9	4	4	6	8	12	13	15
20-34	200	6.1	2	4	4	6	7	8	9	11
35-49	118	6.5	3	4	4	6	7	8	10	14
50-64	12	8.2	11	4	5	7	11	13	15	15
65+	15	10.1	27	5	6	8	14	17	21	23
2. MULTIPLE DX										
0-19 YRS	36	7.3	11	4	5	6	7	11	17	19
20-34	422	6.5	6	4	4	6	7	9	11	17
35-49	283	7.3	11	4	4	7	8	10	13	24
50-64	29	10.9	64	4	5	7	15	24	31	32
65+	25	19.5	261	5	6	15	27	40	54	74
TOT. SINGLE DX	372	6.5	5	4	4	6	7	9	11	15
" MULTIPLE DX	795	7.4	23	4	4	6	8	11	15	29
TOTAL 0-19 YRS	63	7.1	11	4	4	6	7	12	14	19
20-34	622	6.4	5	4	4	6	7	9	10	16
35-49	401	7.1	9	4	4	6	8	10	12	20
50-64	41	10.1	50	4	5	7	12	19	29	32
65+	40	16.0	192	5	6	10	21	29	43	74
GRAND TOTAL	**1167**	**7.1**	**18**	**4**	**4**	**6**	**8**	**10**	**13**	**26**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	24	5.8	4	3	4	5	7	9	11	11
35-49	37	7.2	4	5	5	7	8	9	12	15
50-64	11	8.5	5	5	5	8	10	12	13	13
65+	5	8.0	2	7	7	7	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	114	7.0	7	4	5	6	8	10	12	19
35-49	191	8.7	22	5	5	7	10	13	17	25
50-64	81	10.6	35	5	6	8	12	19	24	31
65+	46	16.4	190	7	7	11	18	33	49	66
TOT. SINGLE DX	78	7.1	5	4	5	7	8	10	12	15
" MULTIPLE DX	433	9.4	46	5	5	8	10	15	21	44
TOTAL 0-19 YRS	2	10.0	18	7	7	10	13	13	13	13
20-34	138	6.8	7	4	4	6	8	10	12	18
35-49	228	8.4	20	5	5	7	9	13	15	24
50-64	92	10.3	33	5	6	8	11	18	23	31
65+	51	15.6	178	7	7	10	18	30	45	66
GRAND TOTAL	**511**	**9.1**	**40**	**5**	**5**	**7**	**10**	**14**	**19**	**38**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	3.3	5	1	1	2	4	7	8	8
20-34	74	3.7	6	1	1	3	5	7	9	12
35-49	12	3.3	6	1	1	2	4	8	8	8
50-64										
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	13	4.9	8	1	2	4	7	9	10	10
20-34	319	4.6	9	1	1	5	6	7	8	16
35-49	52	4.6	21	1	1	4	6	9	10	28
50-64	4	1.8		1	1	2	2	2	2	2
65+	2	11.0	98	4	4	11	18	18	18	18
TOT. SINGLE DX	97	3.6	6	1	1	3	5	7	8	12
" MULTIPLE DX	390	4.7	12	1	1	5	6	7	9	18
TOTAL 0-19 YRS	23	4.2	7	1	2	4	6	9	10	10
20-34	393	4.5	9	1	1	5	6	7	8	15
35-49	64	4.4	19	1	1	4	6	8	10	26
50-64	4	1.8		1	1	2	2	2	2	2
65+	3	8.3	70	3	3	4	14	18	18	18
GRAND TOTAL	**487**	**4.4**	**11**	**1**	**1**	**4**	**6**	**7**	**9**	**17**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	1.8	1	<1	<1	1	2	3	3	3
20-34	879	1.3		<1	<1	<1	1	2	2	4
35-49	336	1.2		<1	<1	<1	1	2	2	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	406	1.9	4	<1	<1	1	2	4	6	8
35-49	178	1.6	1	<1	<1	<1	2	3	4	8
50-64										
65+										
TOT. SINGLE DX	1220	1.3		<1	<1	<1	1	2	2	4
" MULTIPLE DX	584	1.8	4	<1	<1	1	2	3	5	8
TOTAL 0-19 YRS	4	1.8	1	<1	<1	1	2	3	3	3
20-34	1285	1.5	2	<1	<1	<1	2	2	3	7
35-49	514	1.4	1	<1	<1	<1	2	2	3	5
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
GRAND TOTAL	**1804**	**1.4**	**2**	**<1**	**<1**	**<1**	**2**	**2**	**3**	**6**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	2.9		2	2	3	4	4	4	4
20-34	1304	2.8	1	1	2	3	3	4	5	7
35-49	399	2.9	2	1	1	3	3	5	5	8
50-64	3	4.3	8	1	1	6	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	7	[illegible]	30	2	2	2	5	15	17	17
20-34	705	[illegible]	11	2	2	3	5	6	8	12
35-49	253	3.9	33	1	2	3	4	6	7	19
50-64	3	11.7	36	6	6	11	16	18	18	18
65+										
TOT. SINGLE DX	1713	2.8	2	1	2	3	3	4	5	8
" MULTIPLE DX	968	4.0	17	2	2	3	5	6	8	17
TOTAL 0-19 YRS	14	3.9	16	2	2	3	4	7	15	17
20-34	2009	3.3	5	1	2	3	4	5	6	9
35-49	652	3.3	14	1	2	3	4	5	6	11
50-64	6	8.0	34	1	1	6	11	17	18	18
65+										
GRAND TOTAL	**2681**	**3.3**	**8**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	5.3	5	2	3	5	6	10	11	11
20-34	660	5.0	2	2	3	5	6	7	8	9
35-49	109	4.7	3	2	2	5	6	7	8	9
50-64	5	2.8	1	1	1	3	4	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	23	5.3	9	1	2	5	7	8	12	15
20-34	812	5.5	4	3	4	5	6	7	9	13
35-49	121	5.7	6	2	3	6	6	8	10	16
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	11.7	101	1	1	13	19	21	21	21
TOT. SINGLE DX	796	4.9	3	2	3	5	6	7	8	9
" MULTIPLE DX	960	5.5	5	3	3	5	6	8	9	15
TOTAL 0-19 YRS	45	5.3	7	2	3	5	6	9	11	15
20-34	1472	5.3	4	3	3	5	6	7	8	12
35-49	230	5.2	5	2	3	5	6	8	9	14
50-64	6	2.8	1	1	1	3	4	4	4	4
65+	3	11.7	101	1	1	13	19	21	21	21
GRAND TOTAL	**1756**	**5.3**	**4**	**2**	**3**	**5**	**6**	**7**	**8**	**12**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	3.6	6	1	1	3	5	7	7	7
20-34	326	2.4	1	<1	<1	2	3	4	5	6
35-49	155	2.3	1	<1	<1	2	3	4	5	8
50-64	47	1.9	1	<1	<1	2	3	3	4	5
65+	8	2.1		1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	5	3.0	2	1	1	3	4	5	5	5
20-34	236	2.9	11	<1	<1	2	4	4	5	9
35-49	135	3.3	10	<1	<1	3	3	6	9	18
50-64	48	2.6	1	<1	1	2	3	4	5	6
65+	15	5.7	28	1	2	4	8	16	17	18
TOT. SINGLE DX	541	2.4	2	<1	<1	2	3	4	5	6
" MULTIPLE DX	439	3.1	11	<1	<1	3	3	5	7	16
TOTAL 0-19 YRS	10	3.3	4	1	1	3	5	6	7	7
20-34	562	2.6	6	<1	<1	2	3	4	5	8
35-49	290	2.8	6	<1	<1	2	3	4	7	13
50-64	95	2.2	1	<1	<1	2	3	4	5	6
65+	23	4.5	21	1	1	3	4	12	17	18
GRAND TOTAL	**980**	**2.7**	**6**	**<1**	**<1**	**2**	**3**	**4**	**5**	**11**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	1.9		<1	<1	2	3	3	3	3
20-34	55	2.2	2	<1	<1	2	3	4	5	9
35-49	35	4.2	44	<1	<1	2	4	9	17	36
50-64	41	1.9	1	<1	<1	2	2	4	5	8
65+	11	7.3	56	2	2	5	8	21	24	24
2. MULTIPLE DX										
0-19 YRS	8	3.0	12	<1	<1	2	4	9	11	11
20-34	60	4.1	35	<1	<1	2	5	8	13	32
35-49	62	5.5	138	<1	<1	2	4	10	20	77
50-64	55	4.2	47	<1	<1	2	5	12	14	44
65+	28	13.1	223	<1	<1	7	17	42	45	50
TOT. SINGLE DX	149	2.9	18	<1	<1	2	3	5	8	24
" MULTIPLE DX	213	5.7	100	<1	<1	2	6	12	26	47
TOTAL 0-19 YRS	15	2.5	7	<1	<1	2	3	5	9	11
20-34	115	3.2	21	<1	<1	2	3	6	9	32
35-49	97	5.0	104	<1	<1	2	4	10	17	63
50-64	96	3.3	29	<1	<1	2	3	8	12	33
65+	39	11.4	181	<1	1	7	15	37	43	50
GRAND TOTAL	**362**	**4.6**	**68**	**<1**	**<1**	**2**	**4**	**9**	**17**	**44**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	169	3.3	47	1	1	2	3	4	6	12
35-49	23	2.5	2	1	1	2	3	4	5	6
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	59	5.1	75	2	2	3	4	8	10	56
35-49	6	8.5	45	4	4	5	15	19	19	19
50-64	1	8.0		8	8	8	8	8	8	8
65+										
TOT. SINGLE DX	195	3.2	42	1	1	2	3	4	6	12
" MULTIPLE DX	68	5.5	70	2	2	3	5	8	15	54
TOTAL 0-19 YRS	4	4.3	8	2	2	4	6	8	8	8
20-34	228	3.7	55	1	1	3	4	5	8	45
35-49	29	3.7	16	1	1	3	4	6	15	19
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**263**	**3.8**	**50**	**1**	**1**	**3**	**4**	**5**	**8**	**38**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	48	4.8	5	1	1	5	6	8	9	9
35-49	25	4.2	6	1	1	4	6	7	8	9
50-64	4	1.5		1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	88	5.5	7	1	2	6	7	8	9	16
35-49	40	7.5	34	1	2	6	7	13	20	33
50-64	24	4.0	23	<1	1	2	4	13	16	19
65+	15	6.3	32	1	1	3	11	12	18	20
TOT. SINGLE DX	78	4.4	6	1	1	5	6	7	9	9
" MULTIPLE DX	168	5.8	19	1	1	6	7	9	14	22
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	136	5.3	7	1	1	6	6	8	9.	15
35-49	65	6.2	26	1	1	6	7	9	16	31
50-64	28	3.7	21	1	1	2	3	11	15	19
65+	15	6.3	33	1	1	3	11	12	18	20
GRAND TOTAL	**246**	**5.4**	**15**	**1**	**1**	**5**	**7**	**8**	**12**	**20**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	341	7.0	2	5	5	7	8	8	10	14
35-49	568	7.4	2	6	6	7	8	9	10	13
50-64	134	8.4	8	6	6	8	9	11	14	22
65+	57	9.2	13	6	7	8	9	14	18	26
2. MULTIPLE DX										
0-19 YRS	11	7.1	5	5	5	7	8	10	13	13
20-34	1746	7.6	8	5	6	7	8	10	11	19
35-49	3739	7.8	7	5	6	7	8	10	12	19
50-64	780	9.3	30	6	6	8	9	14	18	32
65+	294	13.0	84	6	7	10	15	23	30	65
TOT. SINGLE DX	1101	7.5	4	5	6	7	8	9	11	16
" MULTIPLE DX	6570	8.2	15	5	6	7	8	11	14	24
TOTAL 0-19 YRS	12	7.0	5	5	5	7	8	10	13	13
20-34	2087	7.5	8	5	6	7	8	10	11	18
35-49	4307	7.8	7	5	6	7	8	10	12	18
50-64	914	9.2	27	6	6	8	9	13	17	30
65+	351	12.4	75	6	7	9	14	21	29	64
GRAND TOTAL	**7671**	**8.1**	**14**	**5**	**6**	**7**	**8**	**11**	**14**	**23**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	175	6.6	6	4	5	6	7	8	9	18
35-49	151	6.3	2	5	5	6	7	8	8	11
50-64	66	8.4	7	6	6	8	8	12	14	20
65+	46	9.3	16	6	6	8	10	14	21	23
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	605	7.2	16	5	5	6	7	10	12	18
35-49	1075	7.7	14	5	5	7	8	11	14	22
50-64	266	9.9	18	6	6	8	11	16	19	28
65+	260	11.3	29	6	7	10	13	17	23	35
TOT. SINGLE DX	438	7.0	7	5	5	7	8	9	11	21
" MULTIPLE DX	2207	8.2	19	5	5	7	9	13	16	24
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	780	7.0	14	5	5	6	7	9	11	18
35-49	1226	7.5	13	5	5	7	8	11	13	22
50-64	332	9.6	17	6	6	8	11	15	19	23
65+	306	11.0	28	6	7	9	13	17	22	34
GRAND TOTAL	**2645**	**8.0**	**17**	**5**	**5**	**7**	**9**	**12**	**15**	**23**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	4	13.5	17	9	9	13	16	19	19	19
35-49	5	11.6	21	8	8	9	14	19	19	19
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	22	18.0	66	12	12	15	20	28	38	46
35-49	15	22.4	117	13	13	18	26	35	48	52
50-64	12	20.6	70	8	9	20	27	33	34	34
65+	9	31.9	105	20	21	28	42	46	48	48
TOT. SINGLE DX	9	12.4	18	8	8	12	15	19	19	19
" MULTIPLE DX	58	21.8	103	12	13	19	27	35	45	52
TOTAL 0-19 YRS										
20-34	26	17.3	61	11	12	15	19	26	36	46
35-49	20	19.7	114	8	9	17	22	35	44	52
50-64	12	20.6	70	8	9	20	27	33	34	34
65+	9	31.9	106	20	21	28	42	46	48	48
GRAND TOTAL	**67**	**20.6**	**102**	**9**	**12**	**18**	**25**	**35**	**43**	**51**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	1.2		<1	<1	1	1	2	3	3
20-34	104	1.5		<1	<1	1	2	3	3	6
35-49	7	1.9	1	1	1	2	2	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	23	4.2	176	<1	<1	1	2	3	25	65
20-34	94	2.0	3	1	1	1	2	4	6	9
35-49	36	2.0	2	<1	1	1	2	3	6	8
50-64										
65+										
TOT. SINGLE DX	145	1.4	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	153	2.3	29	<1	1	1	2	4	6	9
TOTAL 0-19 YRS	57	2.4	72	<1	<1	1	1	2	3	61
20-34	198	1.7	2	<1	<1	1	2	3	4	9
35-49	43	2.0	2	<1	1	1	2	4	6	8
50-64										
65+										
GRAND TOTAL	**298**	**1.9**	**15**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	430	1.8	1	<1	<1	1	2	3	4	7
20-34	4392	1.6	1	<1	<1	1	2	3	4	6
35-49	1475	1.5	6	<1	<1	1	2	2	3	7
50-64	430	1.6		<1	<1	1	2	2	3	7
65+	156	2.4	5	<1	<1	2	2	5	7	13
2. MULTIPLE DX										
0-19 YRS	170	2.8	11	<1	<1	2	3	6	7	18
20-34	1750	2.2	7	<1	<1	1	2	4	6	12
35-49	1324	2.4	18	<1	<1	1	2	4	7	19
50-64	650	2.9	33	<1	<1	2	2	5	8	33
65+	320	4.8	57	<1	1	2	4	9	15	44
TOT. SINGLE DX	6883	1.6	3	<1	<1	1	2	3	4	7
" MULTIPLE DX	4214	2.6	19	<1	<1	1	2	5	8	21
TOTAL 0-19 YRS	600	2.0	5	<1	<1	1	2	4	6	9
20-34	6142	1.8	3	<1	<1	1	2	3	4	8
35-49	2799	1.9	12	<1	<1	1	2	3	4	15
50-64	1080	2.3	21	<1	<1	1	2	3	6	23
65+	476	4.0	41	<1	1	2	4	8	12	39
GRAND TOTAL	**11097**	**2.0**	**9**	**<1**	**<1**	**1**	**2**	**3**	**5**	**12**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	555	1.1		<1	<1	<1	<1	1	2	2
20-34	1304	1.1		<1	<1	<1	<1	1	2	2
35-49	73	1.1		<1	<1	<1	<1	1	2	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	150	1.8	6	<1	<1	<1	1	2	5	13
20-34	760	2.0	16	<1	<1	<1	2	3	4	10
35-49	153	1.8	1	<1	<1	<1	2	4	5	7
50-64										
65+										
TOT. SINGLE DX	1932	1.1		<1	<1	<1	<1	1	2	2
" MULTIPLE DX	1063	1.9	13	<1	<1	<1	2	3	4	11
TOTAL 0-19 YRS	705	1.2	2	<1	<1	<1	<1	1	2	5
20-34	2064	1.4	6	<1	<1	<1	<1	2	3	6
35-49	226	1.6	1	<1	<1	<1	2	3	4	6
50-64										
65+										
GRAND TOTAL	**2995**	**1.4**	**5**	**<1**	**<1**	**<1**	**<1**	**2**	**3**	**6**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	2.0	1	<1	1	2	3	4	4	4
20-34	270	1.5		<1	1	1	2	3	4	5
35-49	21	1.6	1	<1	<1	1	2	4	4	4
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
2. MULTIPLE DX										
0-19 YRS	13	1.8	1	1	1	1	2	4	4	4
20-34	75	1.8	1	<1	1	2	2	3	4	5
35-49	10	2.9	4	1	1	2	5	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	40.0		40	40	40	40	40	40	40
TOT. SINGLE DX	323	1.6	1	<1	1	1	2	3	4	5
" MULTIPLE DX	100	2.3	16	<1	1	2	2	4	5	23
TOTAL 0-19 YRS	44	2.0	1	<1	1	2	3	4	4	4
20-34	345	1.6	1	<1	1	1	2	3	4	5
35-49	31	2.0	2	<1	1	1	2	5	6	6
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	1	40.0		40	40	40	40	40	40	40
GRAND TOTAL	**423**	**1.8**	**4**	**<1**	**1**	**1**	**2**	**3**	**4**	**5**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	22	4.4	2	2	2	4	5	7	8	8
35-49	2	6.5	25	3	3	6	10	10	10	10
50-64	1	12.0		12	12	12	12	12	12	12
65+	4	15.5	137	8	8	10	22	33	33	33
2. MULTIPLE DX										
0-19 YRS	3	5.3		5	5	5	6	6	6	6
20-34	54	5.3	3	2	2	6	6	7	8	10
35-49	11	7.8	19	1	3	6	12	14	15	15
50-64	4	7.5	5	5	5	7	9	10	10	10
65+	14	9.4	14	6	6	8	10	13	19	21
TOT. SINGLE DX	29	6.3	34	2	2	5	7	11	13	33
" MULTIPLE DX	86	6.4	9	2	3	6	7	10	12	19
TOTAL 0-19 YRS	3	5.3		5	5	5	6	6	6	6
20-34	76	5.0	3	2	2	5	6	7	8	10
35-49	13	7.6	18	1	3	6	11	14	15	15
50-64	5	8.4	8	5	5	9	10	12	12	12
65+	18	10.7	42	6	6	9	11	18	28	33
GRAND TOTAL	**115**	**6.4**	**15**	**2**	**3**	**6**	**7**	**10**	**12**	**25**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	69	2.9	18	<1	<1	1	4	6	7	28
35-49	17	3.8	11	<1	<1	4	5	8	11	13
50-64	4	7.5	1	6	6	7	8	9	9	9
65+	7	11.6	46	5	5	9	14	23	25	25
2. MULTIPLE DX										
0-19 YRS	8	4.0	4	<1	1	4	5	7	8	8
20-34	74	4.5	76	<1	<1	3	5	7	9	61
35-49	20	3.5	16	<1	<1	2	5	9	14	16
50-64	8	31.6	560	7	7	27	55	60	61	61
65+	10	10.2	70	1	1	9	19	22	23	23
TOT. SINGLE DX	100	3.9	23	<1	<1	2	5	8	10	29
" MULTIPLE DX	120	6.6	136	<1	<1	4	6	13	22	65
TOTAL 0-19 YRS	11	3.8	4	<1	1	4	5	6	8	8
20-34	143	3.7	49	<1	<1	2	5	7	8	36
35-49	37	3.6	14	<1	<1	2	5	8	13	16
50-64	12	23.6	498	6	6	11	47	58	61	61
65+	17	10.8	57	1	2	9	17	23	24	25
GRAND TOTAL	**220**	**5.4**	**86**	**<1**	**<1**	**3**	**6**	**9**	**16**	**58**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	24	5.9	11	2	3	6	7	9	12	18
35-49	104	8.0	14	3	4	7	9	13	16	20
50-64	140	7.7	7	4	5	7	9	12	13	17
65+	96	7.8	9	4	5	7	8	12	13	21
2. MULTIPLE DX										
0-19 YRS										
20-34	72	8.2	9	4	5	7	10	13	14	17
35-49	268	9.3	18	5	5	8	10	15	17	26
50-64	362	9.1	16	5	6	8	10	15	18	23
65+	258	10.6	48	5	6	9	12	16	22	36
TOT. SINGLE DX	365	7.7	11	4	5	7	9	12	14	19
" MULTIPLE DX	960	9.5	25	5	6	8	11	15	18	26
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	96	7.6	11	3	4	7	9	12	14	18
35-49	372	8.9	18	4	5	8	10	14	17	24
50-64	502	8.7	14	4	5	8	10	14	16	22
65+	354	9.8	39	5	6	8	11	15	20	33
GRAND TOTAL	**1325**	**9.0**	**22**	**4**	**5**	**8**	**10**	**14**	**17**	**25**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	5.0	46	<1	<1	3	5	17	20	20
20-34	37	4.2	6	1	1	4	6	7	9	11
35-49	21	5.7	29	<1	1	4	7	14	19	22
50-64	9	6.7	7	1	3	7	8	10	10	10
65+	8	5.4	9	1	1	6	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	6	7.2	29	2	2	5	14	14	14	14
20-34	26	8.3	40	1	1	7	14	16	22	23
35-49	16	8.3	15	3	4	7	11	15	16	16
50-64	25	12.1	55	1	3	10	17	25	26	28
65+	12	8.8	5	6	6	8	10	13	13	13
TOT. SINGLE DX	82	5.0	16	1	1	4	6	9	11	21
" MULTIPLE DX	85	9.4	36	1	2	8	13	17	22	27
TOTAL 0-19 YRS	13	6.0	37	<1	1	4	8	15	19	20
20-34	63	5.9	24	1	1	5	8	14	15	23
35-49	37	6.8	24	1	2	6	9	15	16	22
50-64	34	10.6	48	1	3	9	12	22	26	28
65+	20	7.5	9	1	3	8	9	11	13	13
GRAND TOTAL	167	7.3	31	1	1	6	10	14	20	26

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	2.0	2	<1	<1	1	3	4	6	6
20-34	71	3.2	14	<1	<1	1	4	10	14	15
35-49	32	4.0	18	<1	<1	3	5	9	15	20
50-64	28	4.6	11	<1	1	3	7	9	12	13
65+	29	6.4	15	1	1	6	8	12	14	16
2. MULTIPLE DX										
0-19 YRS	20	7.7	181	1	1	3	6	17	40	61
20-34	68	4.8	15	<1	1	4	7	11	12	18
35-49	42	9.4	96	1	2	7	10	20	35	42
50-64	70	8.6	60	2	2	7	10	17	26	43
65+	77	9.8	54	3	4	7	10	21	25	40
TOT. SINGLE DX	187	3.9	14	<1	<1	2	5	9	12	16
" MULTIPLE DX	277	8.1	64	1	2	6	9	17	22	43
TOTAL 0-19 YRS	47	4.4	85	<1	1	2	4	7	15	61
20-34	139	4.0	15	<1	<1	2	5	11	13	15
35-49	74	7.1	69	<1	<1	4	8	16	26	42
50-64	98	7.5	49	1	2	6	9	15	19	39
65+	106	8.9	46	2	3	7	10	18	22	36
GRAND TOTAL	464	6.4	48	<1	1	5	8	14	19	39

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	53	2.0	2	<1	<1	1	2	4	5	8
20-34	269	2.1	2	<1	<1	2	3	4	5	9
35-49	112	2.0	2	<1	<1	2	3	3	5	8
50-64	43	2.9	11	<1	<1	2	3	6	9	20
65+	25	3.1	5	1	1	3	3	6	8	12
2. MULTIPLE DX										
0-19 YRS	30	3.3	6	<1	1	3	4	6	7	14
20-34	109	3.1	12	<1	1	2	3	6	7	23
35-49	52	3.1	9	<1	1	2	4	6	9	18
50-64	38	7.2	190	<1	<1	3	5	14	30	79
65+	34	8.9	103	<1	2	5	14	28	42	99+
TOT. SINGLE DX	502	2.2	3	<1	<1	2	3	4	5	9
" MULTIPLE DX	263	4.5	52	<1	1	3	4	9	16	45
TOTAL 0-19 YRS	83	2.5	4	<1	<1	2	3	5	6	12
20-34	378	2.4	6	<1	<1	2	3	4	6	10
35-49	164	2.4	5	<1	<1	2	3	5	6	10
50-64	81	4.9	98	<1	<1	2	4	10	17	66
65+	59	6.4	69	<1	1	3	7	19	29	95
GRAND TOTAL	765	3.0	21	<1	<1	2	3	5	8	22

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	3.2	8	<1	<1	2	5	8	8	8
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	2	13.5	313	1	1	13	26	26	26	26
2. MULTIPLE DX										
0-19 YRS										
20-34	9	11.8	249	2	2	4	15	39	49	49
35-49	6	11.8	169	2	2	6	21	33	34	34
50-64	14	16.0	151	2	3	14	28	35	36	36
65+	16	25.1	351	3	4	27	45	56	85	99+
TOT. SINGLE DX	14	4.4	43	<1	<1	2	4	10	22	26
" MULTIPLE DX	45	17.8	262	2	2	11	30	48	54	99+
TOTAL 0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	14	8.7	174	<1	<1	4	8	27	44	49
35-49	8	10.0	133	2	2	5	14	30	34	34
50-64	17	13.6	152	1	2	8	23	34	36	36
65+	18	23.8	343	2	3	26	42	55	81	99+
GRAND TOTAL	59	14.6	242	1	1	8	26	41	51	96

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	1.6		1	1	1	2	3	3	3
20-34	18	3.8	2	<1	<1	4	5	6	7	7
35-49	4	1.8		1	1	2	2	2	2	2
50-64	3	5.0	19	2	2	3	8	10	10	10
65+	3	4.3	17	1	1	3	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	5	4.8	6	1	1	5	7	7	7	7
20-34	14	3.9	3	1	2	4	5	6	7	7
35-49	4	3.0	2	2	2	3	4	5	5	5
50-64	3	2.0	1	<1	<1	2	3	3	3	3
65+	3	5.3	8	2	2	7	7	7	7	7
TOT. SINGLE DX	37	3.2	5	<1	1	3	4	6	8	10
" MULTIPLE DX	29	3.9	4	1	1	4	5	7	7	7
TOTAL 0-19 YRS	14	2.7	5	1	1	2	4	7	7	7
20-34	32	3.9	3	<1	1	4	5	6	7	7
35-49	8	2.4	1	1	1	2	3	4	5	5
50-64	6	3.5	11	<1	<1	2	3	9	10	10
65+	6	4.8	11	1	1	5	7	9	9	9
GRAND TOTAL	**66**	**3.5**	**5**	**<1**	**1**	**3**	**5**	**7**	**7**	**10**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	2.0	5	<1	<1	1	2	6	6	6
20-34	35	1.8	4	<1	<1	1	1	3	8	10
35-49	8	1.5		1	1	1	2	3	3	3
50-64	3	2.0		2	2	2	2	2	2	2
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	6.0	108	<1	<1	2	7	11	32	45
35-49	6	4.0	8	1	1	3	6	9	9	9
50-64	7	13.1	178	1	1	10	24	33	34	34
65+	7	15.4	240	2	2	14	16	42	48	48
TOT. SINGLE DX	53	1.8	3	<1	<1	1	2	3	7	10
" MULTIPLE DX	39	8.6	136	<1	<1	3	10	23	40	48
TOTAL 0-19 YRS	6	2.0	4	<1	<1	1	2	6	6	6
20-34	53	3.2	42	<1	<1	1	2	8	10	44
35-49	14	2.6	5	1	1	2	3	6	8	9
50-64	10	9.8	148	1	1	2	17	30	34	34
65+	9	12.3	218	1	1	9	15	36	48	48
GRAND TOTAL	**92**	**4.6**	**70**	**<1**	**<1**	**1**	**3**	**11**	**17**	**47**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	160	4.5	2	3	3	4	5	6	8	13
20-34	1351	4.5	2	3	3	4	5	6	7	10
35-49	57	4.8	2	3	3	5	5	7	8	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	246	5.6	9	3	3	5	6	8	11	17
20-34	2922	5.2	9	3	3	5	6	7	9	17
35-49	156	5.7	34	2	3	5	6	8	11	37
50-64										
65+										
TOT. SINGLE DX	1568	4.5	3	3	3	4	5	6	7	10
" MULTIPLE DX	3324	5.3	11	3	3	5	6	7	9	17
TOTAL 0-19 YRS	406	5.2	7	3	3	5	6	7	9	15
20-34	4273	5.0	7	3	3	4	5	7	8	14
35-49	213	5.5	26	3	3	5	6	7	10	29
50-64										
65+										
GRAND TOTAL	**4892**	**5.0**	**8**	**3**	**3**	**4**	**6**	**7**	**8**	**14**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	3.5		3	3	3	4	4	4	4
20-34	89	4.2	2	3	3	4	5	6	7	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	11	4.3	4	1	1	4	5	7	9	9
20-34	281	5.3	16	2	3	4	6	8	11	25
35-49	27	5.6	21	2	2	5	6	9	13	26
50-64										
65+										
TOT. SINGLE DX	94	4.1	2	3	3	4	5	6	7	9
" MULTIPLE DX	319	5.3	16	2	3	4	6	8	11	26
TOTAL 0-19 YRS	15	4.1	4	1	2	4	5	6	8	9
20-34	370	5.0	13	2	3	4	6	7	10	22
35-49	28	5.5	21	2	2	4	6	9	12	26
50-64										
65+										
GRAND TOTAL	**413**	**5.0**	**13**	**2**	**3**	**4**	**5**	**7**	**10**	**24**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	4.8	1	3	3	5	6	6	8	9
20-34	511	4.7	3	3	3	4	5	6	7	11
35-49	23	4.7	3	2	3	4	6	6	8	11
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	124	5.6	13	3	3	5	6	8	10	27
20-34	1801	5.4	14	3	3	5	6	7	9	19
35-49	97	5.6	10	3	3	5	7	8	9	22
50-64										
65+										
TOT. SINGLE DX	582	4.7	3	3	3	4	5	6	7	11
" MULTIPLE DX	2022	5.4	14	3	3	5	6	7	9	19
TOTAL 0-19 YRS	172	5.4	10	3	3	5	6	7	8	25
20-34	2312	5.2	12	3	3	5	6	7	9	18
35-49	120	5.5	9	3	3	5	6	8	9	20
50-64										
65+										
GRAND TOTAL	**2604**	**5.2**	**12**	**3**	**3**	**5**	**6**	**7**	**9**	**19**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1715	4.4	5	2	3	4	5	6	7	10
20-34	16104	4.1	3	2	3	4	5	6	7	9
35-49	651	4.1	2	2	3	4	5	6	7	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	746	5.3	14	2	3	5	6	8	11	20
20-34	9085	4.8	9	2	3	4	5	7	9	16
35-49	662	5.2	9	2	3	5	6	7	10	19
50-64										
65+										
TOT. SINGLE DX	18470	4.1	3	2	3	4	5	6	7	9
" MULTIPLE DX	10493	4.9	10	2	3	4	5	7	9	16
TOTAL 0-19 YRS	2461	4.6	8	2	3	4	5	7	8	14
20-34	25189	4.4	6	2	3	4	5	6	7	12
35-49	1313	4.7	7	2	3	4	5	7	8	15
50-64										
65+										
GRAND TOTAL	**28963**	**4.4**	**6**	**2**	**3**	**4**	**5**	**6**	**7**	**12**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	135	6.4	2	4	5	6	7	8	9	11
20-34	2415	6.7	12	5	5	6	7	8	9	16
35-49	109	7.2	18	4	5	7	8	9	10	31
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	407	7.6	14	4	5	7	8	11	14	25
20-34	6638	7.6	25	5	5	7	8	10	14	30
35-49	623	8.0	21	5	5	7	8	11	15	34
50-64										
65+										
TOT. SINGLE DX	2659	6.7	12	5	5	6	7	8	9	16
" MULTIPLE DX	7668	7.6	25	5	5	7	8	10	14	30
TOTAL 0-19 YRS	542	7.3	11	4	5	6	8	10	13	22
20-34	9053	7.4	22	5	5	6	8	9	12	27
35-49	732	7.9	21	5	5	7	8	10	14	34
50-64										
65+										
GRAND TOTAL	**10327**	**7.4**	**21**	**5**	**5**	**7**	**8**	**9**	**12**	**28**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	6.2	2	4	4	6	7	8	9	9
20-34	84	6.6	2	5	5	6	8	8	10	11
35-49	2	11.5	5	10	10	11	13	13	13	13
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	7	8.0	2	6	6	8	9	11	11	11
20-34	131	8.4	22	4	5	7	9	14	20	27
35-49	23	12.2	277	4	5	8	11	18	43	86
50-64										
65+										
TOT. SINGLE DX	98	6.6	3	5	5	6	8	8	10	13
" MULTIPLE DX	161	9.0	58	4	5	7	9	14	20	28
TOTAL 0-19 YRS	19	6.8	3	4	5	7	8	9	10	11
20-34	215	7.7	16	4	5	7	8	10	16	26
35-49	25	12.2	254	4	5	8	12	18	36	86
50-64										
65+										
GRAND TOTAL	**259**	**8.1**	**39**	**4**	**5**	**7**	**8**	**11**	**17**	**26**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	26	4.8	1	3	3	5	5	7	7	7
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	6.0	3	5	5	5	7	8	8	8
20-34	40	5.2	2	3	4	5	6	7	8	10
35-49	6	5.8	8	3	3	5	9	9	9	9
50-64										
65+										
TOT. SINGLE DX	29	4.8	1	3	3	5	5	7	7	7
" MULTIPLE DX	49	5.3	3	3	3	5	6	8	9	10
TOTAL 0-19 YRS	4	5.5	3	4	4	5	7	8	8	8
20-34	66	5.0	2	3	4	5	6	7	7	10
35-49	8	5.8	6	3	3	5	8	9	9	9
50-64										
65+										
GRAND TOTAL	78	5.1	2	3	3	5	6	7	8	10

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	89	1.4		1	1	1	2	2	3	7
20-34	85	1.5		1	1	1	2	2	3	5
35-49	5	1.6		1	1	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	108	1.7	7	1	1	1	2	2	3	19
20-34	193	1.8	2	1	1	1	2	3	5	9
35-49	26	1.8	1	1	1	2	2	3	4	7
50-64										
65+										
TOT. SINGLE DX	179	1.5	1	1	1	1	2	2	3	6
" MULTIPLE DX	327	1.8	4	1	1	1	2	3	4	10
TOTAL 0-19 YRS	197	1.6	4	1	1	1	2	2	3	11
20-34	278	1.7	2	1	1	1	2	3	4	8
35-49	31	1.8	1	1	1	2	2	3	3	7
50-64										
65+										
GRAND TOTAL	506	1.7	3	1	1	1	2	3	3	8

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	5.6	44	<1	<1	2	9	17	17	17
20-34	76	4.1	52	<1	<1	1	3	13	19	39
35-49	9	2.2	6	<1	<1	<1	2	7	7	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	13.3	33	10	10	10	18	20	20	20
20-34	37	9.9	169	<1	<1	6	11	28	43	54
35-49	9	2.1	3	<1	<1	<1	3	5	6	6
50-64										
65+										
TOT. SINGLE DX	90	4.0	47	<1	<1	1	3	13	17	37
" MULTIPLE DX	49	8.7	140	<1	<1	4	11	25	34	54
TOTAL 0-19 YRS	8	8.5	51	<1	1	8	14	19	20	20
20-34	113	6.0	97	<1	<1	1	7	15	29	51
35-49	18	2.2	4	<1	<1	<1	3	6	7	7
50-64										
65+										
GRAND TOTAL	139	5.6	84	<1	<1	1	6	14	26	50

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	355	3.3	15	<1	<1	3	4	6	7	14
20-34	2526	3.2	11	<1	<1	3	4	5	6	13
35-49	120	3.6	6	<1	<1	4	4	6	8	15
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	340	4.7	53	<1	1	4	5	7	10	45
20-34	3112	4.3	18	<1	1	4	5	7	9	20
35-49	218	4.7	15	1	2	4	5	7	9	22
50-64										
65+										
TOT. SINGLE DX	3001	3.2	12	<1	<1	3	4	5	6	14
" MULTIPLE DX	3670	4.4	21	<1	1	4	5	7	9	21
TOTAL 0-19 YRS	695	4.0	35	<1	<1	3	5	6	9	22
20-34	5638	3.8	15	<1	<1	4	5	6	8	17
35-49	338	4.3	12	<1	1	4	5	6	9	16
50-64										
65+										
GRAND TOTAL	6671	3.9	17	<1	<1	4	5	6	8	18

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	259	4.0	2	2	3	4	5	6	6	8
20-34	3602	3.9	2	2	3	4	5	5	6	8
35-49	222	3.9	2	1	2	4	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	238	4.8	7	2	3	4	5	7	8	14
20-34	4254	4.5	6	2	3	4	5	6	8	14
35-49	362	4.7	14	2	3	4	5	6	8	20
50-64										
65+										
TOT. SINGLE DX	4083	3.9	2	2	3	4	5	5	6	8
" MULTIPLE DX	4854	4.5	7	2	3	4	5	6	8	14
TOTAL 0-19 YRS	497	4.4	5	2	3	4	5	6	8	11
20-34	7856	4.2	5	2	3	4	5	6	7	12
35-49	584	4.4	10	2	2	4	5	6	7	12
50-64										
65+										
GRAND TOTAL	**8937**	**4.3**	**5**	**2**	**3**	**4**	**5**	**6**	**7**	**11**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	2.6	1	1	1	2	3	4	4	4
20-34	12	7.4	93	2	2	3	6	26	30	31
35-49	5	2.0	1	1	1	2	3	3	3	3
50-64	6	15.3	236	1	1	12	29	35	36	36
65+	6	10.7	75	2	2	7	20	23	23	23
2. MULTIPLE DX										
0-19 YRS	8	3.3	4	2	2	3	4	7	8	8
20-34	13	5.1	18	2	2	4	7	9	16	18
35-49	8	19.6	895	1	1	3	30	72	85	85
50-64	21	18.0	115	4	5	17	23	33	39	46
65+	18	16.9	391	1	2	9	21	55	63	64
TOT. SINGLE DX	38	7.3	92	1	1	3	6	24	30	36
" MULTIPLE DX	68	13.7	271	2	2	7	18	34	47	81
TOTAL 0-19 YRS	17	2.9	2	1	2	2	3	4	7	8
20-34	25	6.2	53	2	2	4	7	18	26	31
35-49	13	12.8	602	1	1	3	7	51	79	85
50-64	27	17.4	136	2	3	17	24	34	37	46
65+	24	15.4	313	1	2	7	20	42	62	64
GRAND TOTAL	**106**	**11.4**	**215**	**1**	**2**	**4**	**17**	**31**	**40**	**73**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	124	3.5	1	2	2	3	4	5	5	6
20-34	302	3.5	1	2	2	3	4	5	6	8
35-49	99	3.5	2	1	2	4	4	5	6	9
50-64	28	4.1	20	1	1	3	4	9	12	24
65+	7	10.7	436	1	1	3	5	47	58	58
2. MULTIPLE DX										
0-19 YRS	197	3.9	1	2	2	4	5	5	6	7
20-34	201	4.4	12	2	2	4	5	6	7	11
35-49	51	3.6	1	1	2	4	4	5	5	7
50-64	19	3.7	3	1	1	4	5	7	54	99+
65+	9	4.7	18	1	1	4	5	11	15	15
TOT. SINGLE DX	560	3.6	8	1	2	3	4	5	6	8
" MULTIPLE DX	477	4.1	7	2	2	4	5	5	6	10
TOTAL 0-19 YRS	321	3.8	2	2	2	4	5	5	6	7
20-34	503	3.9	6	2	2	4	5	5	6	8
35-49	150	3.5	2	1	2	4	4	5	5	7
50-64	47	4.0	14	1	1	3	5	7	12	99+
65+	16	7.3	194	1	1	3	5	14	45	58
GRAND TOTAL	**1037**	**3.8**	**7**	**2**	**2**	**4**	**5**	**5**	**6**	**9**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	3.4	4	1	1	3	4	6	7	14
20-34	132	2.9	3	1	1	3	4	6	6	10
35-49	37	2.8	4	1	1	2	4	5	7	11
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	34	3.8	11	1	1	3	4	8	10	19
20-34	112	4.4	12	1	2	4	5	8	10	21
35-49	26	7.8	175	1	2	6	7	11	28	70
50-64	12	6.4	26	2	2	5	6	17	18	18
65+	2	17.5	365	4	4	17	31	31	31	31
TOT. SINGLE DX	221	3.0	4	1	1	3	4	6	7	11
" MULTIPLE DX	186	5.1	40	1	2	4	5	9	14	30
TOTAL 0-19 YRS	82	3.5	8	1	1	3	4	6	8	17
20-34	244	3.6	8	1	1	3	4	6	8	17
35-49	63	4.9	79	1	1	2	6	8	11	63
50-64	15	5.5	24	1	2	4	6	16	17	18
65+	3	13.0	243	4	4	4	24	31	31	31
GRAND TOTAL	**407**	**3.9**	**22**	**1**	**1**	**3**	**4**	**6**	**9**	**19**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	3.0	3	1	1	3	4	6	6	8
20-34	108	3.2	8	1	1	2	4	6	8	18
35-49	48	2.4	2	1	1	2	3	5	6	7
50-64	10	2.4	3	<1	<1	2	3	5	7	7
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	51	8.3	66	2	2	6	11	18	22	41
20-34	150	6.3	41	1	2	4	7	12	18	35
35-49	48	8.4	159	2	2	5	9	15	41	99+
50-64	27	13.8	314	2	2	9	14	24	68	77
65+	7	6.9	38	1	2	5	7	18	20	20
TOT. SINGLE DX	205	2.9	6	1	1	2	4	6	7	12
" MULTIPLE DX	283	7.7	95	1	2	5	9	15	23	73
TOTAL 0-19 YRS	89	6.1	46	1	1	4	7	13	19	40
20-34	258	5.0	30	1	1	3	6	10	14	25
35-49	96	5.4	89	1	1	3	6	10	16	91
50-64	37	10.7	254	1	1	6	12	20	52	77
65+	8	6.4	35	1	2	5	7	16	20	20
GRAND TOTAL	**488**	**5.7**	**63**	**1**	**1**	**4**	**6**	**12**	**17**	**47**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34	13	5.6	44	1	1	3	7	14	23	25
35-49	13	7.1	43	2	2	5	7	21	21	21
50-64	7	2.9	2	1	1	3	4	5	5	5
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	15	10.4	111	<1	<1	7	12	31	34	35
35-49	7	7.3	50	3	3	4	9	20	22	22
50-64	7	4.3	8	1	1	5	6	8	9	9
65+	3	4.0	19	1	1	2	7	9	9	9
TOT. SINGLE DX	37	5.4	32	1	1	4	5	11	21	25
" MULTIPLE DX	34	7.6	67	<1	1	5	9	20	29	35
TOTAL 0-19 YRS	5	5.0	4	3	3	5	6	8	8	8
20-34	28	8.2	83	<1	1	5	10	23	31	35
35-49	20	7.2	43	2	2	4	8	21	22	22
50-64	14	3.6	6	1	1	3	5	6	8	9
65+	4	3.5	14	1	1	2	6	9	9	9
GRAND TOTAL	**71**	**6.5**	**49**	**1**	**1**	**4**	**8**	**16**	**22**	**34**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	117	6.6	55	1	2	4	7	15	20	40
20-34	111	6.7	47	2	2	5	8	12	19	39
35-49	63	6.6	37	2	2	5	8	13	19	32
50-64	120	8.5	113	2	2	6	9	14	17	65
65+	75	8.9	49	2	2	7	10	16	23	41
2. MULTIPLE DX										
0-19 YRS	103	10.4	118	2	2	6	13	28	33	48
20-34	80	11.7	155	2	2	7	13	36	47	84
35-49	78	12.0	228	2	3	7	12	24	36	90
50-64	136	10.3	65	2	3	8	14	18	26	60
65+	101	12.4	103	2	3	10	17	26	39	99+
TOT. SINGLE DX	486	7.4	65	2	2	5	9	14	19	44
" MULTIPLE DX	498	11.3	124	2	3	8	14	25	37	98
TOTAL 0-19 YRS	220	8.4	88	2	2	5	10	20	29	47
20-34	191	8.8	98	2	2	5	10	20	36	49
35-49	141	9.6	150	2	2	6	10	20	30	75
50-64	256	9.5	89	2	3	7	12	17	22	54
65+	176	10.9	83	2	3	9	14	24	31	99+
GRAND TOTAL	**984**	**9.4**	**99**	**2**	**2**	**6**	**11**	**19**	**29**	**57**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	3.6	2	1	2	3	5	5	6	9
20-34	124	3.9	3	1	2	4	5	6	7	11
35-49	140	4.1	3	2	2	4	5	6	6	12
50-64	161	4.5	5	1	2	4	6	7	9	12
65+	89	4.8	9	1	1	4	6	8	10	18
2. MULTIPLE DX										
0-19 YRS	71	4.1	3	1	2	4	5	6	7	9
20-34	155	4.6	18	2	2	4	5	7	8	10
35-49	185	4.6	6	2	2	4	5	7	9	15
50-64	350	4.7	5	1	2	5	6	7	8	11
65+	217	6.3	40	1	2	5	7	11	13	37
TOT. SINGLE DX	589	4.2	5	1	2	4	5	7	8	12
" MULTIPLE DX	978	5.0	16	1	2	4	6	8	10	20
TOTAL 0-19 YRS	146	3.8	3	1	2	4	5	6	7	9
20-34	279	4.3	12	2	2	4	5	7	7	10
35-49	325	4.4	5	2	2	4	5	6	8	12
50-64	511	4.7	5	1	2	4	6	7	8	12
65+	306	5.9	32	1	2	5	7	10	12	28
GRAND TOTAL	**1567**	**4.7**	**12**	**1**	**2**	**4**	**6**	**7**	**9**	**16**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	313	4.7	26	1	2	3	5	9	14	28
20-34	401	4.4	18	1	1	3	5	8	11	23
35-49	199	4.7	51	1	1	3	5	8	11	29
50-64	141	6.7	64	1	1	4	8	14	24	43
65+	85	9.4	195	1	1	5	9	22	35	78
2. MULTIPLE DX										
0-19 YRS	137	8.4	121	1	2	4	8	21	32	53
20-34	236	10.1	193	1	2	5	11	28	38	81
35-49	170	8.9	117	1	2	4	11	24	34	63
50-64	209	12.3	224	1	2	7	15	35	52	90
65+	156	15.5	285	1	2	9	24	39	73	99+
TOT. SINGLE DX	1139	5.2	47	1	1	3	5	9	14	36
" MULTIPLE DX	908	11.0	197	1	2	5	13	31	46	82
TOTAL 0-19 YRS	450	5.8	58	1	2	3	6	12	19	49
20-34	637	6.5	91	1	1	4	6	13	24	56
35-49	369	6.6	86	1	2	4	6	14	27	55
50-64	350	10.0	167	1	2	5	10	27	42	70
65+	241	13.3	262	1	2	7	19	35	61	99+
GRAND TOTAL	**2047**	**7.8**	**122**	**1**	**2**	**4**	**8**	**19**	**32**	**70**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	84	7.0	93	1	1	4	7	12	23	53
20-34	167	5.2	14	2	2	4	6	10	13	17
35-49	57	8.1	141	1	2	4	8	17	24	79
50-64	42	8.7	24	2	3	8	10	16	19	25
65+	73	19.0	288	5	5	13	27	44	66	99+
2. MULTIPLE DX										
0-19 YRS	57	9.0	151	1	2	5	9	16	41	64
20-34	96	9.4	119	1	2	5	11	23	31	58
35-49	24	20.5	508	2	3	9	27	62	74	84
50-64	52	14.4	110	2	3	11	25	31	36	98
65+	117	23.7	310	3	6	20	34	54	84	99+
TOT. SINGLE DX	423	8.6	118	1	2	5	10	17	27	71
" MULTIPLE DX	346	15.7	254	2	3	10	25	38	56	99+
TOTAL 0-19 YRS	141	7.8	117	1	2	5	8	14	30	54
20-34	263	6.7	57	1	2	4	7	15	19	43
35-49	81	11.7	278	1	2	5	12	27	49	83
50-64	94	11.9	80	2	3	9	16	27	32	72
65+	190	21.9	306	4	5	17	20	49	76	99+
GRAND TOTAL	**769**	**11.8**	**191**	**2**	**2**	**7**	**14**	**30**	**44**	**96**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	164	2.8	8	<1	<1	2	3	4	7	29
20-34	263	3.4	12	1	1	2	4	6	9	18
35-49	138	3.9	20	<1	1	3	4	8	10	25
50-64	98	4.6	22	1	1	3	5	10	12	28
65+	68	7.5	129	1	2	4	8	15	34	66
2. MULTIPLE DX										
0-19 YRS	57	5.3	44	1	2	3	5	11	16	42
20-34	117	7.8	93	<1	1	4	9	17	30	47
35-49	67	5.7	37	1	1	4	7	17	23	87
50-64	83	8.4	121	1	2	4	9	19	34	57
65+	100	14.0	280	2	2	8	18	36	59	89
TOT. SINGLE DX	731	3.9	27	<1	1	3	4	7	11	32
" MULTIPLE DX	424	8.7	136	1	2	4	10	24	35	67
TOTAL 0-19 YRS	221	3.4	19	<1	1	2	3	6	11	35
20-34	380	4.8	41	1	1	3	5	10	15	39
35-49	205	4.5	27	<1	1	3	5	10	16	33
50-64	181	6.3	71	1	1	4	6	12	20	46
65+	168	11.4	228	1	2	5	12	33	50	77
GRAND TOTAL	**1155**	**5.7**	**72**	**1**	**1**	**3**	**5**	**12**	**21**	**53**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	25.5	192	5	6	26	34	45	47	47
20-34	4	11.5	11	7	7	12	14	15	15	15
35-49	3	10.7	6	8	8	11	12	13	13	13
50-64	9	10.2	16	6	6	9	14	16	16	16
65+	23	15.8	97	5	6	13	20	28	39	42
2. MULTIPLE DX										
0-19 YRS	14	39.3	532	9	11	46	56	73	78	79
20-34	10	19.6	273	3	6	14	18	49	55	55
35-49	11	29.3	608	10	10	23	31	72	88	90
50-64	21	21.6	262	7	8	20	26	35	58	79
65+	139	24.2	275	5	8	22	35	81	99+	99+
TOT. SINGLE DX	51	16.5	120	6	6	13	22	34	42	47
" MULTIPLE DX	195	25.1	322	6	8	22	35	65	99+	99+
TOTAL 0-19 YRS	26	32.9	411	6	8	29	47	57	73	79
20-34	14	17.3	206	4	7	13	16	45	53	55
35-49	14	25.3	532	8	10	16	27	63	84	90
50-64	30	18.2	213	6	6	14	23	32	40	79
65+	162	23.0	258	5	7	20	34	60	99+	99+
GRAND TOTAL	**246**	**23.3**	**292**	**6**	**7**	**20**	**33**	**58**	**97**	**99+**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	11.3	96	3	4	9	11	25	36	46
20-34	42	10.2	73	3	4	8	13	17	28	48
35-49	28	10.6	23	5	6	10	12	19	22	22
50-64	35	12.7	36	5	5	12	16	22	24	28
65+	164	17.6	204	5	6	14	21	35	47	85
2. MULTIPLE DX										
0-19 YRS	25	16.0	218	3	4	11	25	40	74	99+
20-34	57	20.2	184	5	7	17	24	37	43	80
35-49	48	18.5	183	5	7	14	23	40	53	99+
50-64	100	19.4	207	7	8	14	24	34	46	85
65+	496	29.6	437	8	10	25	49	84	99+	99+
TOT. SINGLE DX	304	14.7	148	4	5	12	17	28	39	81
" MULTIPLE DX	726	26.3	385	7	9	21	39	73	99+	99+
TOTAL 0-19 YRS	60	13.3	150	3	4	9	16	31	43	96
20-34	99	15.9	161	3	4	13	20	32	40	68
35-49	76	15.6	139	5	6	12	20	29	47	92
50-64	135	17.6	171	6	7	14	23	28	45	77
65+	660	26.6	406	6	8	21	40	75	99+	99+
GRAND TOTAL	**1030**	**22.8**	**343**	**5**	**7**	**17**	**32**	**61**	**90**	**99+**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	58	19.2	258	1	2	19	28	42	51	60
20-34	5	5.2	6	2	2	6	7	8	8	8
35-49	2	22.0	242	11	11	22	33	33	33	33
50-64	1	8.0		8	8	8	8	8	8	8
65+	7	4.7	8	1	1	4	6	9	10	10
2. MULTIPLE DX										
0-19 YRS	43	30.9	297	2	4	32	44	50	60	69
20-34	12	40.0	440	13	20	35	58	90	98	99+
35-49	4	14.0	136	2	2	13	47	99+	99+	99+
50-64	4	23.5	710	5	5	13	39	63	63	63
65+	27	32.3	559	6	7	31	58	90	99+	99+
TOT. SINGLE DX	73	16.7	238	1	2	10	26	38	50	59
" MULTIPLE DX	90	31.4	414	2	6	31	46	69	96	99+
TOTAL 0-19 YRS	101	24.1	306	1	2	23	37	48	55	65
20-34	17	29.8	571	2	4	29	56	79	95	99+
35-49	6	16.7	147	2	4	13	32	87	99+	99+
50-64	5	20.4	581	5	5	11	27	63	63	63
65+	34	26.6	571	3	4	21	51	81	99+	99+
GRAND TOTAL	**163**	**24.9**	**387**	**2**	**2**	**23**	**39**	**58**	**75**	**99+**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	4.7	37	<1	1	2	5	13	21	28
20-34	45	3.5	29	<1	1	2	3	6	15	27
35-49	30	3.9	19	<1	<1	2	4	8	15	21
50-64	14	3.1	6	<1	1	2	4	8	9	9
65+	6	15.2	719	1	1	3	14	63	69	69
2. MULTIPLE DX										
0-19 YRS	10	10.1	69	1	1	9	14	23	28	28
20-34	33	11.1	211	2	2	6	12	31	44	68
35-49	13	7.1	22	<1	1	8	9	14	16	16
50-64	14	9.8	84	2	3	6	9	27	28	28
65+	7	24.6	705	1	2	16	32	70	79	79
TOT. SINGLE DX	138	4.4	58	<1	1	2	4	10	19	33
" MULTIPLE DX	77	11.3	191	1	2	7	14	28	35	76
TOTAL 0-19 YRS	53	5.7	47	1	1	3	7	16	21	28
20-34	78	6.7	119	1	1	2	7	18	29	62
35-49	43	4.9	22	<1	1	3	6	12	15	21
50-64	28	6.4	56	1	1	4	7	20	27	28
65+	13	20.2	676	1	1	14	25	71	77	79
GRAND TOTAL	**215**	**6.9**	**115**	**1**	**1**	**3**	**7**	**17**	**27**	**68**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	463	3.5	16	1	1	3	4	6	8	16
20-34	749	4.2	12	1	1	3	5	8	10	19
35-49	399	4.7	11	1	2	4	5	9	12	17
50-64	237	6.0	17	2	2	5	7	11	14	22
65+	136	8.1	32	1	3	6	10	14	17	33
2. MULTIPLE DX										
0-19 YRS	175	8.1	170	1	2	4	8	20	27	98
20-34	471	7.8	94	2	2	4	8	18	24	61
35-49	265	7.4	53	2	2	5	8	15	21	42
50-64	266	10.5	136	2	3	7	12	21	36	96
65+	169	14.1	163	3	4	9	18	37	50	99+
TOT. SINGLE DX	1984	4.6	17	1	1	4	5	9	12	20
" MULTIPLE DX	1346	9.1	118	2	2	6	11	21	28	80
TOTAL 0-19 YRS	638	4.7	63	1	1	3	5	8	13	47
20-34	1220	5.6	47	1	2	4	6	11	17	33
35-49	664	5.8	30	1	2	4	6	11	15	27
50-64	503	8.4	85	2	3	5	10	17	25	74
65+	305	11.4	114	2	4	8	14	25	38	99+
GRAND TOTAL	**3330**	**6.4**	**62**	**1**	**2**	**4**	**7**	**13**	**20**	**50**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1808	2.0	5	<1	1	1	2	4	5	11
20-34	395	3.0	8	<1	1	2	4	6	8	13
35-49	256	3.3	13	<1	1	2	4	7	10	20
50-64	263	2.8	15	<1	1	2	3	5	8	17
65+	227	3.3	9	1	1	2	4	7	9	16
2. MULTIPLE DX										
0-19 YRS	256	4.3	39	1	1	2	5	9	13	33
20-34	217	8.6	169	1	1	4	8	20	43	71
35-49	151	7.8	103	1	1	5	8	17	34	51
50-64	162	8.4	124	1	1	5	9	21	30	72
65+	255	10.5	207	1	1	5	14	39	71	99+
TOT. SINGLE DX	2949	2.4	8	<1	1	1	3	5	7	14
" MULTIPLE DX	1041	7.9	135	1	1	4	8	21	38	99+
TOTAL 0-19 YRS	2064	2.3	10	<1	1	1	2	4	6	15
20-34	612	5.0	72	1	1	3	5	10	19	60
35-49	407	5.0	51	<1	1	3	6	10	16	41
50-64	425	4.9	64	1	1	2	5	11	18	51
65+	482	7.1	127	1	1	3	8	20	39	99+
GRAND TOTAL	**3990**	**3.8**	**47**	**1**	**1**	**2**	**4**	**8**	**13**	**45**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	65	3.7	12	1	2	3	4	6	8	21
20-34	240	2.8	2	1	2	3	3	4	5	8
35-49	58	2.5	1	1	1	2	3	4	5	5
50-64	13	2.3	1	1	1	2	3	4	5	5
65+	9	9.9	115	1	2	7	11	29	35	35
2. MULTIPLE DX										
0-19 YRS	21	6.2	28	<1	1	4	7	15	19	20
20-34	74	5.0	24	1	1	3	6	10	18	24
35-49	23	5.6	24	1	2	4	6	10	18	24
50-64	8	6.6	17	2	2	5	9	13	14	14
65+	6	7.7	46	2	2	6	10	19	20	20
TOT. SINGLE DX	385	3.1	8	1	1	3	3	5	6	18
" MULTIPLE DX	132	5.5	25	1	1	4	7	11	19	24
TOTAL 0-19 YRS	86	4.3	18	1	2	3	5	7	13	21
20-34	314	3.3	8	1	1	3	4	5	7	19
35-49	81	3.4	10	1	1	3	4	5	7	21
50-64	21	4.0	12	1	1	3	5	9	12	14
65+	15	9.0	84	1	2	7	10	20	31	35
GRAND TOTAL	**517**	**3.7**	**13**	**1**	**1**	**3**	**4**	**6**	**9**	**21**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	95	3.5	20	<1	<1	1	3	12	14	19
20-34	104	2.1	8	<1	<1	1	2	4	5	20
35-49	41	2.1	6	<1	<1	1	2	4	8	14
50-64	37	3.5	35	<1	<1	1	3	10	15	32
65+	56	5.8	64	1	1	2	8	14	23	38
2. MULTIPLE DX										
0-19 YRS	39	7.0	112	1	1	4	10	19	43	99+
20-34	48	4.3	34	<1	1	2	5	10	21	25
35-49	29	3.4	27	<1	<1	1	3	10	18	22
50-64	43	5.0	36	<1	1	2	6	19	43	99+
65+	57	17.4	431	1	2	12	26	39	80	99+
TOT. SINGLE DX	333	3.3	26	<1	<1	1	3	9	13	26
" MULTIPLE DX	216	8.3	182	<1	1	3	11	23	36	99+
TOTAL 0-19 YRS	134	4.5	49	<1	<1	1	6	12	16	66
20-34	152	2.8	18	<1	<1	1	3	5	10	22
35-49	70	2.6	15	<1	<1	1	2	5	13	21
50-64	80	4.3	36	<1	<1	2	5	15	22	99+
65+	113	11.7	281	1	1	5	14	31	39	99
GRAND TOTAL	**549**	**5.2**	**93**	**<1**	**<1**	**1**	**5**	**14**	**22**	**82**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	119	4.4	21	1	2	3	4	6	16	26
20-34	144	3.5	4	1	2	3	4	6	7	12
35-49	70	3.9	15	1	1	3	5	7	10	25
50-64	29	5.4	22	<1	1	4	6	13	15	22
65+	22	6.5	28	1	2	5	9	17	50	99+
2. MULTIPLE DX										
0-19 YRS	88	7.1	67	1	2	4	8	19	32	77
20-34	128	4.8	47	1	2	3	5	8	14	35
35-49	64	5.8	72	1	2	3	6	12	17	53
50-64	75	8.9	126	1	2	4	9	22	44	87
65+	46	18.7	451	1	1	10	25	53	81	99+
TOT. SINGLE DX	384	4.1	15	1	2	3	4	7	13	23
" MULTIPLE DX	401	7.8	133	1	2	4	8	19	39	81
TOTAL 0-19 YRS	207	5.5	42	1	2	3	5	13	21	40
20-34	272	4.1	25	1	2	3	4	7	9	24
35-49	134	4.8	44	1	1	3	5	9	15	41
50-64	104	7.9	100	1	2	4	8	21	40	72
65+	68	14.8	346	1	2	8	17	51	81	99+
GRAND TOTAL	**785**	**6.0**	**79**	**1**	**2**	**3**	**6**	**13**	**22**	**60**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	8.9	26	2	3	7	13	16	17	21
20-34	548	8.9	27	2	3	8	11	15	18	26
35-49	766	9.4	23	3	4	9	11	15	18	26
50-64	270	10.5	27	4	5	9	13	18	21	26
65+	46	12.5	64	3	4	11	15	20	29	46
2. MULTIPLE DX										
0-19 YRS	13	13.3	66	2	4	13	18	27	28	28
20-34	217	11.8	47	4	5	10	15	20	26	61
35-49	460	13.0	66	4	6	11	16	22	28	48
50-64	311	14.5	78	5	6	13	18	25	30	46
65+	126	17.7	113	6	8	16	21	28	37	86
TOT. SINGLE DX	1660	9.5	27	3	4	9	12	16	19	26
" MULTIPLE DX	1127	13.7	74	5	6	12	17	24	29	52
TOTAL 0-19 YRS	43	10.2	42	2	3	8	15	18	23	28
20-34	765	9.7	35	3	4	8	12	17	21	35
35-49	1226	10.8	43	4	5	9	13	18	22	36
50-64	581	12.7	59	4	6	11	16	22	26	35
65+	172	16.3	105	5	7	14	20	28	36	76
GRAND TOTAL	**2787**	**11.2**	**51**	**3**	**5**	**10**	**14**	**19**	**24**	**38**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	138	3.2	2	1	1	3	4	5	6	8
20-34	585	3.3	3	1	1	3	4	5	6	9
35-49	308	3.4	4	1	1	3	4	5	7	10
50-64	123	4.0	5	1	2	4	5	6	8	16
65+	23	3.5	8	1	1	2	5	6	9	14
2. MULTIPLE DX										
0-19 YRS	66	3.6	7	1	1	3	4	6	7	18
20-34	330	3.6	12	1	1	3	4	6	8	19
35-49	217	3.6	8	1	1	3	4	6	9	14
50-64	187	3.9	11	1	1	3	5	7	9	21
65+	70	5.2	29	1	1	3	7	11	18	25
TOT. SINGLE DX	1177	3.4	4	1	1	3	4	5	6	10
" MULTIPLE DX	870	3.8	12	1	1	3	4	7	9	21
TOTAL 0-19 YRS	204	3.3	4	1	1	3	4	6	7	10
20-34	915	3.4	7	1	1	3	4	5	6	11
35-49	525	3.5	6	1	1	3	4	6	7	12
50-64	310	4.0	9	1	1	3	5	7	8	18
65+	93	4.7	25	1	1	3	6	10	17	24
GRAND TOTAL	**2047**	**3.6**	**8**	**1**	**1**	**3**	**4**	**6**	**7**	**15**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	170	2.6	5	<1	1	2	3	5	6	13
20-34	431	2.6	6	<1	1	2	3	4	6	10
35-49	167	2.7	5	<1	1	2	3	5	7	13
50-64	101	3.7	14	<1	1	2	4	9	10	21
65+	43	5.2	52	1	1	2	7	13	20	40
2. MULTIPLE DX										
0-19 YRS	73	3.9	60	1	1	2	3	6	8	55
20-34	188	4.3	54	1	1	2	3	7	16	39
35-49	130	5.4	90	<1	1	3	5	13	18	52
50-64	124	6.0	85	1	1	3	6	15	23	52
65+	86	8.8	179	1	1	4	10	21	31	77
TOT. SINGLE DX	912	2.9	9	<1	1	2	3	5	8	14
" MULTIPLE DX	601	5.5	89	1	1	2	5	13	21	54
TOTAL 0-19 YRS	243	3.0	23	<1	1	2	3	5	7	22
20-34	619	3.1	21	<1	1	2	3	5	8	29
35-49	297	3.9	44	<1	1	2	4	7	13	21
50-64	225	5.0	55	1	1	3	5	10	17	47
65+	129	7.5	140	1	1	3	9	20	26	76
GRAND TOTAL	**1513**	**3.9**	**43**	**<1**	**1**	**2**	**4**	**7**	**13**	**37**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	14.1	51	7	8	12	16	27	32	33
20-34	52	12.5	28	7	7	11	15	20	23	31
35-49	55	11.2	13	7	8	10	13	15	20	23
50-64	25	10.1	13	5	6	9	12	15	17	21
65+	3	13.7	1	13	13	13	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	48	18.9	165	8	9	15	21	31	44	76
20-34	54	14.9	106	6	7	12	17	30	53	99+
35-49	83	13.6	88	6	7	11	15	21	33	61
50-64	33	15.3	49	7	9	14	19	29	33	99+
65+	11	21.3	234	10	11	16	35	68	95	99+
TOT. SINGLE DX	169	12.1	27	7	7	11	14	18	23	32
" MULTIPLE DX	229	15.6	113	6	8	13	18	29	43	99+
TOTAL 0-19 YRS	82	16.9	122	7	9	14	19	31	37	69
20-34	106	13.7	69	6	7	11	16	25	32	99+
35-49	138	12.6	60	6	7	11	14	19	24	45
50-64	58	13.1	40	6	7	12	15	22	30	94
65+	14	19.6	191	10	11	15	22	55	89	99+
GRAND TOTAL	**398**	**14.1**	**79**	**6**	**8**	**12**	**16**	**24**	**32**	**87**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	5.1	20	2	2	4	6	9	11	26
20-34	65	5.1	12	1	2	4	8	11	12	16
35-49	75	6.0	29	1	2	5	7	11	16	34
50-64	82	5.0	13	2	2	4	6	9	12	22
65+	55	5.7	81	1	1	4	5	9	19	61
2. MULTIPLE DX										
0-19 YRS	23	6.3	17	2	3	6	7	9	15	23
20-34	87	6.5	24	<1	2	5	8	12	15	30
35-49	69	6.7	33	2	3	5	7	12	23	88
50-64	85	9.5	144	2	3	5	11	18	30	68
65+	80	9.1	92	2	3	6	11	22	33	88
TOT. SINGLE DX	311	5.4	30	1	2	4	6	10	12	26
" MULTIPLE DX	344	7.9	73	2	3	5	9	16	23	61
TOTAL 0-19 YRS	57	5.6	19	2	2	5	7	9	11	26
20-34	152	5.9	20	1	2	5	8	11	14	21
35-49	144	6.3	31	2	2	5	7	11	17	43
50-64	167	7.3	85	2	2	5	8	14	20	58
65+	135	7.7	91	1	2	5	8	18	25	68
GRAND TOTAL	**655**	**6.7**	**54**	**1**	**2**	**5**	**8**	**12**	**18**	**56**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	18	15.3	24	9	10	14	17	24	27	27
35-49	30	14.3	26	7	8	14	17	21	24	28
50-64	194	14.4	43	7	8	13	16	21	28	41
65+	362	15.0	65	7	7	14	17	23	29	60
2. MULTIPLE DX										
0-19 YRS										
20-34	20	16.6	76	9	9	15	17	29	41	41
35-49	58	17.0	75	9	10	15	20	26	33	60
50-64	297	18.6	143	8	10	16	20	29	46	90
65+	727	20.2	144	7	9	17	24	36	47	96
TOT. SINGLE DX	605	14.8	55	7	8	14	17	22	28	42
" MULTIPLE DX	1102	19.6	140	7	9	17	23	34	45	89
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	38	16.0	51	9	10	15	17	24	35	41
35-49	88	16.1	60	8	9	14	18	24	29	52
50-64	491	17.0	108	7	9	14	18	26	38	74
65+	1089	18.5	124	7	8	16	22	32	41	77
GRAND TOTAL	**1707**	**17.9**	**115**	**7**	**9**	**15**	**21**	**30**	**40**	**73**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	12.5	5	11	11	12	14	14	14	14
35-49	3	15.0	21	10	10	16	18	19	19	19
50-64	29	16.3	52	7	8	14	20	26	32	36
65+	132	17.3	99	6	9	15	20	26	41	56
2. MULTIPLE DX										
0-19 YRS										
20-34	3	12.7	24	7	7	15	16	16	16	16
35-49	6	22.7	303	6	6	18	31	50	52	52
50-64	43	19.7	146	7	8	17	24	33	48	61
65+	423	28.0	350	9	11	23	40	75	99+	99+
TOT. SINGLE DX	166	17.0	89	6	9	14	20	26	38	56
" MULTIPLE DX	475	27.1	336	8	10	23	38	73	99+	99+
TOTAL 0-19 YRS										
20-34	5	12.6	13	7	7	14	15	16	16	16
35-49	9	20.1	209	6	7	16	27	44	52	52
50-64	72	18.3	110	7	8	16	23	29	39	60
65+	555	25.5	312	8	10	21	35	64	99+	99+
GRAND TOTAL	**641**	**24.5**	**291**	**8**	**10**	**20**	**33**	**59**	**94**	**99+**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	171	4.7	4	2	3	4	5	7	9	14
20-34	295	5.3	19	2	2	5	6	8	10	30
35-49	73	6.6	31	1	2	5	8	13	20	28
50-64	84	14.2	67	2	4	14	18	23	31	40
65+	141	17.0	109	2	6	15	21	27	35	64
2. MULTIPLE DX										
0-19 YRS	93	5.2	7	2	2	5	6	8	10	16
20-34	265	5.3	24	2	2	5	6	8	9	24
35-49	113	7.7	84	2	2	5	7	16	26	55
50-64	126	16.6	127	3	4	15	22	32	40	76
65+	289	20.4	167	5	8	18	24	37	49	99+
TOT. SINGLE DX	764	8.4	63	2	2	5	10	19	24	39
" MULTIPLE DX	886	12.1	138	2	3	7	17	26	36	72
TOTAL 0-19 YRS	264	4.9	6	2	2	4	6	8	9	14
20-34	560	5.3	22	2	2	5	6	8	10	29
35-49	186	7.3	64	2	2	5	7	15	21	44
50-64	210	15.6	104	3	4	15	20	30	37	55
65+	430	19.3	151	5	7	17	23	33	45	95
GRAND TOTAL	**1650**	**10.4**	**107**	**2**	**3**	**6**	**15**	**23**	**30**	**57**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	165	3.3	1	1	2	3	4	5	6	7
20-34	549	3.4	3	1	2	3	4	5	6	9
35-49	189	3.3	3	1	1	3	4	6	7	10
50-64	133	5.0	25	1	1	4	6	9	13	31
65+	76	5.2	23	1	1	4	6	11	14	29
2. MULTIPLE DX										
0-19 YRS	48	4.2	14	1	1	3	5	8	12	23
20-34	151	4.2	11	1	2	4	5	7	10	16
35-49	124	4.5	14	1	2	3	5	9	10	51
50-64	171	6.3	82	1	2	4	6	10	18	56
65+	130	8.0	52	2	2	5	9	18	22	61
TOT. SINGLE DX	1112	3.7	7	1	1	3	4	6	7	14
" MULTIPLE DX	624	5.6	42	1	2	4	6	10	16	35
TOTAL 0-19 YRS	213	3.5	5	1	1	3	4	5	6	12
20-34	700	3.6	5	1	2	3	4	6	7	13
35-49	313	3.8	8	1	1	3	5	7	9	14
50-64	304	5.7	58	1	2	4	6	10	15	33
65+	206	6.9	44	1	2	5	9	14	20	42
GRAND TOTAL	**1736**	**4.4**	**21**	**1**	**2**	**3**	**5**	**7**	**10**	**23**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	73	5.4	44	1	1	3	6	11	18	39
20-34	103	4.0	12	<1	1	3	5	7	12	59
35-49	79	4.1	9	<1	1	4	5	8	8	17
50-64	51	3.8	17	1	1	2	4	8	16	21
65+	21	3.3	17	<1	<1	2	3	15	50	99+
2. MULTIPLE DX										
0-19 YRS	69	6.8	31	1	2	6	8	13	17	35
20-34	71	9.3	135	1	2	6	10	20	25	67
35-49	44	6.4	95	1	1	3	7	11	17	62
50-64	38	14.0	331	1	1	5	20	43	58	72
65+	31	12.5	241	2	2	7	20	47	95	99+
TOT. SINGLE DX	327	4.3	20	<1	1	3	5	8	14	30
" MULTIPLE DX	253	9.2	147	1	2	5	10	22	39	72
TOTAL 0-19 YRS	142	6.1	38	1	1	4	8	12	17	38
20-34	174	6.2	69	1	1	4	6	13	20	66
35-49	123	4.9	41	1	1	4	5	8	12	37
50-64	89	8.1	175	1	1	3	7	22	39	68
65+	52	8.8	169	<1	1	3	14	37	92	99+
GRAND TOTAL	**580**	**6.4**	**81**	**1**	**1**	**4**	**7**	**14**	**23**	**70**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	133	2.8	16	<1	<1	2	3	5	8	29
20-34	194	2.6	21	<1	<1	2	2	4	7	28
35-49	126	3.1	32	<1	<1	2	3	5	9	40
50-64	85	3.8	18	<1	<1	2	4	11	14	72
65+	42	5.9	53	1	1	3	6	18	21	34
2. MULTIPLE DX										
0-19 YRS	55	5.2	59	<1	1	3	5	12	23	46
20-34	76	3.5	14	<1	<1	2	4	10	12	19
35-49	65	4.9	45	<1	<1	3	5	12	18	39
50-64	106	9.4	235	<1	1	3	11	26	34	78
65+	65	14.8	292	1	2	9	24	45	77	99+
TOT. SINGLE DX	580	3.2	25	<1	<1	2	3	6	12	34
" MULTIPLE DX	367	7.7	154	<1	1	3	8	22	33	80
TOTAL 0-19 YRS	188	3.5	30	<1	<1	2	3	7	11	32
20-34	270	2.9	19	<1	<1	2	3	5	10	21
35-49	191	3.8	38	<1	<1	2	3	7	13	39
50-64	191	6.9	146	<1	<1	3	5	17	28	79
65+	107	11.3	216	1	1	4	19	33	48	99+
GRAND TOTAL	**947**	**4.9**	**80**	**<1**	**<1**	**2**	**4**	**12**	**21**	**50**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	8	4.0	11	2	2	2	6	10	10	10
35-49	44	2.4	1	<1	<1	2	3	4	5	6
50-64	95	2.4	4	<1	<1	2	3	4	4	14
65+	90	2.6	3	<1	1	2	3	4	5	12
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	3.8	2	2	2	3	5	6	6	6
35-49	18	3.0	2	1	2	3	3	5	7	8
50-64	79	4.0	63	<1	1	2	3	5	10	55
65+	90	3.3	8	1	1	2	3	6	8	16
TOT. SINGLE DX	240	2.5	4	<1	<1	2	3	4	5	11
" MULTIPLE DX	193	3.5	30	1	1	2	3	6	8	18
TOTAL 0-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
20-34	13	3.9	8	2	2	3	5	9	10	10
35-49	62	2.6	2	<1	1	2	3	4	5	8
50-64	174	3.1	32	<1	<1	2	3	4	6	20
65+	180	3.0	6	<1	1	2	3	5	8	14
GRAND TOTAL	**433**	**3.0**	**16**	**<1**	**1**	**2**	**3**	**5**	**6**	**15**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	95	2.1	2	<1	1	2	2	3	5	10
20-34	159	2.3	3	1	1	2	3	4	6	13
35-49	49	2.2	4	<1	1	2	2	4	7	11
50-64	34	4.0	100	<1	1	2	4	4	6	60
65+	11	2.5	1	1	1	2	3	4	6	6
2. MULTIPLE DX										
0-19 YRS	64	3.1	18	1	1	2	3	5	8	29
20-34	147	3.1	12	1	1	2	4	6	7	19
35-49	66	5.5	83	<1	<1	3	5	11	32	93
50-64	47	4.2	60	1	1	2	3	6	16	50
65+	27	2.7	4	1	1	2	3	5	7	9
TOT. SINGLE DX	348	2.4	13	<1	1	2	2	4	6	11
" MULTIPLE DX	351	3.7	33	1	1	2	4	7	11	38
TOTAL 0-19 YRS	159	2.5	9	<1	1	2	3	4	6	16
20-34	306	2.7	8	1	1	2	3	5	7	15
35-49	115	4.1	52	<1	1	2	3	8	12	72
50-64	81	4.1	76	1	1	2	3	4	15	57
65+	38	2.6	3	1	1	2	3	5	7	9
GRAND TOTAL	**699**	**3.0**	**23**	**<1**	**1**	**2**	**3**	**5**	**7**	**31**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	54	2.9	3	1	1	2	4	6	7	8
20-34	159	3.3	6	<1	1	3	4	6	8	13
35-49	98	3.2	4	<1	1	3	4	6	8	10
50-64	89	3.9	8	1	1	3	5	8	9	16
65+	26	4.8	12	1	1	4	7	9	11	17
2. MULTIPLE DX										
0-19 YRS	34	4.2	18	<1	1	3	5	8	15	21
20-34	87	5.1	31	1	1	3	6	13	18	29
35-49	61	3.7	13	<1	1	3	4	7	10	22
50-64	64	7.5	126	1	2	5	8	13	23	73
65+	40	13.4	251	1	2	7	18	50	78	99+
TOT. SINGLE DX	426	3.5	6	1	1	3	4	7	8	12
" MULTIPLE DX	286	6.4	86	1	1	3	7	13	23	72
TOTAL 0-19 YRS	88	3.4	9	1	1	3	5	6	8	19
20-34	246	4.0	16	1	1	3	4	8	12	20
35-49	159	3.4	8	<1	1	3	4	6	8	16
50-64	153	5.4	60	1	2	3	6	10	13	45
65+	66	10.0	174	1	2	5	11	37	55	99+
GRAND TOTAL	**712**	**4.6**	**41**	**1**	**1**	**3**	**5**	**8**	**13**	**45**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	140	3.6	5	1	2	3	4	5	7	12
20-34	115	3.6	4	1	1	3	5	6	8	10
35-49	46	3.3	3	1	2	3	4	5	6	11
50-64	31	4.2	6	<1	1	3	6	8	9	10
65+	20	6.1	21	1	1	4	9	13	15	16
2. MULTIPLE DX										
0-19 YRS	111	4.0	8	1	2	3	4	8	9	16
20-34	71	5.4	19	1	2	4	6	11	15	23
35-49	32	9.4	216	1	1	4	7	28	52	58
50-64	19	5.4	30	<1	1	4	6	13	19	23
65+	17	14.1	347	2	2	9	15	32	62	78
TOT. SINGLE DX	352	3.7	6	1	1	3	5	6	8	13
" MULTIPLE DX	250	5.9	68	1	2	3	6	11	17	53
TOTAL 0-19 YRS	251	3.8	7	1	2	3	4	7	8	14
20-34	186	4.3	11	1	1	3	5	8	10	18
35-49	78	5.8	98	1	1	3	5	9	21	57
50-64	50	4.6	15	<1	1	3	6	9	10	23
65+	37	9.8	183	1	2	6	12	17	31	78
GRAND TOTAL	**602**	**4.6**	**33**	**1**	**2**	**3**	**5**	**8**	**11**	**25**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	3.5	20	<1	<1	1	4	10	16	17
20-34	40	2.7	16	<1	1	2	3	4	7	26
35-49	25	4.0	48	<1	1	2	3	5	22	33
50-64	20	7.6	164	<1	<1	3	6	23	42	53
65+	11	5.0	37	<1	1	2	6	14	21	22
2. MULTIPLE DX										
0-19 YRS	7	2.0		<1	<1	2	3	3	3	3
20-34	41	6.4	108	1	1	3	6	15	25	60
35-49	27	8.5	309	1	1	3	8	13	40	91
50-64	23	7.3	84	1	1	3	8	24	31	32
65+	18	8.4	188	<1	1	3	6	27	46	54
TOT. SINGLE DX	117	4.2	52	<1	1	2	3	9	18	40
" MULTIPLE DX	116	7.1	154	1	1	3	6	16	31	71
TOTAL 0-19 YRS	28	3.1	16	<1	<1	2	3	7	15	17
20-34	81	4.6	66	1	1	2	4	10	18	51
35-49	52	6.3	186	1	1	2	5	12	30	90
50-64	43	7.4	119	<1	1	3	7	24	31	53
65+	29	7.1	131	<1	1	3	6	18	35	54
GRAND TOTAL	**233**	**5.6**	**105**	**<1**	**1**	**2**	**5**	**12**	**26**	**55**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	5	2.8	6	1	1	2	4	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	2	23.0	578	6	6	23	40	40	40	40
20-34	3	22.0	723	5	5	30	76	99+	99+	99+
35-49	3	13.3	1	12	12	14	14	14	14	14
50-64										
65+	3	11.0	4	9	9	11	12	13	13	13
TOT. SINGLE DX	8	4.3	11	1	1	3	7	9	9	9
" MULTIPLE DX	11	16.8	233	5	6	12	27	67	95	99+
TOTAL 0-19 YRS	3	18.3	354	6	6	9	32	40	40	40
20-34	8	10.0	309	1	1	5	19	81	99+	99+
35-49	4	10.8	28	3	3	13	14	14	14	14
50-64										
65+	4	10.3	5	8	8	10	12	13	13	13
GRAND TOTAL	19	11.5	174	1	2	8	13	46	76	99+

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	5.5	45	<1	1	3	5	15	24	24
20-34	8	11.5	318	2	2	4	10	42	55	55
35-49	11	4.5	11	<1	<1	4	7	9	11	11
50-64	10	2.5	1	1	1	2	3	4	4	4
65+	26	10.3	195	1	1	4	15	35	41	57
2. MULTIPLE DX										
0-19 YRS	6	8.0	75	2	2	4	12	23	24	24
20-34	15	22.3	409	2	4	20	31	44	69	78
35-49	18	17.3	213	3	4	10	33	45	76	99+
50-64	42	19.0	211	2	3	17	29	40	53	99+
65+	71	24.9	444	1	3	21	41	61	82	99+
TOT. SINGLE DX	65	7.5	131	1	1	4	7	21	36	57
" MULTIPLE DX	152	21.5	344	2	3	17	35	46	76	99+
TOTAL 0-19 YRS	16	6.4	54	<1	2	4	6	23	24	24
20-34	23	18.6	390	2	3	10	27	46	63	78
35-49	29	12.5	173	1	2	8	17	41	47	99+
50-64	52	15.8	213	1	2	10	26	39	46	99
65+	97	21.0	417	1	2	15	37	49	76	99+
GRAND TOTAL	217	17.3	320	1	2	10	26	45	62	99+

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	30.5	13	28	28	30	33	33	33	33
35-49	2	43.5	761	24	24	43	63	63	63	63
50-64	1	43.0		43	43	43	43	43	43	43
65+	8	35.0	364	16	16	40	58	86	99+	99+
2. MULTIPLE DX										
0-19 YRS	3	24.7	114	13	13	27	32	34	34	34
20-34	9	32.4	206	13	14	32	38	54	60	60
35-49	8	34.3	857	7	9	21	58	80	81	81
50-64	30	39.4	707	9	11	31	60	89	91	99+
65+	102	36.7	512	9	13	33	63	99+	99+	99+
TOT. SINGLE DX	13	36.2	296	16	17	36	56	69	93	99+
" MULTIPLE DX	152	36.7	537	9	13	32	60	92	99+	99+
TOTAL 0-19 YRS	3	24.7	114	13	13	27	32	34	34	34
20-34	11	32.1	167	13	15	32	35	52	59	60
35-49	10	36.1	767	7	10	25	63	79	81	81
50-64	31	39.5	685	9	11	35	59	89	91	99+
65+	110	36.6	499	9	15	34	63	99+	99+	99+
GRAND TOTAL	165	36.6	516	9	13	33	60	92	99+	99+

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	4	16.0	86	3	3	18	22	25	25	25
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	12.0		12	12	12	12	12	12	12
65+	3	17.3	76	10	10	15	24	27	27	27
2. MULTIPLE DX										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	1	39.0		39	39	39	39	39	39	39
35-49	3	27.0	939	5	5	14	50	62	62	62
50-64	15	26.8	304	10	10	26	32	57	67	71
65+	74	26.5	540	5	8	21	57	99+	99+	99+
TOT. SINGLE DX	9	15.3	58	3	6	15	20	26	27	27
" MULTIPLE DX	94	26.7	492	5	9	21	54	99+	99+	99+
TOTAL 0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	5	20.6	171	3	3	19	28	39	39	39
35-49	4	22.8	698	5	5	12	38	62	62	62
50-64	16	25.9	298	10	10	23	31	55	67	71
65+	77	26.1	524	5	8	20	56	99+	99+	99+
GRAND TOTAL	103	25.7	463	5	9	20	46	97	99+	99+

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	4.7	2	3	3	5	6	6	6	6
20-34	1	11.0		11	11	11	11	11	11	11
35-49	1	44.0		44	44	44	44	44	44	44
50-64	1	20.0		20	20	20	20	20	20	20
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	23.5	374	4	4	20	35	52	54	54
35-49	7	27.3	124	14	15	29	41	82	99+	99+
50-64	10	42.4	600	13	18	45	70	92	99	99+
65+	9	58.9	695	26	28	72	81	88	89	89
TOT. SINGLE DX	7	13.1	221	3	3	6	18	39	44	44
" MULTIPLE DX	33	39.1	651	6	11	33	68	87	97	99+
TOTAL 0-19 YRS	4	4.8	2	3	3	5	6	6	6	6
20-34	7	21.7	334	4	5	11	33	50	54	54
35-49	8	29.4	141	14	16	33	42	78	99+	99+
50-64	11	40.4	586	14	18	39	65	91	99	99+
65+	10	53.3	931	3	14	55	79	87	89	89
GRAND TOTAL	**40**	**34.6**	**668**	**4**	**5**	**31**	**54**	**86**	**93**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	1.8	1	<1	<1	1	2	4	4	4
20-34	4	14.0	68	5	5	13	19	25	25	25
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	17.5	61	12	12	17	23	23	23	23
65+										
2. MULTIPLE DX										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	6	11.5	37	3	3	11	15	20	21	21
35-49	5	11.4	63	2	2	10	19	20	20	20
50-64	2	12.0	242	1	1	12	23	23	23	23
65+										
TOT. SINGLE DX	12	8.4	76	<1	<1	4	13	24	25	25
" MULTIPLE DX	14	12.4	62	1	2	11	20	23	23	23
TOTAL 0-19 YRS	6	5.3	76	<1	<1	2	4	21	23	23
20-34	10	12.5	45	3	4	12	15	23	25	25
35-49	6	9.7	68	1	1	8	19	20	20	20
50-64	4	14.8	111	1	1	17	23	23	23	23
65+										
GRAND TOTAL	**26**	**10.5**	**70**	**<1**	**1**	**10**	**19**	**23**	**24**	**25**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	2.1	3	1	1	1	3	5	6	6
20-34	11	5.2	86	<1	<1	1	5	18	31	32
35-49	7	9.7	128	1	1	6	25	78	99+	99+
50-64	7	2.9	2	<1	<1	3	4	5	5	5
65+	4	10.0	35	5	5	8	14	18	18	18
2. MULTIPLE DX										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	11	10.3	148	2	2	5	12	33	37	37
35-49	6	8.3	42	3	3	8	18	84	99+	99+
50-64	26	14.7	396	<1	1	8	19	61	86	99+
65+	16	19.8	143	3	6	20	30	42	80	99+
TOT. SINGLE DX	36	5.6	60	<1	1	2	6	22	31	99+
" MULTIPLE DX	63	13.8	246	<1	1	8	22	37	86	99+
TOTAL 0-19 YRS	11	2.1	3	<1	<1	1	3	5	6	6
20-34	22	7.7	118	<1	1	2	9	31	34	37
35-49	13	9.1	82	1	1	8	22	99+	99+	99+
50-64	33	12.2	334	<1	1	6	17	32	80	99+
65+	20	17.8	135	3	5	18	27	39	69	99+
GRAND TOTAL	**99**	**10.8**	**193**	**<1**	**1**	**6**	**18**	**32**	**74**	**99+**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
TOT. SINGLE DX	2	4.0	8	2	2	4	6	6	6	6
" MULTIPLE DX	3	1.7	1	1	1	1	3	3	3	3
TOTAL 0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	4.5	5	3	3	4	6	6	6	6
GRAND TOTAL	**5**	**2.6**	**4**	**1**	**1**	**2**	**4**	**6**	**6**	**6**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	66	1.9		<1	<1	2	2	3	4	6
20-34	307	2.0	2	<1	<1	2	2	3	4	9
35-49	527	2.6	6	<1	<1	2	3	5	7	13
50-64	304	3.3	8	<1	1	2	4	7	9	16
65+	193	4.6	20	1	1	3	6	10	11	29
2. MULTIPLE DX										
0-19 YRS	12	3.3	5	<1	<1	3	5	6	9	9
20-34	158	3.6	16	<1	<1	2	4	7	10	24
35-49	382	3.6	16	<1	<1	2	4	7	10	27
50-64	377	4.8	23	<1	1	3	6	11	14	26
65+	347	7.0	71	1	2	4	8	15	20	49
TOT. SINGLE DX	1397	2.8	8	<1	<1	2	3	6	8	14
" MULTIPLE DX	1276	4.9	36	<1	<1	3	5	10	15	28
TOTAL 0-19 YRS	78	2.1	2	<1	<1	2	2	4	5	8
20-34	465	2.5	8	<1	<1	2	3	4	7	15
35-49	909	3.0	11	<1	<1	2	3	6	9	20
50-64	681	4.1	18	<1	1	3	5	9	12	24
65+	540	6.1	55	1	2	4	7	13	18	38
GRAND TOTAL	2673	3.8	22	<1	<1	2	4	8	12	24

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	3.2	11	<1	1	2	3	6	9	18
20-34	28	2.8	2	<1	1	3	4	5	6	6
35-49	31	5.5	28	<1	1	4	7	9	12	30
50-64	32	7.3	29	2	2	6	10	15	20	23
65+	26	6.7	11	2	3	7	8	11	13	16
2. MULTIPLE DX										
0-19 YRS	4	3.5	3	2	2	3	5	6	6	6
20-34	18	6.8	32	1	2	6	7	13	21	25
35-49	31	6.4	10	3	4	5	7	11	13	17
50-64	39	7.8	24	2	3	6	11	14	19	22
65+	84	11.2	97	3	4	8	13	25	31	51
TOT. SINGLE DX	143	5.2	20	1	1	4	7	11	14	23
" MULTIPLE DX	176	9.0	61	2	3	7	11	17	25	44
TOTAL 0-19 YRS	30	3.2	10	1	1	3	3	6	6	18
20-34	46	4.4	17	<1	1	3	6	7	12	25
35-49	62	5.9	19	1	2	5	7	10	13	28
50-64	71	7.6	26	2	2	6	10	15	20	23
65+	110	10.2	80	3	3	7	11	21	28	49
GRAND TOTAL	319	7.3	46	1	2	6	8	15	21	36

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	6.6	4	4	4	6	8	9	11	11
35-49	70	9.4	30	5	5	8	10	14	17	40
50-64	112	8.7	9	5	5	9	10	12	14	21
65+	123	10.0	14	[illegible]	6	9	12	15	16	22
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	21	8.0	6	4	5	8	9	11	13	15
35-49	139	9.1	18	5	5	8	11	14	18	23
50-64	242	9.9	26	5	6	9	11	16	19	30
65+	218	11.4	46	5	6	9	13	20	27	99+
TOT. SINGLE DX	320	9.3	16	5	5	9	11	14	15	24
" MULTIPLE DX	621	10.2	32	5	6	9	11	16	21	38
TOTAL 0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	35	7.4	6	4	5	7	9	10	12	15
35-49	209	9.2	23	5	5	8	11	14	18	29
50-64	354	9.6	21	5	5	9	11	14	18	30
65+	341	10.9	35	5	6	9	13	16	22	55
GRAND TOTAL	941	9.9	27	5	5	9	11	15	19	35

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	111	3.0	2	<1	1	3	4	5	5	9
20-34	440	3.3	3	<1	1	3	4	5	7	10
35-49	219	3.4	5	<1	1	3	4	6	8	12
50-64	86	4.2	18	1	2	4	5	7	8	29
65+	32	3.4	5	1	1	3	4	7	10	11
2. MULTIPLE DX										
0-19 YRS	55	4.5	13	1	2	3	5	9	12	19
20-34	371	3.4	5	<1	<1	3	4	6	8	12
35-49	259	4.0	6	<1	1	4	5	7	8	16
50-64	134	4.0	7	<1	1	3	4	7	10	15
65+	37	5.3	9	2	2	4	6	9	12	16
TOT. SINGLE DX	888	3.4	6	<1	1	3	4	5	7	11
" MULTIPLE DX	856	3.8	7	<1	1	3	4	7	9	16
TOTAL 0-19 YRS	166	3.5	6	<1	1	3	4	5	7	17
20-34	811	3.3	5	<1	<1	3	4	5	7	11
35-49	478	3.7	6	<1	1	3	4	6	8	13
50-64	220	4.1	12	1	2	3	4	7	8	16
65+	69	4.4	9	1	2	4	5	9	10	15
GRAND TOTAL	1744	3.6	6	<1	1	3	4	6	8	13

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	269	3.8	4	1	1	4	5	6	7	11
20-34	480	3.8	4	1	1	3	5	7	8	11
35-49	55	4.0	8	<1	1	3	5	7	10	16
50-64	13	4.5	9	<1	2	4	5	10	11	11
65+	5	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	31	5.1	24	1	1	3	6	8	16	26
20-34	96	5.3	20	1	2	4	6	10	15	23
35-49	20	6.3	22	1	3	4	8	15	17	18
50-64	8	8.9	126	2	2	4	12	29	33	33
65+	2	4.5	13	2	2	4	7	7	7	7
TOT. SINGLE DX	822	3.8	5	1	1	3	5	6	8	11
" MULTIPLE DX	157	5.5	26	1	2	4	6	11	17	26
TOTAL 0-19 YRS	300	4.0	6	1	1	4	5	6	8	15
20-34	576	4.0	7	1	2	3	5	7	9	14
35-49	75	4.6	13	<1	2	4	5	10	14	18
50-64	21	6.2	54	1	2	4	5	14	25	33
65+	7	3.4	3	2	2	3	4	6	7	7
GRAND TOTAL	979	4.1	6	1	2	3	5	7	9	16

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	284	2.4	13	<1	<1	1	2	5	8	16
20-34	330	3.4	31	<1	<1	2	4	7	10	26
35-49	229	3.4	18	<1	<1	2	3	8	14	22
50-64	158	5.3	76	<1	<1	2	5	13	18	31
65+	124	4.8	33	<1	<1	2	5	13	20	26
2. MULTIPLE DX										
0-19 YRS	129	7.5	158	<1	<1	3	7	17	35	74
20-34	219	8.6	163	<1	<1	5	9	22	36	99+
35-49	216	8.7	102	<1	1	5	11	23	33	54
50-64	235	11.2	153	<1	1	7	15	28	38	80
65+	456	13.4	174	1	2	9	19	36	50	99+
TOT. SINGLE DX	1125	3.6	32	<1	<1	2	4	8	13	27
" MULTIPLE DX	1255	10.7	159	<1	1	7	14	28	42	99+
TOTAL 0-19 YRS	413	4.0	64	<1	<1	2	3	8	13	44
20-34	549	5.5	90	<1	<1	3	5	13	22	71
35-49	445	6.0	66	<1	<1	3	7	15	23	41
50-64	393	8.8	131	<1	1	4	11	23	33	70
65+	580	11.6	156	<1	1	8	16	30	47	99+
GRAND TOTAL	2380	7.3	112	<1	<1	3	9	20	30	78

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	471	3.9	25	<1	<1	2	5	8	13	21
20-34	474	4.6	32	<1	<1	3	5	10	14	38
35-49	205	6.2	85	<1	<1	3	7	13	20	50
50-64	139	7.4	75	<1	1	4	10	19	25	48
65+	107	9.7	157	<1	1	5	11	25	35	65
2. MULTIPLE DX										
0-19 YRS	613	5.6	73	<1	1	3	6	12	21	75
20-34	845	7.1	133	<1	1	3	7	18	29	78
35-49	414	8.7	144	1	1	5	10	21	34	80
50-64	390	13.2	330	1	1	7	14	37	62	99+
65+	545	16.6	372	1	2	10	24	51	75	99+
TOT. SINGLE DX	1396	5.2	55	<1	<1	3	6	12	17	40
" MULTIPLE DX	2807	9.7	212	1	1	4	11	26	45	99+
TOTAL 0-19 YRS	1084	4.8	53	<1	1	2	6	11	18	48
20-34	1319	6.2	99	<1	1	3	7	14	23	61
35-49	619	7.9	126	<1	1	4	9	19	29	78
50-64	529	11.7	270	1	1	6	13	31	52	98
65+	652	15.5	344	1	1	8	21	45	68	99+
GRAND TOTAL	4203	8.2	164	<1	1	4	9	21	36	90

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	10.0	79	1	1	8	13	25	28	35
20-34	60	11.6	102	1	2	10	16	22	30	53
35-49	31	15.0	274	1	2	10	19	47	72	99+
50-64	18	16.4	176	2	3	14	24	31	45	53
65+	16	19.1	193	1	1	21	29	40	42	43
2. MULTIPLE DX										
0-19 YRS	65	19.5	241	3	4	14	26	45	65	95
20-34	79	18.1	214	2	3	17	26	40	57	99+
35-49	55	24.5	395	2	5	18	35	51	64	87
50-64	61	27.7	324	9	11	23	37	54	75	99
65+	93	30.2	303	6	8	30	44	62	80	99+
TOT. SINGLE DX	169	13.0	149	1	2	10	19	27	39	70
" MULTIPLE DX	353	24.2	311	3	5	21	34	51	67	99+
TOTAL 0-19 YRS	109	15.6	197	1	2	11	23	32	48	81
20-34	139	15.3	175	1	2	12	22	32	49	99+
35-49	86	21.0	369	2	2	15	29	50	67	95
50-64	79	25.1	311	3	7	22	35	52	65	97
65+	109	28.5	301	3	7	28	43	56	74	99+
GRAND TOTAL	**522**	**20.6**	**285**	**2**	**3**	**16**	**30**	**46**	**62**	**99+**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	4.2	29	<1	<1	2	6	12	18	19
20-34	20	9.9	166	1	1	4	13	27	42	51
35-49	9	7.7	57	1	1	5	12	20	24	24
50-64	3	6.0	9	3	3	6	8	9	9	9
65+	2	2.5	5	<1	<1	2	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	16	14.0	555	1	1	7	12	26	76	98
20-34	30	13.3	186	<1	2	9	17	39	52	99+
35-49	16	26.9	773	1	2	10	59	62	75	81
50-64	18	20.2	588	1	2	13	45	99+	99+	99+
65+	13	24.1	703	2	5	15	72	99+	99+	99+
TOT. SINGLE DX	45	7.4	96	<1	1	3	9	19	26	51
" MULTIPLE DX	93	18.6	505	1	2	10	33	79	99+	99+
TOTAL 0-19 YRS	27	10.0	356	<1	1	4	9	22	37	98
20-34	50	11.9	178	1	2	6	15	35	51	99+
35-49	25	20.0	591	1	2	8	27	61	67	81
50-64	21	18.1	527	2	2	9	40	99+	99+	99+
65+	15	21.2	661	<1	2	14	67	99+	99+	99+
GRAND TOTAL	**138**	**14.9**	**398**	**1**	**1**	**8**	**20**	**61**	**98**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	162	3.1	9	<1	<1	2	4	8	10	13
20-34	209	3.0	5	<1	<1	2	4	6	7	11
35-49	137	3.5	5	<1	1	3	4	7	7	11
50-64	107	3.6	6	<1	<1	3	4	7	8	13
65+	43	4.1	17	<1	<1	3	6	9	13	20
2. MULTIPLE DX										
0-19 YRS	69	4.6	28	<1	1	3	5	9	12	30
20-34	241	4.6	29	<1	<1	4	5	8	11	28
35-49	256	5.5	32	<1	1	4	6	10	15	38
50-64	208	5.3	38	<1	1	4	5	9	18	36
65+	118	8.7	60	2	2	7	11	22	27	57
TOT. SINGLE DX	658	3.3	7	<1	<1	3	4	7	9	13
" MULTIPLE DX	892	5.6	38	<1	1	4	6	11	18	36
TOTAL 0-19 YRS	231	3.5	15	<1	<1	2	4	9	11	21
20-34	450	3.9	19	<1	<1	3	5	7	9	18
35-49	393	4.8	24	<1	1	4	5	8	12	33
50-64	315	4.7	28	<1	1	3	5	8	12	34
65+	161	7.5	52	1	1	5	9	19	24	38
GRAND TOTAL	**1550**	**4.6**	**26**	**<1**	**<1**	**3**	**5**	**9**	**12**	**30**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

Appendix

ICD-9-CM Codes for Selected Operation Groups

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	5	2.4	1	1	1	2	3	4	4	4
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	4	7.8	43	2	2	6	13	16	16	16
20-34	1	20.0		20	20	20	20	20	20	20
35-49	4	8.8	34	4	4	8	13	16	16	16
50-64	7	6.6	9	4	4	5	7	12	13	13
65+	6	14.5	131	2	2	15	20	31	32	32
TOT. SINGLE DX	12	4.1	10	1	1	3	5	10	11	11
" MULTIPLE DX	22	10.0	61	2	3	7	16	20	25	32
TOTAL 0-19 YRS	7	5.9	28	1	1	4	9	15	16	16
20-34	6	5.3	53	1	1	3	4	18	20	20
35-49	5	9.2	27	4	4	11	12	16	16	16
50-64	8	6.4	8	4	4	5	7	11	13	13
65+	8	12.3	115	2	2	10	19	28	32	32
GRAND TOTAL	**34**	**7.9**	**50**	**1**	**2**	**5**	**11**	**19**	**20**	**32**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	3.8	10	1	1	3	5	9	10	14
20-34	571	4.0	18	1	1	2	5	9	12	22
35-49	756	4.6	26	1	1	3	6	10	14	25
50-64	406	4.6	20	1	1	3	6	10	14	22
65+	105	4.8	36	1	1	2	6	11	15	31
2. MULTIPLE DX										
0-19 YRS	55	5.3	26	1	1	4	6	13	18	23
20-34	307	5.8	47	1	1	4	7	11	20	43
35-49	526	7.3	61	1	1	4	9	17	23	36
50-64	463	7.3	78	1	1	5	9	16	22	50
65+	214	11.7	152	1	1	8	15	26	33	61
TOT. SINGLE DX	1882	4.4	23	1	1	3	5	10	13	25
" MULTIPLE DX	1565	7.5	78	1	1	5	9	18	24	49
TOTAL 0-19 YRS	99	4.6	20	1	1	3	6	10	15	22
20-34	878	4.6	29	1	1	3	6	10	14	29
35-49	1282	5.7	43	1	1	3	7	13	19	33
50-64	869	6.0	53	1	1	4	8	13	18	34
65+	319	9.4	125	1	1	5	13	23	30	60
GRAND TOTAL	**3447**	**5.8**	**50**	**1**	**1**	**3**	**7**	**13**	**19**	**34**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	5.7	28	1	1	3	9	15	16	16
20-34	59	4.8	13	<1	1	3	7	10	12	18
35-49	80	6.0	43	1	1	4	7	11	23	32
50-64	95	5.5	33	<1	1	4	7	11	20	28
65+	116	4.9	27	<1	1	3	6	12	17	26
2. MULTIPLE DX										
0-19 YRS	10	8.8	20	<1	2	9	12	15	16	16
20-34	61	10.3	169	1	2	7	11	23	45	98
35-49	117	8.9	132	1	2	7	11	18	24	99+
50-64	320	8.7	89	1	2	7	10	16	22	44
65+	341	9.5	75	1	1	8	12	20	25	46
TOT. SINGLE DX	369	5.3	30	1	1	3	7	11	17	28
" MULTIPLE DX	849	9.2	94	1	2	7	11	18	25	60
TOTAL 0-19 YRS	29	6.8	27	1	1	5	11	15	16	16
20-34	120	7.6	99	1	2	5	9	15	23	86
35-49	197	7.8	98	1	2	5	8	17	24	93
50-64	415	8.0	78	1	1	6	10	15	22	37
65+	457	8.4	68	1	1	6	11	18	23	39
GRAND TOTAL	**1218**	**8.0**	**78**	**1**	**1**	**6**	**10**	**17**	**23**	**50**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	10.0	50	5	5	10	15	15	15	15
35-49	4	10.0	33	3	3	10	14	17	17	17
50-64	8	8.5	28	<1	1	8	13	15	16	16
65+	3	8.7	40	5	5	5	13	16	16	16
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	17	12.6	99	4	5	11	14	19	38	48
50-64	27	14.4	76	2	3	14	19	27	34	36
65+	17	16.2	97	4	5	15	21	24	39	46
TOT. SINGLE DX	17	9.1	27	1	3	9	14	16	17	17
" MULTIPLE DX	61	14.4	88	3	5	14	18	23	35	48
TOTAL 0-19 YRS										
20-34	2	10.0	50	5	5	10	15	15	15	15
35-49	21	12.1	86	4	4	11	14	18	33	48
50-64	35	13.0	71	2	3	12	17	22	32	36
65+	20	15.1	94	4	5	15	19	23	35	46
GRAND TOTAL	**78**	**13.2**	**79**	**3**	**4**	**12**	**17**	**22**	**32**	**47**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	7.5	33	1	2	7	10	15	19	25
20-34	146	7.6	39	<1	1	6	11	14	20	27
35-49	163	5.7	22	<1	1	4	9	12	15	22
50-64	263	5.0	21	<1	1	3	8	12	14	19
65+	241	6.2	43	<1	1	4	9	14	18	35
2. MULTIPLE DX										
0-19 YRS	24	9.4	66	2	2	6	15	25	26	26
20-34	153	10.0	84	1	2	8	13	22	29	46
35-49	259	8.9	92	1	1	7	12	19	25	51
50-64	639	8.4	81	1	1	6	12	18	26	45
65+	959	10.9	160	1	1	8	14	23	34	93
TOT. SINGLE DX	837	6.0	32	<1	1	4	9	13	16	25
" MULTIPLE DX	2034	9.7	121	1	1	7	13	21	30	71
TOTAL 0-19 YRS	48	8.4	50	1	2	7	11	19	25	26
20-34	299	8.8	64	1	2	7	12	19	24	40
35-49	422	7.7	67	1	1	5	11	16	22	36
50-64	902	7.4	67	<1	1	5	11	16	22	40
65+	1200	9.9	141	1	1	7	13	22	31	85
GRAND TOTAL	**2871**	**8.7**	**98**	**1**	**1**	**6**	**12**	**19**	**26**	**52**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5408	3.9	18	1	1	3	5	8	10	19
20-34	5060	4.2	23	1	1	3	5	8	11	25
35-49	2854	4.8	24	1	1	3	6	10	13	24
50-64	2303	6.5	49	1	1	4	8	13	18	39
65+	2938	8.5	84	1	2	6	10	18	25	55
2. MULTIPLE DX										
0-19 YRS	5949	6.2	60	1	1	4	7	12	17	42
20-34	4912	6.0	58	1	1	4	7	12	18	42
35-49	3880	7.3	62	1	2	5	9	14	20	44
50-64	6303	9.2	82	1	2	7	11	19	27	52
65+	14666	12.3	148	2	3	9	15	26	40	99+
TOT. SINGLE DX	18563	5.2	38	1	1	3	6	11	15	32
" MULTIPLE DX	35710	9.3	108	1	2	6	11	20	29	71
TOTAL 0-19 YRS	11357	5.1	42	1	1	3	6	10	14	32
20-34	9972	5.1	42	1	1	3	6	10	15	36
35-49	6734	6.2	48	1	1	4	8	12	17	36
50-64	8606	8.5	75	1	2	6	10	18	25	49
65+	17604	11.7	140	2	3	8	14	25	37	97
GRAND TOTAL	**54273**	**7.9**	**88**	**1**	**1**	**5**	**9**	**17**	**25**	**58**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1666	4.6	44	<1	1	3	5	8	14	38
20-34	790	4.7	33	<1	<1	3	6	10	15	38
35-49	637	6.2	55	<1	<1	4	7	12	19	44
50-64	572	7.0	56	<1	1	5	9	14	18	36
65+	544	9.9	119	<1	1	7	11	21	34	62
2. MULTIPLE DX										
0-19 YRS	1776	7.3	98	1	2	4	7	15	27	68
20-34	746	9.0	142	1	1	5	10	20	34	67
35-49	763	9.2	103	1	2	6	11	18	27	56
50-64	1164	10.9	133	2	2	8	13	23	35	67
65+	2605	14.1	192	3	3	10	17	34	54	99+
TOT. SINGLE DX	4209	5.9	59	<1	1	4	7	12	19	44
" MULTIPLE DX	7054	10.8	152	1	2	7	13	24	39	95
TOTAL 0-19 YRS	3442	6.0	74	1	1	4	6	12	22	53
20-34	1536	6.8	91	<1	<1	4	7	15	22	59
35-49	1400	7.9	84	<1	1	5	9	15	23	51
50-64	1736	9.6	111	1	2	7	11	19	31	63
65+	3149	13.4	182	2	3	9	16	31	50	99+
GRAND TOTAL	**11263**	**9.0**	**123**	**1**	**1**	**5**	**11**	**20**	**33**	**74**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5785	4.1	15	1	1	3	5	8	10	18
20-34	2454	3.9	24	<1	1	3	5	7	10	26
35-49	1355	4.9	33	<1	1	3	6	10	13	35
50-64	1369	5.8	30	1	1	4	8	13	15	28
65+	2062	7.5	64	1	2	5	9	15	21	51
2. MULTIPLE DX										
0-19 YRS	7891	6.1	41	1	2	4	7	12	17	33
20-34	2612	5.1	50	1	1	3	6	10	14	39
35-49	2394	6.5	59	1	1	4	8	13	19	42
50-64	4078	7.8	62	1	2	6	10	15	21	46
65+	9886	10.4	120	2	2	7	13	22	32	86
TOT. SINGLE DX	13025	4.9	30	1	1	3	6	10	14	27
" MULTIPLE DX	26861	7.9	80	1	2	5	9	16	24	55
TOTAL 0-19 YRS	13676	5.2	31	1	1	4	6	10	14	30
20-34	5066	4.5	38	<1	1	3	5	8	12	37
35-49	3749	5.9	51	1	1	4	7	12	16	40
50-64	5447	7.3	55	1	2	5	9	15	20	43
65+	11948	9.9	112	2	2	7	12	21	30	82
GRAND TOTAL	**39886**	**6.9**	**66**	**1**	**1**	**5**	**8**	**14**	**21**	**47**

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number — Title

- 763 Cancer chemotherapy
- Cardiac
  - 573 Catheterization
  - 764 Function tests
  - Massage
    - 763 Closed
    - 575 Open
  - 574 Pacemaker insertion or replacement
  - 575 Revascularization, except coronary bypass
    - 572 Coronary bypass
  - 764 Stress tests
- 509 Carpal tunnel decompression or release
- 760 Cast application
- 758 C.A.T. scan
- 526 Cataract extraction, except intracapsular
  - 525 Intracapsular
- Catheterization
  - 647 Bladder, except suprapubic approach
    - 638 Suprapubic approach
  - 581 Blood vessel
  - 573 Cardiac
  - 645 Ureteral
  - 647 Urethral, indwelling
  - 587 Vein, except umbilical
    - 581 Umbilical
- 669 Cerclage, cervix
- 692 Cesarean section, except low cervical
  - 691 Low cervical
- 763 Chemotherapy
- 758 Cholangiogram (intravenous) (percutaneous)
- 616 Cholecystectomy
- 758 Cholecystogram
- 617 Cholecystotomy
- 764 Circulatory monitoring
- 657 Circumcision, except newborn
- Closure
  - 617 Cholecystostomy
  - 601 Colostomy
  - Fistula – *see Fistulectomy*
  - 596 Gastric anastomosis
  - 601 Sigmoidostomy
  - 570 Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number **Title**

- Excision of lesion (continued)
  - 660 Ovary
  - 550 Parotid gland
  - 658 Penis
  - Perineum
    - 683 Female
    - 747 Male
  - 508 Peripheral nerve
  - 607 Perirectal tissue
  - 626 Peritoneum
  - 606 Rectum
  - 550 Salivary gland
  - 524 Sclera
  - 651 Scrotum
  - 747 Skin, except radical and of pilonidal cyst or sinus
    - 746 Pilonidal cyst or sinus
    - 748 Radical
  - 501 Skull
  - 597 Small intestine
  - 507 Spinal meninges
  - 592 Stomach
  - 727 Tendon
  - 654 Testis
  - 552 Tongue
  - 559 Trachea
  - 635 Ureter
  - 640 Urethra
  - 679 Uterine ligament
  - 670 Uterus
  - 682 Vagina
  - 559 Vocal cord
  - 683 Vulva
- Exenteration
  - 532 Eyeball, orbit
  - 673 Pelvic
- Exploration
  - 627 Abdominal cavity
  - 617 Bile duct
  - 632 Kidney
- 627 Exploratory laparotomy
- 600 Exteriorization, intestine
- 579 Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number — Title

- 759 Radiation therapy
- Radiography
  - 757 Arteries, except cerebral and coronary
    - 755 Cerebral
    - 756 Coronary
  - 758 Breast
  - 755 Cerebral
    - 755 Arteries
    - 753 Ventricles
  - 758 Chest
  - 758 Gallbladder
  - 758 Kidney
  - 758 Skeletal
  - 758 Spine, except myelogram
    - 754 Myelogram
  - 757 Veins
- Reattachment
  - 738 Extremity
  - 528 Retina
  - 731 Tendon, except of hand
    - 729 Hand
- 530 Recession, ocular muscle
- Reconstruction
  - 535 Ear ossicles
  - 699 Mandible
  - 729 Thumb
- 680 Rectocele repair
- Reduction
  - Dislocation, except temporomandibular
    - 714 Closed
    - 715 Open
    - 702 Temporomandibular (joint)
  - Fracture, except facial bone, femur, and nose
    - 713 Closed, except with internal fixation
      - 711 With internal fixation
    - 713 Open, except with internal fixation
      - 712 With internal fixation
    - 701 Facial bone, except closed reduction
      - 700 Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin